plastpro®
THE DOOR OF BEAUTY & INNOVATION




THE DOOR OF BEAUTY & INNOVATION



We choose a door for its aesthetic qualities, but doors offer so much more than aesthetics. Your front door is a warm familiar place where new guest arrive and a cheerful announcement when friends come. We live our lives through them. Our front door sees us when we start our day and are ready to take on new opportunities. It's also a gentle embrace at the end of the day, welcoming us to our home and family. Doors aren't just doors; they're a reflection of us and our home. They help us and our families feel safe and protected. We know how important it is to choose a door that best represents you, makes you feel secure, and fits your needs.

## ABOUT PLASTPRO

Since 1994, Plastpro has always believed in providing a superior product with the best value, technology, and commitment to our customers. Our fiberglass doors offer the beauty and versatility of wood doors, but require less maintenance and have a longer lifespan. Wood and steel doors have been preferred in the industry, but both come with problems such as: rotting, rusting, and weather damage. Our fiberglass doors are the best solution and are not susceptible to weather damage, require less maintenance, and offer higher performance ratings. We've introduced the first door with composite stiles and rails, HydroShield technology, and composite Polyfiber (PF) Frames to the industry. Our doors feature a full length LVL block that provides stronger rigidity and a range of door locks and hardware to be installed for increased security. We carry a wide variety of designs, sizes, and styles that are bound to complement everyone's home.

Since the beginning, we've not only been committed to providing superior products, but also in creating opportunities. Our goal is to create positive changes for not only our employees and customers, but also for our community. We believe in doing good for the world and making a difference. For us, success is only as good as the good it creates. We've continuously partnered with Habitat for Humanity in order to create affordable, green houses for low-income families across the nation. We've donated more than 500 doors to various chapters of Habitat for Humanity and other non-profit organizations. When you buy a Plastpro door, you not only get a beautiful door with the best quality, you become part of Plastpro and join us in giving back to others.

# TABLE OF CONTENTS


5 PLASTPRO'S QUALITY

6 - 9 PF™ DOOR FRAMES

10 CHOOSING YOUR DOOR

11 DOORABILITY

12 - 13 DOOR SERIES OVERVIEW

14 - 15 SPECIALTY SERIES OVERVIEW (FIRE RATED, HVHZ, TRIMABLE & RESIDENTIAL ADA)

16 - 23 DOORLITE OVERVIEW - DECORATIVE GLASS

24 - 27 SOLUTION DOORLITE SERIES OVERVIEW

28 - 33  LIMITED

34 - 41  MODERN

42 - 53  RUSTIC

54 - 61  MAHOGANY

62 - 69  FIR

70 - 99  OAK

100 - 143  SMOOTH

144 - 157  WHITE OAK

158 - 165  ONELITE

166 - 171  NOVA

172 - 175 STAIN KIT & PAINT GUIDES

176 TESTING INFORMATION

177 - 182 PRODUCT INDEX

## PATENTED HYDROSHIELD™ TECHNOLOGY

Our exclusive HydroShield technology protects our doors against moisture and humidity infiltration, by creating a fully composite barrier that encases and protects the door on all six sides. It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew. Our doors with HydroShield technology used with our Polyfiber (PF) Door Frames create an enhanced, impenetrable entryway.

HydroShield™ technology

### 1 FIBERGLASS REINFORCED DOOR SKINS

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. With unlimited design options, customized panel configurations are possible. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. They can be painted, stained, and we provide a variety of graining options.

### 2 FULL LENGTH COMPOSITE STILES

Our full-length composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

### 3 COMPOSITE TOP & BOTTOM RAILS

High strength composite top and bottom rails prevent moisture from seeping into the door and stops the buildup of mold.

### 4 EXTENDED LOCKBLOCK

Plastpro's full length LVL allows any type of lock to be placed for increased security.


### 5 POLYURETHANE FOAM CORE

Our advanced CFC-free, high density, Polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.




## BACKED BY WARRANTY

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.



# PF™ DOOR FRAMES

To have a complete entry system, it is important to consider the material of the door frame. Wood doors and frames are prone to warping, rotting, and cracking, while steel doors and frames can rust and dent. You don't want to install a door that will fail, nor do you want to install a frame that will fail.

Plastpro's Polyfiber (PF) Door Frames are a uniquely formulated and innovative alternative to traditional door frames. They combine the beauty of wood but require less maintenance and have a longer lifespan. The material is durable, long-lasting, and is more thermally resistant than either wood or metal. The advanced system can be installed the same way as traditional wood frames with no added hassle. When used together with a fiberglass door, they create an enhanced, impenetrable entryway.

## FEATURES & BENEFITS

- Equipped with HydroShield technology, it will not absorb or wick moisture, and prevents warping, rotting, and splitting.
- Frame is not able to be infested with termites at any point along the structure.
- Has twice the screw holding power of traditional wood door frames.
- More versatility in design. Available in various lengths and widths that can be stained as well as painted.
- Maintenance free and energy efficient.
- Continuous piece with no finger joint and is 25% more rigid than wood frames.

## FRAME DECAY COMPARISON



**PLASTPRO PF™ DOOR FRAME**

*with Hydroshield Technology™



**TRADITIONAL WOOD FRAME**

Susceptible to rotting, warping and decay

# PF™ DOOR FRAMES



4⁹⁄₁₆" DOOR JAMB



6⁹⁄₁₆" DOOR JAMB



5¼" DOOR JAMB




7¼" DOOR JAMB



1¼" x 3" JAMB EXTENSION



WM180 BRICK MOULD



WM176 FL. BRICK MOULD



1" x 2" STUCCO MOULD



NAILING FIN



J-CHANNEL



FLAT CASING



FLAT CASING J-CHANNEL



TRIM BOARDS



TRANSOM SILLS

- 4⁹⁄₁₆"
- 6⁹⁄₁₆"



MULL POSTS

- 1½" x 3⁹⁄₁₆" x 2½"
- 1½" x 4⅜" x 2½"
- 1" x 3⁹⁄₁₆" x 2"
- 1 " x 4⅜" x 2"



MULL POST COVERS (EXT.)

- 1½" x 1"
- 2" x 1"



MULL POST CAP



STORM DOOR ADAPTERS

- 1" x 2½"
- 1" x 3"



SIDELITE STOPPER



ASTRAGAL



PF™ ARCH HEADERS



PF™ RADIUS HEADERS

AVAILABLE IN 20 MIN FIRE RATED



| MATCHING DOOR | MATCHING KIT CODE | PRODUCT DIMENSION |
|---|---|---|
| DRA2C | PFG043068AK | 4⁹⁄₁₆" Arch Frame Kit* |
| | PFG063068AK | 6⁹⁄₁₆" Arch Frame Kit* |
| DRA2C80 | PFG043080AK | 4⁹⁄₁₆" Arch Frame Kit* |
| | PFG063080AK | 6⁹⁄₁₆" Arch Frame Kit* |
| DRA2C80-36 | PFG043680AK | 4⁹⁄₁₆" Arch Frame Kit* |
| | PFG063680AK | 6⁹⁄₁₆" Arch Frame Kit* |

PF™ FRAMES ARCH HEADER KIT

*ALL KITS INCLUDE BRICK MOULD

| MATCHING DOOR | MATCHING KIT CODE | PRODUCT DIMENSION |
|---|---|---|
| DRA2F80 | PFG04030H0RHK | 4⁹⁄₁₆" Radius Frame Kit* |
| | PFG06030H0RHK | 6⁹⁄₁₆" Radius Frame Kit* |

PF™ FRAMES RADIUS HEADER KIT

*ALL KITS INCLUDE BRICK MOULD

# ARCH & RADIUS HEADER KITS

The shape of an arched and radius door isn't the only thing that makes it different from a traditional rectangular door. Arch doors exude style and give your entryway a brand new look. Plastpro is the only fiberglass door manufacturer able to offer full composite frames to match arch or radius top doors.

# GRAINING CHART



















Plastpro Polyfiber (PF) Door Frames are produced with the highest quality and are available in a variety of graining options. For a detailed list of graining available per product, please refer to the chart below.

| | OAK GRAIN | FIR GRAIN | MAHOGANY | PRIMED | WHITE CAPPED | PVC - WHITE |
|---|---|---|---|---|---|---|
| 4⁹⁄₁₆" DOOR FRAME | ● | ● | ● | ● | ● | |
| 5¼" DOOR FRAME | ● | | | ● | ● | |
| 6⁹⁄₁₆" DOOR FRAME | ● | ● | ● | ● | ● | |
| 7¼" DOOR FRAME | ● | | | ● | ● | |
| WM180 BRICK MOULD | ● | ● | ● | ● | ● | |
| WM176 FLORIDA BRICK MOULD | ● | | | ● | | |
| 1" x 2" STUCCO MOULD | | | | ● | | |
| NAILING FIN | ● | | | ● | ● | |
| J-CHANNEL | ● | | | ● | ● | |
| FLAT CASING | ● | | | ● | ● | |
| FLAT CASING J-CHANNEL | ● | | | ● | ● | |
| TRIM BOARDS | | | | | | ● |
| TRANSOM SILLS | ● | ● | ● | ● | ● | |
| MULL POSTS | ● | ● | ● | ● | ● | |
| MULL POST COVERS (EXTERIOR) | ● | ● | ● | ● | ● | |
| MULL POST CAP | ● | | | | | ● |
| STORM DOOR ADAPTERS | ● | ● | ● | ● | ● | |
| DOOR FRAME EXTENSIONS | ● | ● | ● | ● | ● | |
| SIDELITE STOPPER | ● | | | ● | | |
| ASTRAGAL | | | | | | ● |
| PF™ ARCH & RADIUS HEADERS | ● | | | | | |

# CHOOSING YOUR DOOR SYSTEM

## STEP 1: CHOOSE DOOR TYPE & PANELING


NOVA


LIMITED


RUSTIC


MAHOGANY


FIR


OAK



SMOOTH


WHITE OAK


ONELITE

## STEP 2: CHOOSE YOUR GLASS












## STEP 3: CUSTOMIZE YOUR ENTRY SYSTEM

- CREATE A DOUBLE DOOR ENTRY WAY
- ADD ONE OR TWO MATCHING SIDELITES
- ADD A MATCHING TRANSOM
- ADD DOOR ACCESSORIES
- COMPLETE WITH PF™ DOOR FRAME










## STEP 4: CHOOSE FINISH

Plastpro's Stain Kit contains everything you need to stain one prehung door and two sidelites, or one double door unit.







# CHOOSE YOUR DOOR DIGITALLY




Sometimes it's hard to imagine what a door would look like on your home. A unique home like yours needs a door to complement it perfectly. Our Doorability tool takes the guess work out and lets you see our doors on your home. We have designed a visualizing tool that allows you to upload a photo of your home and instantly add a variety of door and glass options to visual your homes new door.



## CUSTOMIZE YOUR DREAM ENTRY WAY AT doorability.plastproinc.com

- EASY TO USE
- VISUALIZE THE PERFECT DOOR ON YOUR HOME
- SAVE AND EMAIL YOUR CUSTOM DOOR
- DRAW IN YOUR OPENING FOR AN ACCURATE VISUALIZATION

# LIMITED SERIES



Our Limited Series was specifically selected to showcase some of the richest, luxury graining available.

# MODERN SERIES



The Modern Series effortlessly makes a contemporary design simpler.

# RUSTIC SERIES



Our Rustic Doors were designed to provide classic charm, while bringing traditional, upscale appeal to any home.

# MAHOGANY SERIES



The Mahogany Series brings a beloved wood texture into traditional, timeless styles.

# FIR SERIES



Our Fir Grain Series creates fine details and gives your home a traditional, craftsman appeal.

# OAK SERIES



Dressed in a rich oak grain texture, our Oak Grain Series gives a classic look to your home.

# SMOOTH SERIES



The Smooth Series is made with a pre-pigmented white skin. Its simplicity gives a clean, minimal look to any of our fiberglass doors.

# WHITE OAK SERIES



The White Oak Series combines the best features from our Smooth and Oak Grain doors. Any home can enjoy a rich oak texture pattern in a pre-pigmented white skin.

# ONELITE SERIES



Our Onelite Series features a fine, flush glazed glass with a removable stop to allow the glass to be switched without changing the entire door.

# NOVA SERIES



The Nova Series was inspired by the gentle, rising light that causes a calm, peaceful feeling experienced in the early morning.

# FIRE RATED



Made with fire-resistant composite, Plastpro Fire Rated doors are extremely durable. Our doors are tested and comply with safety and performance standards to withstand fire for a minimum of 20 minutes. Certain models are available to hold off fire for 60 and 90 minutes. Most importantly, our doors provide a safe home without ever sacrificing style.

= 20min rating option available

= 60min rating option available

= 90min rating option available

**Contact us for stock availability.**

# TRIMMABLE

Our Trimmable Series is designed to fit in a variety of existing entry ways. Adjustments up to 2" in height and width can be made to the door through your contractor. Trimmable doors are available in Oak and Smooth skin. This is the door your home has been waiting for.

= Trimmable Option Available. Contact us for stock availability. (Only available in 3'0" width)



# HVHZ IMPACT




Plastpro's High Velocity Hurricane Zone (HVHZ) Impact Doors are engineered to withstand the force of flying objects, while maintaining all the benefits and beauty of our door aesthetic. Our Impact Doors are created, tested, and certified to meet the most stringent wind and impact code requirements in the nation. Our innovative R&D Department has pioneered a unique patent-pending process whereby a missile-proof shield is built-in to reinforce the door.

= HVHZ Option Available. Contact us for stock availability.

# RESIDENTIAL ADA

Our Residential ADA doors are offered in a variety of styles that fulfill all compliances. From Modern to True White Oak, our Residential ADA series has a 10" bottom rail that allows a kick plate to be installed. We have the option to include reinforced blocking through a special order.

= Residential ADA Option Available. Contact us for stock availability.





# DOORLITE OVERVIEW

A beautifully designed entryway helps set the stage for the rest of the home and creates a welcoming passage from public space to private abode. Nothing accomplishes that better than our exclusive glass designs that improve the look and value of your home while adding beauty to your everyday living.



Our doorlites are composed of a piece of decorative glass sealed between two pieces of tempered safety glasses, that provide excellent safety, sound, and thermal performance. The state-of-the-art Warm Edge spacer system provides a seal that protects and insulates your door & home for years to come. Unlike the competition, our metal caming includes a gasket that cushions & protects the glass from chipping, cracking, and rattling during door movement.

## DOORLITE

### INSULATING SYSTEM

All Plastpro Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.


### PERFORMANCE FEATURES

- Warm-Edge Benefits: Superior silicone foam insulation, low thermal conductivity
- Silicon Foam Features: Excellent UV resistance and extreme temperature performance
- Dual-Seal Performance: Chamfered corners for increased sealant depth
- Tempered Safety Glass for your peace of mind

ENERGY STAR PARTNER

TrueWARM® spacers

Super Spacer®




*This illustration applies to our triple pane glass only.

### GLASS CAMING OPTIONS

Our exclusive glass designs are offered with different caming options to match a variety of hardware finishes.



WROUGHT IRON



PATINA



ZINC

# CAMELIA

**CAMING:** WROUGHT IRON
**TRANSOM:** AVAILABLE

Camelia's wrought iron curves create symmetry, uniformity, and a sense of balance to a doors appearance. Against a waterfall textured background, the design gives the exterior of your home a modern and sophisticated charm, while delivering the ultimate level of privacy.

1. Wrought Iron
2. Waterfall Tempered Glass




9


**PRIVACY RATING**
INCREASING OBSCURITY

# PRISCILLA

**CAMING:** WROUGHT IRON
**TRANSOM:** AVAILABLE

Priscilla's smooth swirl design pays tribute to Renaissance style. The wrought iron and little bubble glass gives the design a touch of grandeur, which is perfect for any home looking for an elegant flair.

1. Wrought Iron
2. Little Bubble Tempered Glass




9


**PRIVACY RATING**
INCREASING OBSCURITY

# ABERDEEN

**CAMING:** ZINC
**TRANSOM:** AVAILABLE

There is more than meets the eye. Although simple in design, Aberdeen gives a modern, clean profile, and its translucent reed glass is perfect for maintaining a high level of privacy to your home.

1. Zinc Caming
2. Reed Glass




**PRIVACY RATING**
INCREASING OBSCURITY




# ARTESANO

**CAMING:** PATINA
**TRANSOM:** AVAILABLE

Artesano's subtle hint of amber colored glass creates a warm welcoming feeling to any home. This arrangement is the ideal balance between a clear, simple pattern with a combination of glass textures.

1. Clear Hammer (100HS)
2. Patina Caming
3. Amber Glass
4. Sea Spray
5. Clear Bevel





**PRIVACY RATING**
INCREASING OBSCURITY

# ARTESANO BREEZE

**CAMING:** ZINC
**TRANSOM:** AVAILABLE

Artesano's classic design is a tasteful blend of small and large geometric shapes. This pattern's transparent features work to create a sophisticated, decorative, and elegant look to any entry door.




1. Clear Hammer (100HS)
2. Zinc Caming
3. Clear Bevel
4. Sea Spray


7

**PRIVACY RATING**
INCREASING OBSCURITY

# BRENTWOOD

**CAMING:** ZINC OR PATINA
**TRANSOM:** AVAILABLE

A classic inspired arrangement, our Brentwood piece epitomizes style. With bevel swirls and a bold centerpiece all outlined by a crystal granite border, Brentwood can be appreciated in any home.




1. Baroque
2. Clear Bevel
3. Bright Zinc, or Patina Caming
4. Granite

8

**PRIVACY RATING**
INCREASING OBSCURITY

# CASTILE


**CAMING:** PATINA
**TRANSOM:** AVAILABLE

Inspired by the historical Spanish kingdom, Castile is as ornate as its nature and history. The baroque style glass balances the intricacy of its centerpiece with a straight-lined, beveled border. Castile is the epitome of modern design.

1. Granite
2. Baroque
3. Patina Caming
4. Beveled

8

**PRIVACY RATING**
INCREASING OBSCURITY




# KENSINGTON


**CAMING:** PATINA
**TRANSOM:** AVAILABLE

Kensington brings a classic English atmosphere to anyone's curb appeal. A combination of frosted glass and subtle line patterns gives a high level of charm to this distinct beauty.

1. 100 Water
2. Clear Bevel
3. Narrow Reed
4. Sandblasted Glass
5. Patina Caming

7


**PRIVACY RATING**
INCREASING OBSCURITY



# SPRING

**CAMING:** PATINA
**TRANSOM:** AVAILABLE

This chevron pattern arrangement emphasizes clean-cut arrows with two toned glass colors. It provides a subtle charm to its otherwise simple pattern. The pale gray, water-like glass texture gives a sense of energy and renewal reminiscent of spring.




1. Light Water
2. Clear Chord
3. Pale Gray Water
4. Patina Caming


9

**PRIVACY RATING**
INCREASING OBSCURITY

# TABITHA

**CAMING:** PATINA
**TRANSOM:** AVAILABLE

A clustered flower atop Tabitha is the perfect accent to this romantic centerpiece. The mix of patterns and textures give the arrangement a fluid, contemporary design that will always be admired.




1. Granite
2. Double Water
3. Clear Bevel
4. Patina Caming

7

**PRIVACY RATING**
INCREASING OBSCURITY

USE GLASS IMAGE



*Oak Series • DRG80 • Glass CAM8C2*

# SOLUTION DOORLITE SERIES




Clean lines, a straightforward design, these are the features that make Shaker doors timeless. A door that adds effortless style to any home needs a frame and glass to complement its unique features. The Solution series doorlites feature a low-profile, flat frame and patterned glass that was created to complement the clean, simple designs of our Shaker and flush doors.

The Solution Doorlite Series is available in various sizes, which makes it easy to create and customize an infinite number of contemporary looks. The screwless design eliminates holes and plugs and saves valuable time in installation as a traditional screw frame requires extra time to install screws and plugs. The frame features a patented interlocking joint and compression seal that adheres to the door and creates a powerful compression seal and bond. It safely locks decorative glass in place, while beautifully illuminating and bringing out the features of the glass. Its versatility matches many styles, such as Modern, Craftsman, Mid-Century, and so many more. There are no screw holes, is built to resist warping, and is available in a textured vertical grain pattern in both white and tan.

## FEATURES & BENEFITS

- No unsightly plugs or screw holes.
- Available in white or tan.
- Textured vertical grain pattern.
- Matches various architectural styles.
- Shaker style low profile.
- Patented frame system.
- Built to resist warping.
- Easy Installation saving labor cost.



## TEXTURE GLASS OPTIONS



CLEAR / LoE



WHITE LAMINATE



SANDBLAST



SABLE



ROOFTOP




NARROW REED


## FRAME OPTIONS




7″ x 64″ *




22″ x 15″ *



22″ x 10″



22″ x 8″



22″ x 3″



8″ x 36″ *



8″ x 8″




22″ x 36″ *



8″ x 6″

* AVAILABLE WITH DECORATIVE GLASS OPTIONS.

# FRAME CONFIGURATION EXAMPLES



**STAGGERED 5 LITE**
*8″ x 6″*



**SIDE ALIGNED 6 LITE**
*8″ x 6″*



**DIAMOND 4 LITE**
*8″ x 8″*



**STAGGERED 4 LITE**
*8″ x 8″*



**CENTERED 4 LITE**
*8″ x 8″*



**STAGGERED 3 LITE**
*3″ x 22″*



**MODERN 4 LITE**
*22″ x 3″*



**MODERN 6 LITE**
*22″ x 3″*




**FOUR LITE**
*22″ x 8″*



**FIVE LITE**
*22″ x 8″*




**SIX LITE**
*22″ x 8″*



**FOUR LITE**
*22″ x 10″*



**THREE LITE**
*22″ x 15″*



**DIVIDED 6 LITE W/ 4 LITE BOTTOM**
*22″ x 15″ & 22″ x 3″*




**SINGLE TOP LITE W/ 4 LITE BOTTOM**
*22″ x 15″ & 22″ x 3″*



**SINGLE TOP LITE**
*22″ x 15″*



**SINGLE LITE**
*7″ x 64″*



**TWIN FULL LITE**
*7″ x 64″*



**STAGGERED TWIN LITE**
*8″ x 36″*

DOOR COLORS ARE FOR VISUALIZATION PURPOSES ONLY. CHECK WITH YOUR LOCAL DEALER FOR AVAILABILITY



*Smooth Series • DRS0080 • 22" x 8" Solution Frame w/ Translucent Glass*

# LIMITED SERIES



*Limited Series • Knotty Alder Door • DRK2B*



*Limited Series • Cherry Door • DRC21*

Our Limited Series was specifically selected to showcase some of the richest, luxury graining available. The Cherry, Knotty Alder, and Teak doors are fine, subtle, but detailed. Cherry is a premium American hardwood, prized for its natural luster and attractive grain. Knotty Alder is admired for its subtle swirls and rich grain pattern with sound knots. Teak is a worldwide favorite for it's beautiful straight, yet occasionally wavy or interlocked grain patterns. These grains exude an authentic wood grain and are so versatile they will complement any home.

ALL LIMITED DOORS ARE SHOWN PRE-FINISHED

6'8"

3'0"



**DRC21**
*Cherry*

6'8"

2'8" • 2'10" • 3'0" • 3'6"



**DMT51**
*Teak*

7'0"

3'0" • 3'6"



**DMT5170**
*Teak*

6'8"

2'8" • 2'10" • 3'0"



**DRK2B**
*Knotty Alder*

10" BOTTOM RAIL ● IN STOCK ● EXTENDED LEAD TIME



*Limited Series • Knotty Alder Door • DRK2B*

# CHERRY
# TWO PANEL DOOR

6'8"




3'0"



1'0" • 1'2"

DRC21 SLC21



GRAIN CLOSE UP

## GLASS OPTIONS

6'8"



CAMFL7

6'8"



PCLFL7

6'8"



ABRFL7Z

6'8"



ARTFL7P

6'8"



ARZFL7Z

6'8"



BREFL7P/Z

6'8"



CASFL7P

6'8"



KENFL7P

6'8"



OXFFL7

6'8"



SOLFL7P

6'8"



SPRFL7P

6'8"



TABFL7P

● IN STOCK ● EXTENDED LEAD TIME

6'8"



CAMFL1

6'8"



PCLFL1

6'8"



ABRFL1Z

6'8"



ARTFL1P

6'8"



ARZFL1Z

6'8"



BREFL1P/Z

6'8"



CASFL1P

6'8"



KENFL1P

6'8"



OXFFL1

6'8"



SOLFL1P

6'8"



SPRFL1P

6'8"



TABFL1P



*Limited Series • Cerryr Door • DRC21 • Glass PCLFL7*

# MODERN TEAK MILAN DOOR

6’8”



2’8” • 2’10” • 3’0” • 3’6”

DMT51

● IN STOCK

7’0”



3’0” • 3’6”

DMT5170

● EXTENDED LEAD TIME



GRAIN CLOSE UP

SQUARE TOP

# KNOTTY ALDER TWO PANEL DOOR


6'8"



2'8" • 2'10" • 3'0"

DRK2B

● IN STOCK ● EXTENDED LEAD TIME



GRAIN CLOSE UP

# MODERN SERIES




*Modern Series • Oak Door • DMG46*



The Modern Series effortlessly makes a contemporary design simpler. Our doors are designed to have a cleaner style by incorporating clean, simple lines and single patterned glass. This clean look can complement any homes interior and exterior.

ALL MODERN DOORS ARE SHOWN PRE-FINISHED




**DMG46**




**DMG4680**




**DMG51**




**DMG5180**




**DMS1L**




**DMS1L80**




**DMS1R**




**DMS1R80**




**DMS1T**




**DMS1T80**




**DMS3H**




**DMS3H80**




**DMS5H**




**DMS5H80**

10" BOTTOM RAIL  HVHZ IMPACT ( NOT AVAILABLE IN 3'6" )  IN STOCK  EXTENDED LEAD TIME

# MODERN OAK SOUTH BEACH DOOR

6'8"



2'6" • 2'8" • 2'10" • 3'0" • 3'6"

DMG46

8'0"



2'6" • 2'8" • 2'10" • 3'0" • 3'6"

DMG4680

# MODERN OAK NAPOLI DOOR

6'8"



2'6" • 2'8" • 2'10" • 3'0"

DMG51

8'0"



2'6" • 2'8" • 2'10" • 3'0"

DMG5180

● IN STOCK ● EXTENDED LEAD TIME

FLUSH GLAZED SINGLE LEFT LITE

# MODERN SMOOTH BIENVENUE DOOR




DMS1L




DMS1L80

## GLASS OPTIONS




LoE²




RAIN




ROOFTOP




SABLE




LoE²




RAIN




ROOFTOP




SABLE

## MODERN GLASS CLOSE UP



LoE²



RAIN



ROOFTOP



SABLE

● IN STOCK ● EXTENDED LEAD TIME

# MODERN SMOOTH BIENVENUE DOOR

FLUSH GLAZED SINGLE RIGHT LITE




DMS1R




DMS1R80

## GLASS OPTIONS




LoE²




RAIN




ROOFTOP




SABLE




LoE²




RAIN




ROOFTOP




SABLE

## MODERN GLASS CLOSE UP



LoE²



RAIN



ROOFTOP



SABLE

● IN STOCK ● EXTENDED LEAD TIME

# MODERN SMOOTH MARTINIQUE DOOR

6'8"



2'6" • 2'8" • 2'10" • 3'0" • 3'6"

DMS1T

8'0"



3'0" • 3'6"

DMS1T80

## GLASS OPTIONS

6'8"



LoE²

6'8"



RAIN

6'8"



ROOFTOP

6'8"



SABLE

8'0"



LoE²

8'0"



RAIN

8'0"



ROOFTOP

8'0"



SABLE

## MODERN GLASS CLOSE UP



LoE²



RAIN



ROOFTOP



SABLE

● IN STOCK ● EXTENDED LEAD TIME

# MODERN SMOOTH EMPIRE DOOR

6′8″



2′6″ • 2′8″ • 2′10″ • 3′0″

DMS3H

8′0″



2′6″ • 2′8″ • 2′10″ • 3′0″

DMS3H80

# MODERN SMOOTH INFINITY DOOR

6′8″



2′6″ • 2′8″ • 2′10″ • 3′0″

DMS5H

8′0″



2′6″ • 2′8″ • 2′10″ • 3′0″

DMS5H80

● IN STOCK ● EXTENDED LEAD TIME



*Modern Series • Oak Door • DMG46*

# RUSTIC SERIES



*Rustic Series • DRA2D*



Our line of Rustic Doors were designed to provide classic charm, while bringing traditional, upscale appeal to any home. Doors in the Rustic Series display vertical planks, distinct panel details, and arched and radius tops. The Rustic Series only uses wrought iron glass and rustic accessories to reinforce that mid-century rustic look.

ALL RUSTIC DOORS ARE SHOWN PRE-FINISHED

6'8"



2'6" • 3'0" • 3'6"

**DRATP**

7'0"



3'0"

**DRATP70**

8'0"



2'6" • 3'0" • 3'6"

**DRATP80**

8'0"



3'0" • 3'6"

**DRA1A80**

6'8"



3'0"

**DRA1P**

8'0"



3'0" • 3'6"

**DRA1P80**

6'8"



3'0"

**DRA2A**

8'0"



3'0" • 3'6"

**DRA2A80**

6'8"



3'0"

**DRA2B**

6'8"



3'0"

**DRA2C**

8'0"



3'0" • 3'6"

**DRA2C80**

6'8"



3'0" • 3'6"

**DRA2D**

8'0"



3'0"

**DRA2F80**

8'0"



3'0" • 3'6"

**DRA2P80**

8'0"



3'0"

**DRA2R80**

8'0"



3'0" • 3'6"

**DRA4R80**

20 MIN FIRE RATED  HVHZ IMPACT ( NOT AVAILABLE IN 3'6")  IN STOCK  EXTENDED LEAD TIME

# RUSTIC
# TRUE PLANK DOOR

SQUARE TOP

6'8"



2'6" • 3'0" • 3'6"

DRATP

7'0"



3'0"

DRATP70

8'0"



2'6" • 3'0" • 3'6"

DRATP80

GLASS OPTIONS

## RUSTIC ONE PANEL DOOR

ARCH PLANK & SQUARE TOP

8'0"



3'0" • 3'6"

DRA1A80

● IN STOCK ● EXTENDED LEAD TIME

# RUSTIC ONE PANEL DOOR

6'8"



3'0"

**DRA1P**

8'0"



3'0" • 3'6"

**DRA1P80**

● IN STOCK ● EXTENDED LEAD TIME



*Rustic Series • DRA1P*

# RUSTIC
# TWO PANEL DOOR



6'8"



3'0"

DRA2A

8'0"



3'0" • 3'6"

DRA2A80



1'0" • 1'2"

SLM6080

## GLASS OPTIONS

6'8"



CAM344

6'8"



CAM3R4

6'8"



PCL344

6'8"



PCL3R4

8'0"



CAM3R5
CAM3R6 (3'6")

8'0"



PCL3R5
PCL3R6 (3'6")

8'0"



CAMFL2

8'0"



PCLFL2

# RUSTIC TWO PANEL DOOR

6'8"



3'0"

DRA2B



1'0" • 1'2"

SLA2B

## GLASS OPTIONS

6'8"



CAM344

6'8"



PCL344

6'8"



CAMFL7

6'8"



PCLFL7

● IN STOCK ● EXTENDED LEAD TIME

# RUSTIC
# TWO PANEL DOOR



6'8"

3'0"



DRA2C

8'0"

3'0" • 3'6"



DRA2C80

## GLASS OPTIONS

6'8"



CAM3R4

6'8"



PCL3R4

8'0"



CAM3R5
CAM3R6 (3'6")

8'0"



PCL3R5
PCL3R6 (3'6")



● IN STOCK ● EXTENDED LEAD TIME

# RUSTIC TWO PANEL DOOR

6’8”



3’0” • 3’6”

DRA2D

## GLASS OPTIONS

6’8”



CAM3R4

6’8”



PCL3R4

6’8”



CAM344

6’8”



PCL344

● IN STOCK ● EXTENDED LEAD TIME

# RUSTIC
# TRUE PLANK DOOR

RADIUS PANEL & RADIUS TOP

8′0″



3′0″

DRA2F80

GLASS OPTIONS

## RUSTIC TWO PANEL DOOR

SQUARE PLANK & SQUARE TOP

8′0″



3′0″ • 3′6″

DRA2P80

8′0″



CAMHL6
CAM346 (3′6″)

8′0″



PCLHL6
PCL346 (3′6″)

● IN STOCK ● EXTENDED LEAD TIME

RADIUS PANEL & SQUARE TOP

# RUSTIC TWO PANEL DOOR

8′0″



3′0″

DRA2R80

GLASS OPTIONS

RADIUS PANEL & SQUARE TOP

# RUSTIC FOUR PANEL DOOR

8′0″



3′0″ • 3′6″

DRA4R80

● IN STOCK ● EXTENDED LEAD TIME



# RUSTIC SERIES ACCESSORIES

1.5" Square



**ACCLP12Q**

1.25" Square



**ACCLP14Q**

## DECORATIVE CLAVOS

Plastpro Decorative Clavos provide the perfect accent to some of the most beautiful and highest quality fiberglass doors in the industry. In addition to providing a distinct and unique element to any fiberglass distressed door, our Decorative Clavos enhance our fiberglass entry doors, and provide the perfect "finishing touch" to virtually every Rustic Door we provide.

1.5" Round



**ACCLP12R**

1.25" Round



**ACCLP14R**

## FEATURES & BENEFITS

- Easy to Apply
- Scientifically Formatted Adhesive Unique for Fiberglass Doors
- Masterfully Crafted Premium Metal Alloy
- Tough and Durable Powder Coat Finish

6'8"



**DRA1P**
ACCLP14Q

8'0"



**DRA1P80**
ACCLP14Q

6'8"



**DRA2C**
ACCLP14R

8'0"



**DRA2C80**
ACCLP14R

8'0"



**DRA1A80**
ACCLP12Q

● IN STOCK ● EXTENDED LEAD TIME

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

Speakeasy



ACCSPKY0910KIT

Speakeasy



ACCSPKYGSB0KIT

## SPEAKEASY & HINGE STRAP

Plastpro has extended its line of authentic door accessories with the addition of the Hinge Strap and a Speakeasy Kit. Our Hinge Straps and Speakeasy Kit are handcrafted from durable aluminum that resists rust and discoloration. The Speakeasy Kit comes with a distinctive rounded iron grill that enhances the old world styling of our Rustic Door Collection and helps to create a personalized look for your new entry way.

18" Hinge Straps



ACCHGSTP18

### FEATURES & BENEFITS

- Durable Powder Coat Finish
- Combats Rust and Discoloration
- Beautifully Textured
- Masterfully Handcrafted

View In
6'8"



**DRA2D**
ACCSPKY0910KIT

View Out
8'0"



**DRA2R80**
ACCHGSTP18
ACCSPKY0910KIT

View In
6'8"



**DRA2D**
ACCSPKYGSB0KIT

View Out
8'0"



**DRA2R80**
ACCHGSTP18
ACCSPKYGSB0KIT

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

● IN STOCK ● EXTENDED LEAD TIME

# MAHOGANY SERIES



*Mahogany Series • DRM4E*



The Mahogany Series brings a beloved wood texture into traditional, timeless styles. Our doors come with classic panel designs that can carry all of our decorative glass designs. This series radiates beauty, elegance, and strength to your home.

ALL MAHOGANY DOORS ARE SHOWN PRE-FINISHED




● IN STOCK ● EXTENDED LEAD TIME



*Mahogany Series • DRM60*

# MAHOGANY
# THREE PANEL DELUXE DOOR

6’8”



3’0”



1’0” • 1’2”

DRM3D SLM3D

## GLASS OPTIONS

6’8”



BRE3V2P/Z

6’8”



CAS3V2P

6’8”



TAB3V2P

6’8”



BRE3V1P/Z

6’8”



CAS3V1P

6’8”



TABFL1P

● IN STOCK ● EXTENDED LEAD TIME

# MAHOGANY
# FOUR PANEL EYEBROW DOOR

6’8”



3’0”

DRM4E



1’0” • 1’2”

SLM60

## GLASS OPTIONS

6’8”



BREEYEP/Z

6’8”



BREHL2P/Z

6’8”



BREFL1P/Z

● IN STOCK ● EXTENDED LEAD TIME

# MAHOGANY
# FOUR PANEL BLANK TOP DOOR

6'8"



2'6" • 2'8" • 2'10" • 3'0"



1'0" • 1'2"

DRM40 SLM60

## GLASS OPTIONS

6'8"



CASHR1P

6'8"



TABHR1P

6'8"



ARTHL4P
ARTHL3P (2'6")

6'8"



ARZHL4Z
ARZHL3Z (2'6")

6'8"



BREHL4P/Z

6'8"



CASHL4P
CASHL3P (2'6")

6'8"



KENHL4P
KENHL3P (2'6")

6'8"



OXFHL4

6'8"



SOLHL4P
SOLHL3P (2'6")

6'8"



SPRHL4P

6'8"



TABHL4P
TABHL3P (2'6")

6'8"



CAMFL7
CAMFL5 (2'6")

6'8"



PCLFL7
PCLFL5 (2'6")

6'8"



ABRFL7Z
ABRFL5Z (2'6")

● IN STOCK ● EXTENDED LEAD TIME

# FOUR PANEL BLANK TOP DOOR

6'8"



**ARTFL7P**
**ARTFL5P** (2'6")

6'8"



**ARZFL7Z**
**ARZFL5Z** (2'6")

6'8"



**BREFL7P/Z**

6'8"



**CASFL7P**
**CASFL5P** (2'6")

6'8"



**KENFL7P**
**KENFL5P** (2'6")

6'8"



**OXFFL7**

6'8"



**SOLFL7P**
**SOLFL5P** (2'6")

6'8"



**SPRFL7P**

6'8"



**TABFL7P**
**TABFL5P** (2'6")

6'8"



**ARTHL2P**

6'8"



**ARZHL2Z**

6'8"



**BREHL2P/Z**

6'8"



**CASHL2P**

6'8"



**KENHL2P**

6'8"



**OXFHL2**

6'8"



**SOLHL2P**

6'8"



**SPRHL2P**

6'8"



**CAMFL1**

6'8"



**PCLFL1**

6'8"



**ABRFL1Z**

6'8"



**ARTFL1P**

6'8"



**ARZFL1Z**

6'8"



**BREFL1P/Z**

# FOUR PANEL BLANK TOP DOOR

6’8”



CASFL1

6’8”



KENFL1P

6’8”



OXFFL1

6’8”



SOLFL1P

6’8”



SPRFL1P

6’8”



TABFL1P

# MAHOGANY TRUE FOUR PLANK DOOR

6’8”



3’6”

DRM41

● IN STOCK ● EXTENDED LEAD TIME

# MAHOGANY
# SIX PANEL DOOR

6’8”



3’0”

1’0” • 1’2”

DRM60 SLM60

8’0”



3’6”

1’0” • 1’2”

DRM6080 SLM6080

## GLASS OPTIONS

6’8”



ARTTL1P

6’8”



ARZTL1Z

6’8”



SPRTL1P

8’0”



CAM346

8’0”



PCL346

6’8”



ARTHL2P

6’8”



ARZHL2Z

6’8”



SPRHL2P

8’0”




CAMFL2

8’0”



PCLFL2

# FIR SERIES



*Fir Series • DRF3C • Glass G000 • SDL ACSDF23006 • Dentil Shelf ACDSFT2704*



Our Fir Series features straight, fine vertical graining that produces outstanding results. Accessorized with: simulated divided lights (SDL) and a dentil shelf, it's no surprise it's become a favorite. These fir doors create fine details and give your home a traditional, craftsman appeal.

ALL FIR DOORS ARE SHOWN PRE-FINISHED




**DRF3C** **DRF3C80**

## SHAKER PROFILE DOORS




**DRF1K** **DRF2K** **DRF3F** **DRF3F80** **DRF50**

20 MIN FIRE RATED · 10" BOTTOM RAIL · IN STOCK · EXTENDED LEAD TIME



*Fir Series • DRF3F80*

# FIR
# CRAFTSMAN DOOR

DIRECT GLAZED

DRF3C & DRF3C80 & MATCHING SIDELITES ARE ONLY AVAILABLE WITH GLASS

6'8"




DRF3C SLF3C SLFDC

8'0"




DRF3C80 SLF3C80

## GLASS OPTIONS

6'8"



G000

6'8"



B03P

6'8"



B06P

6'8"



ARTP

6'8"



ARZZ

6'8"



KENP

6'8"



SOLP

6'8"



SPRP

8'0"



G000

8'0"



B03P

8'0"



B06P

8'0"



ARTP

8'0"



ARZZ

8'0"



KENP

● IN STOCK ● EXTENDED LEAD TIME ● EXTENDED LEAD TIME

# FIR CRAFTSMAN DOOR

8′0″



SOLP

8′0″



SPRP

6′8″



G000

8′0″

6′8″



G000

8′0″

6′8″



B01P

8′0″

6′8″



B02P

8′0″

6′8″



ARTP

8′0″

6′8″



ARZZ

8′0″

6′8″



KENP

8′0″

6′8″



SOLP

8′0″

6′8″



SPRP

# FIR
# SHAKER DOOR

6'8"



2'8" • 2'10" • 3'0"

DRF1K



## SHAKER PROFILE

The straightforward shaker design showcases the beauty that minimal design can offer. Our shaker focuses on simplicity and is easily adaptable for any home's exterior.

## FIR 2 PANEL SHAKER DOOR

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 25 FOR AVAILABLE TEXTURE GLASS STYLES.

6'8"



2'8" • 2'10" • 3'0"

DRF2K

6'8"



**22"x 36" HALF LITE**
*Solution Frame**

● IN STOCK ● EXTENDED LEAD TIME

# FIR GRAIN
# THREE PANEL CRAFTSMAN DOOR

6'8"



2'8" • 2'10" • 3'0"

**DRF3F**



1'0" • 1'2"

**SLF3F**
**LowE**

8'0"



3'0" • 3'6"

**DRF3F80**

*GLASS OPTIONS VIA SOLUTION FRAME - SEE PAGE 25 FOR AVAILABLE TEXTURE GLASS STYLES.

6'8"



**22"x 15"**
*Solution Frame**

6'8"



**22"x 15" 3 LITE**
*Solution Frame**

6'8"



**22"x 15" 6 LITE**
*Solution Frame**

6'8"



**BRE2215P/Z**
*Solution Frame*

6'8"



**SOL2215P**
*Solution Frame*

6'8"



**SPR2215P**
*Solution Frame*

● COMING SOON - PLEASE CALL REGARDING AVAILABILITY ● IN STOCK ● EXTENDED LEAD TIME

# FIR
# 5 PANEL SHAKER DOOR

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 25 FOR AVAILABLE TEXTURE GLASS STYLES.

6'8"



2'8" • 2'10" • 3'0"

**DRF50**

6'8"



**22"x 8"**
*Solution Frame**

6'8"




**22"x 8"**
*Solution Frame**

6'8"



**22"x 8"**
*Solution Frame**

● IN STOCK ● EXTENDED LEAD TIME



*Fir Series • DRF3C • Glass G000 • SDL ACSDF23006 • Dentil Shelf ACDSFT2704*

# FIR SERIES ACCESSORIES



3 Lite



6'8" ACSDF23001
8'0" ACSDF23005

## SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro Simulated Divided Lights (SDL Bars) can be used on the interior and exterior of our doors and help create personalized, unique looks. They are easy to install and will not rot or absorb moisture.

6 Lite



6'8" ACSDF23002
8'0" ACSDF23006

Sidelite



ACSDF23004

## FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling off the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.

4 Block Dentil Shelf (DRF3C)



ACDSFT2704

## DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

4 Block Dentil Shelf (DRF3F)



ACDSFT2404

## FEATURES & BENEFITS

- Recreate Classic Design
- Create Custom Looks
- Affordable

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

# OAK SERIES



*Oak Series • DRG6C*



Dressed in a rich oak grain texture, our Oak Series gives a classic look to your home. Oak doors come in many panel designs. Mix and match these styles with our entire glass line to find the combination that best brings out your homes unique characteristics. These doors create a timeless look that will never go out of style.

ALL OAK DOORS ARE SHOWN PRE-FINISHED




DRG00




DRG0070




DRG0080




DRG20




DRG29 DRG2980




DRG3E




DRG3P




DRG3080




DRG31 DRG3170




DRG40




DRG41




DRG4170




DRG4180




DRG49




DRG6B




DRG6C




DRG60 DRG6080




DRG61




DRG6170




DRG6180




DRG63




DRG80 DRG8080





DRG90




DRG9180

TRIMMABLE (3'0" ONLY) 20/60/90 MIN FIRE RATED 10" BOTTOM RAIL HVHZ IMPACT ( NOT AVAILABLE IN 3'6" ) IN STOCK EXTENDED LEAD TIME

# OAK
# FLUSH PANEL DOOR




DRG00 SLG00




DRG0070 SLG0070




DRG0080 SLG0080

## GLASS OPTIONS

6'8"



CAMFL7
CAMFL5 (2'6")

6'8"



PCLFL7
PCLFL5 (2'6")

6'8"



ABRFL7Z
ABRFL5Z (2'6")

6'8"



ARTFL7P
ARTFL5P (2'6")

6'8"



ARZFL7Z
ARZFL5Z (2'6")

6'8"



BREFL7P/Z

6'8"



CASFL7P
CASFL5P (2'6")

6'8"



KENFL7P
KENFL5P (2'6")

6'8"



OXFFL7

6'8"



SOLFL7P
SOLFL5P (2'6")

6'8"



SPRFL7P

6'8"



TABFL7P
TABFL5P (2'6")

7'0"



CAMFL7
CAMFL5 (2'6")

7'0"



PCLFL7
PCLFL5 (2'6")

● IN STOCK ● EXTENDED LEAD TIME

7′0″



**ABRFL7Z**
**ABRFL5Z** (2′6″)

7′0″



**ARTFL7P**
**ARTFL5P** (2′6″)

7′0″



**ARZFL7Z**
**ARZFL5Z** (2′6″)

7′0″



**BREFL7P/Z**
**BREFL5P/Z** (2′6″)

7′0″



**CASFL7P**
**CASFL5P** (2′6″)

7′0″



**KENFL7P**
**KENFL5P** (2′6″)

7′0″



**OXFFL7**

7′0″



**SOLFL7**
**SOLFL5** (2′6″)

7′0″



**SPRFL7**

7′0″



**TABFL7P**
**TABFL5P** (2′6″)

8′0″



**CAMFL8**
**CAMFL6** (2′6″)

8′0″



**PCLFL8**
**PCLFL6** (2′6″)

8′0″



**ABRFL8Z**
**ABRFL6Z** (2′6″)

8′0″



**ARTFL8P**

8′0″



**ARZFL8Z**

8′0″



**BREFL8P/Z**

8′0″



**CASFL8P**

8′0″



**KENFL8P**

8′0″



**OXFFL8**

8′0″



**SOLFL8P**

8′0″



**TABFL8P**

8′0″
6′8″ 7′0″



**CAMFL1 & FL2**

8′0″
6′8″ 7′0″



**PCLFL1 & FL2**

8′0″
6′8″ 7′0″



**ABRFL1Z & FL2Z**

8′0″
6′8″ 7′0″



**ARTFL1P & FL2P**

8′0″
6′8″ 7′0″



**ARZFL1Z & FL2Z**

8′0″
6′8″ 7′0″



**BREFL1P/Z**
**& FL2P/Z**

8′0″
6′8″ 7′0″



**CASFL1P & FL2P**

# OAK GRAIN FLUSH PANEL DOOR



KENFLP1 & FL2P



OXFFL1 & FL2



SOLFL1P & FL2P



SPRFL1P & FL2P



TABFL1P & FL2P


*Oak Series • DRG00 ABRFL7Z*

# OAK
# 3/4 HERITAGE DOOR

6’8”



3’0”



1’0” • 1’2”

DRG20 SLG3E

## GLASS OPTIONS

6’8”



BRE3V2P/Z

6’8”



CAS3V2P

6’8”



TAB3V2P

6’8”



CAS343P

6’8”



BRE341P/Z

6’8”



CAS341P

6’8”



TAB341P

● IN STOCK ● EXTENDED LEAD TIME

# OAK
# 3/4 TWO PANEL DOOR

6'8"



2'8" • 2'10" • 3'0"

DRG29



1'0" • 1'2"


SLG3E

8'0"



2'8" • 2'10" • 3'0"

DRG2980



1'0" • 1'2"

SLG3080

## GLASS OPTIONS

6'8"



CAM342

6'8"



PCL342

6'8"



ART342P

6'8"



ARZ342Z

6'8"



BRE342P/Z

6'8"



CAS342P

6'8"



KEN342P

6'8"



OXF342

6'8"



SOL342P

6'8"



SPR342P

6'8"



TAB342P

8'0"



CAMFL7

8'0"



PCLFL7

8'0"



ABRFL7Z

● IN STOCK ● EXTENDED LEAD TIME

# 3/4 TWO PANEL DOOR

8'0"



ARTFL7P

8'0"



ARZFL7Z

8'0"



BREFL7P/Z

8'0"



CASFL7P

8'0"



KENFL7P

8'0"



OXFFL7

8'0"



SOLFL7P

8'0"



SPRFL7P

8'0"



TABFL7P

8'0"



CAMFL1

8'0"



PCLFL1

8'0"



ABRFL1Z

8'0"

6'8"



ART341P & FL1P

8'0"

6'8"



ARZ341Z & FL1Z

8'0"

6'8"



BRE341P/Z & FL1P/Z

8'0"

6'8"



CAS341 & FL1P

8'0"

6'8"



KEN341 & FL1

8'0"

6'8"



OXF341 & FL1

8'0"

6'8"



SOL341P & FL1P

8'0"

6'8"



SPR341P & FL1P

8'0"

6'8"



TAB341P & FL1P

# OAK
# 3/4 ELITE DOOR

6'8"



3'0"



1'0" • 1'2"

DRG3E

SLG3E

## GLASS OPTIONS

6'8"



BRE3V2P/Z

6'8"



CAS3V2P

6'8"



TAB3V2P

6'8"



CAS343P

6'8"



BREFL1P/Z

6'8"



CAS341P

6'8"



TAB341P

● IN STOCK ● EXTENDED LEAD TIME

# OAK
# 3/4 PREMIUM DOOR

6’8”



3’0”

DRG3P



1’0” • 1’2”

SLG3P

## GLASS OPTIONS

6’8”



BRE3V2P/Z

6’8”



CAS3V2P

6’8”



TAB3V2P

6’8”



BRE3V1P/Z

6’8”



CAS3V1P


# OAK
# 3/4 PANEL DOOR

8′0″



2′8″ • 3′0″ • 3′6″

DRG3080



1′0″ • 1′2″

SLG3080

## GLASS OPTIONS

8′0″



BRE3V3P/Z

8′0″



CAS3V3P

8′0″



CAMFL7

8′0″



PCLFL7

8′0″



ABRFL7Z

8′0″



ARTFL7P

8′0″



ARZFL7Z

8′0″



BREFL7P/Z

8′0″



CASFL7P

8′0″



KENFL7P

8′0″



OXFFL7

8′0″



SOLFL7P

8′0″



SPRFL7P

8′0″



TABFL7P

● IN STOCK ● EXTENDED LEAD TIME

# 3/4 THREE PANEL DOOR

8′0″



CAMFL1

8′0″



PCLFL1

8′0″



ABRFL1Z

8′0″



ARTFL1P

8′0″



ARZFL1Z

8′0″



BREFL1P/Z

8′0″



CASFL1P

8′0″



KENFL1P

8′0″



OXFFL1

8′0″



SOLFL1P

8′0″



SPRFL1P

8′0″



TABFL1P

# OAK THREE PANEL DOOR

6′8″

3′0″



DRG31

7′0″

3′0″



DRG3170

● IN STOCK ● EXTENDED LEAD TIME

# OAK
# FOUR PANEL BLANK TOP DOOR

6’8”



2’6” • 2’8” • 2’10” • 3’0”



1’0” • 1’2”

DRG40 SLG60

## GLASS OPTIONS

6’8”



CASHR1P

6’8”



TABHR1P

6’8”



ARTHL4P

6’8”



ARZHL4Z

6’8”



BREHL4P/Z

6’8”



CASHL4P

6’8”



KENHL4P

6’8”




OXFHL4

6’8”



SOLHL4P

6’8”



SPRHL4P

6’8”



TABHL4P

# FOUR PANEL BLANK TOP DOOR

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2P/Z

6'8"



CASHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1P



*Oak Series • DRG29 • Glass OXF342*

# OAK
# TRUE FOUR PANEL DOOR




DRG41 SLG60




DRG4170 SLG4170




DRG4180 SLG4180

## GLASS OPTIONS




ARTHL4P




ARZHL4Z




BREHL4P/Z




CASHL4P




KENHL4P




OXFHL4




SOLHL4P




SPRHL4P




TABHL4P




CAM342




PCL342




ART342P




ARZ342Z




BRE342P/Z

● IN STOCK ● EXTENDED LEAD TIME

8'0"



CAS342P

8'0"



KEN342P

8'0"



OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P

8'0"

6'8" 7'0"



ARTHL2P & 341P

8'0"

6'8" 7'0"



ARZHL2Z & 341Z

8'0"

6'8" 7'0"



BREHL2P/Z & 341P/Z

8'0"

6'8" 7'0"



CASHL2P & 341P

8'0"

6'8" 7'0"



KENHL2P & 341P

8'0"

6'8" 7'0"



OXFHL2 & 341

8'0"

6'8" 7'0"



SOLHL2P & 341P

8'0"

6'8" 7'0"



SPRHL2P & 341P

8'0"

6'8" 7'0"



TABFL1P & 341P

# OAK
# 3/4 FOUR PANEL DOOR

6'8"



2'8" • 2'10" • 3'0"



1'0" • 1'2"

DRG49 SLG49

## GLASS OPTIONS

6'8"



CAM342

6'8"



PCL342

6'8"



ART342P

6'8"



ARZ342Z

6'8"



BRE342P/Z

6'8"



CAS342P

6'8"



KEN342P

6'8"



OXF342

6'8"



SOL342P

6'8"



SPR342P

6'8"



TAB342P

# 3/4 FOUR PANEL DOOR

6'8"



ART341P

6'8"



ARZ341Z

6'8"



BRE341P/Z

6'8"



CAS341P

6'8"



KEN341P

6'8"



OXF341

6'8"



SPR341P

6'8"



SOL341P

6'8"



TAB341P



*Oak Series • DRG49 • Glass KEN342P*



*Oak Series • DRG6080*

# OAK
# SIX PANEL CRAFTSMAN DOOR

6'8"

3'0"



DRG6C



OAK GRAIN ACCESSORIES AVAILABLE ON PAGE 99.

## GLASS OPTIONS

6'8"



ARTTL3P

6'8"



ARZTL3Z

6'8"



BRETL3P/Z

6'8"



OXFTL3

6'8"



SOLTL3P

6'8"



SPRTL3P

● IN STOCK ● EXTENDED LEAD TIME

# OAK
# SIX PANEL DOOR

6'8"



2'6" • 3'0"

DRG60



1'0" • 1'2"

SLG60

8'0"



2'6" • 2'8" • 3'0"

DRG6080



1'0" • 1'2"

SLG4180

## GLASS OPTIONS

6'8"



ARTTL1P
ARTTL5P (2'6")

6'8"



ARZTL1Z
ARZTL5Z (2'6")

6'8"



SPRTL1P

8'0"



CAMHL6

8'0"



PCLHL6

8'0"



CASHL6P

8'0"



SPRHL6P

6'8"



ARTFL1P

6'8"



ARZFL1Z

6'8"



SPRFL1P

8'0"



CAS341P/Z

8'0"



SPR341P

● IN STOCK ● EXTENDED LEAD TIME

# OAK
# SIX PANEL UTILITY DOOR

6'8"



2'8" • 3'0"

DRG61



1'0" • 1'2"

SLG61

7'0"



2'8" • 2'10" • 3'0"

DRG6170



1'0" • 1'2"

SLG6170

8'0"



2'8" • 2'10" • 3'0"

DRG6180

## GLASS OPTIONS

6'8"



ARTHL4P

6'8"



ARZHL4Z

6'8"



BREHL4P/Z

6'8"



CASHL4P

6'8"



KENHL4P

6'8"



OXFHL4

6'8"



SOLHL4P

6'8"



SPRHL4P

6'8"



TABHL4P

7'0"



ARTHL4P

7'0"



ARZHL4Z

7'0"



BREHL4P/Z

7'0"



KENHL4P

7'0"



OXFHL4

● IN STOCK ● EXTENDED LEAD TIME

# SIX PANEL UTILITY DOOR

7′0″



SOLHL4P

7′0″



SPRHL4P

7′0″



TABHL4P

8′0″



ART342P

8′0″



ARZ342Z

8′0″



BRE342P/Z

8′0″



CAS342P

8′0″



KEN342P

8′0″



OXF342

8′0″



SOL342P

8′0″



SPR342P

8′0″



TAB342P

6′8″ 7′0″



ARTHL2P

6′8″ 7′0″



ARZHL2Z

6′8″ 7′0″



BREHL2P/Z

6′8″ 7′0″



CASHL2P

6′8″ 7′0″



KENHL2P

6′8″ 7′0″



OXFHL2

6′8″ 7′0″



SOLHL2P

6′8″ 7′0″



SPRHL2P

6′8″ 7′0″



TABFL1P



*Oak Series • DRG00 • Glass BREFL7Z*

# OAK
# TRUE SIX PANEL NARROW DOOR

6'8"



2'8" • 2'10" • 3'0"

DRG63



1'0" • 1'2"

SLG60

## GLASS OPTIONS

6'8"



ARTHL4P

6'8"



ARZHL4Z

6'8"



BREHL4P/Z

6'8"



CASHL4P

6'8"



KENHL4P

6'8"



OXFHL4

6'8"



SOLHL4P

6'8"



SPRHL4P

6'8"



TABHL4P

● IN STOCK ● EXTENDED LEAD TIME

# TRUE SIX PANEL NARROW DOOR

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2ZP/Z

6'8"



CASHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1P




*Oak Series • DRG80 • Glass ART8C2P*

# OAK
# EIGHT PANEL DOOR

6’8”



3’0”



1’0” • 1’2”

DRG80 SLG80

8’0”



3’0” • 3’6”

DRG8080

## GLASS OPTIONS

6’8”



CAM8C2

6’8”



PCL8C2

6’8”



ART8C2P

6’8”



ARZ8C2Z

6’8”



BRE8C2P/Z

8’0”



BRE8C3P/Z

8’0”



CAS8C3P

6’8”



CAM8C2

6’8”



PCL8C2Z

6’8”



ART8C2P

6’8”



ARZ8C2Z

6’8”



BRE8C2P/Z

● IN STOCK ● EXTENDED LEAD TIME

# OAK
# NINE PANEL DOOR

6’8”



2’8” • 3’0”

DRG90

## GLASS OPTIONS

6’8”



BRE9P1P/Z

6’8”



SPR9P1P

# OAK
# NINE PANEL DOOR

8′0″



3′0″

**DRG9180**

## GLASS OPTIONS

8′0″



**ART341P**

8′0″



**ARZ341Z**

8′0″



**BRE341P/Z**

8′0″



**CAS341P**

8′0″



**KEN341P**

8′0″



**OXF341**

8′0″



**SOL341P**

8′0″



**SPR341P**

8′0″



**TAB341P**

● IN STOCK ● EXTENDED LEAD TIME

# OAK SERIES ACCESSORIES



4 Block Dentil Shelf



**ACDSGT2704**

16 Block Dentil Shelf



**ACDSGT2716**

## DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

## FEATURES & BENEFITS

- Recreate Classic Design
- Create Custom Looks
- Affordable

6'8"



**DRG6C**
ARTTL3P
ACDSGT2704

6'8"



**DRG6C**
BRETL3Z
ACDSGT2716

6'8"



**DRG6C**
SOLTL3P
ACDSGT2716

6'8"



**DRG6C**
SPRTL3P
ACDSGT2704

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

# SMOOTH SERIES



*Smooth Series • DRS3C • Glass B06F*

Our Smooth Series are made with a pre-pigmented white skin; its simplicity gives a modern design and feel to any home. Our Smooth skin incorporated with a variety of panel designs and glass options, gives a clean, minimal look to any of our fiberglass doors.

6'8"
2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"

**DRS00**

7'0"
2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"

**DRS0070**

8'0"
2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"

**DRS0080**

6'8"
2'8" • 2'10" • 3'0"

**DRS2B**

8'0"
2'8" • 2'10" • 3'0"

**DRS2B80**

6'8"
2'8" • 2'10" • 3'0"

**DRS2D**

8'0"
2'8" • 2'10" • 3'0"

**DRS2D80**

6'8"
2'8" • 2'10" • 3'0"

**DRS2G**

8'0"
2'8" • 2'10" • 3'0"

**DRS2G80**

6'8"
3'0"

**DRS20**

6'8"
2'8" • 2'10" • 3'0"

**DRS29**

8'0"
2'8" • 2'10" • 3'0"

**DRS2980**

6'8"
3'0" (Only available with glass)

**DRS3C**

8'0"
3'0" (Only available with glass)

**DRS3C80**

6'8"
3'0"

**DRS3E**

6'8"
3'0"

**DRS3P**

8'0"
2'8" • 3'0" • 3'6"

**DRS3080**

6'8"
3'0"

**DRS31**

7'0"
3'0"

**DRS3170**

6'8"
2'8" • 2'10" • 3'0"

**DRS40**

6'8"
2'8" • 3'0"

**DRS41**

7'0"
3'0"

**DRS4170**

8'0"
2'8" • 3'0"

**DRS4180**

6'8"
2'6"

**DRS42**

20/60/90 MIN FIRE RATED · TRIMMABLE (3'0" ONLY) · 10" BOTTOM RAIL · HVHZ IMPACT ( NOT AVAILABLE IN 3'6" ) · IN STOCK · EXTENDED LEAD TIME

# DOOR OVERVIEW

6'8"



2'8" • 2'10" • 3'0"

**DRS49**

6'8"



2'8" • 2'10" • 3'0"

**DRS6B**

6'8"



3'0"

**DRS6C**

6'8"



2'6" • 3'0"

**DRS60**

8'0"



2'6" • 2'8" • 3'0" • 3'6"

**DRS6080**

6'8"



2'8" • 2'10" • 3'0"

**DRS61**

7'0"



2'8" • 2'10" • 3'0"

**DRS6170**

8'0"



2'8" • 2'10" • 3'0"

**DRS6180**

6'8"



2'8" • 2'10" • 3'0"

**DRS63**

6'8"



3'0"

**DRS80**

8'0"



3'0" • 3'6"

**DRS8080**

6'8"



2'8" • 3'0"

**DRS90**

## SHAKER PROFILE DOORS

6'8"



2'8" • 2'10" • 3'0"

**DRS1K**

6'8"



2'8" • 2'10" • 3'0"

**DRS2K**

6'8"



2'8" • 2'10" • 3'0"

**DRS3F**

8'0"



3'0" • 3'6"

**DRS3F80**

6'8"



2'8" • 2'10" • 3'0"

**DRS50**

● IN STOCK ● EXTENDED LEAD TIME 20/60 MIN FIRE RATED TRIMMABLE (3'0" ONLY) 10" BOTTOM RAIL HVHZ IMPACT NOT AVAILABLE IN 3'6"



# SMOOTH
# FLUSH PANEL DOOR




## GLASS OPTIONS

6'8"



**CAMFL7**
**CAMFL5** (2'6")

6'8"



**PCLFL7**
**PCLFL5** (2'6")

6'8"



**ABRFL7Z**
**ABRFL5Z** (2'6")

6'8"



**ARTFL7P**
**ARTFL5P** (2'6")

6'8"



**ARZFL7Z**
**ARZFL5Z** (2'6")

6'8"



**BREFL7P/Z**
**BREFL5P/Z** (2'6")

6'8"



**CASFL7P**
**CASFL5P** (2'6")

6'8"



**KENFL7P**
**KENFL5P** (2'6")

6'8"



**OXFFL7**

6'8"



**SOLFL7**
**SOLFL5** (2'6")

6'8"



**SPRFL7**

6'8"



**TABFL7P**
**TABFL5P** (2'6")

7'0"



**CAMFL7**
**CAMFL5** (2'6")

7'0"



**PCLFL7**
**PCLFL5** (2'6")

● IN STOCK ● EXTENDED LEAD TIME

7′0″



**ABRFL7Z**
**ABRFL5Z** (2′6″)

7′0″



**ARTFL7P**
**ARTFL5P** (2′6″)

7′0″



**ARZFL7Z**
**ARZFL5Z** (2′6″)

7′0″



**BREFL7P/Z**
**BREFL5P/Z** (2′6″)

7′0″



**CASFL7P**
**CASFL5P** (2′6″)

7′0″



**KENFL7P**

7′0″



**OXFFL7**

7′0″



**SOLFL7P**
**SOLFL5P** (2′6″)

7′0″



**SPRFL7P**

7′0″



**TABFL7P**
**TABFL5P** (2′6″)

8′0″



**CAMFL8**
**CAMFL6** (2′6″)

8′0″



**PCLFL8**
**PCLFL6** (2′6″)

8′0″



**ABRFL8Z**
**ABRFL6Z** (2′6″)

8′0″



**ARTFL8P**

8′0″



**ARZFL8Z**

8′0″



**BREFL8P/Z**

8′0″



**CASFL8P**

8′0″



**KENFL8P**

8′0″



**OXFFL8**

8′0″



**SOLFL8P**

8′0″



**TABFL8P**

8′0″ 6′8″ 7′0″



**CAMFL1 & FL2**

8′0″ 6′8″ 7′0″



**PCLFL1 & FL2**

8′0″ 6′8″ 7′0″




**ABRFL1Z & FL2Z**

8′0″ 6′8″ 7′0″



**ARTFL1P & FL2P**

8′0″ 6′8″ 7′0″



**ARZFL1Z & FL2Z**

8′0″ 6′8″ 7′0″



**BREFL1P/Z**
**& FL2P/Z**

8′0″ 6′8″ 7′0″



**CASFL1P & FL2P**

# SMOOTH FLUSH PANEL DOOR




KENFLP1 & FL2P





OXFFL1 & FL2




SOLFL1P & FL2P




SPRFL1P




TABFL1P & FL2P



*Smooth Series • DRS4170*

# SMOOTH TWO PANEL DOOR

6'8"




DRS2B




SLS60

8'0"




DRS2B80




SLS4180

## GLASS OPTIONS

6'8"



ARTHL4P

6'8"



ARZHL4Z

6'8"



BREHL4P/Z

6'8"



CASHL4P

6'8"



KENHL4P

6'8"



OXFHL4

6'8"



SOLHL4P

6'8"



SPRHL4P

6'8"



TABHL4P

8'0"



CAM342

8'0"



PCL342

8'0"



ART342P

8'0"



ARZ342Z

8'0"



BRE342P/Z

● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH TWO PANEL DOOR

8′0″



CAS342P

8′0″



KEN342P

8′0″



OXF342

8′0″



SOL342P

8′0″



SPR342P

8′0″



TAB342P

8′0″ 6′8″



ARTHL2P & FL1P
ART341P & FL2P

8′0″ 6′8″



ARZHL2Z & FL1Z
ARZ341Z & FL2Z

8′0″ 6′8″




BREHL2P/Z & FL1P/Z
ARZ341P/Z & FL2P/Z

8′0″ 6′8″



CASHL2P & FL1P
CAS341P & FL2P

8′0″ 6′8″



KENHL2P & FL1P
KEN341P & FL2P

8′0″ 6′8″



OXFHL2 & FL1
OXF341 & FL2

8′0″ 6′8″



SOLHL2P & FL1P
SOL341P & FL2P

8′0″ 6′8″



SPRHL2P & FL1P
SPR341P & FL2P

8′0″ 6′8″



TABFL1P
TAB341P & FL2P

# SMOOTH TWO PANEL DOOR

6'8"




DRS2D




SLS60

8'0"




DRS2D80




SLS4180

## GLASS OPTIONS

6'8"



ARTHL4P

6'8"



ARZHL4Z

6'8"



BREHL4P/Z

6'8"



CASHL4P

6'8"



KENHL4P

6'8"



OXFHL4

6'8"



SOLHL4P

6'8"



SPRHL4P

6'8"



TABHL4P

8'0"



CAM342

8'0"



PCL342

8'0"



ART342P

8'0"



ARZ342Z

8'0"



BRE342P/Z

● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH TWO PANEL DOOR

## SQUARE PANEL & ARCH TOP

8′0″



**CAS342P**

8′0″



**KEN342P**

8′0″



**OXF342**

8′0″



**SOL342P**

8′0″



**SPR342P**

8′0″



**TAB342P**

8′0″ 6′8″



**ARTHL2P & FL1P**
**ART341P**

8′0″ 6′8″



**ARZHL2Z & FL1Z**
**ARZ341Z**

8′0″ 6′8″




**BREHL2P/Z & FL1P/Z**
**BRE341P/Z**

8′0″ 6′8″



**CASHL2P & FL1P**
**CAS341P**

8′0″ 6′8″



**KENHL2P & FL1P**
**KEN341P**

8′0″ 6′8″



**OXFHL2 & FL1**
**OXF341**

8′0″ 6′8″



**SOLHL2P & FL1P**
**SOL341P**

8′0″ 6′8″



**SPRHL2P & FL1P**
**SPR341P**

8′0″ 6′8″



**TABFL1P**
**TAB341**



# SMOOTH
# COTTAGE TWO PANEL DOOR



6'8"



2'8" • 2'10" • 3'0"

DRS2G



1'0" • 1'2"

SLS60

8'0"



2'8" • 2'10" • 3'0"

DRS2G80



1'0" • 1'2"

SLS4180

## GLASS OPTIONS

6'8"



ARTHL4P

6'8"



ARZHL4Z

6'8"



BREHL4P/Z

6'8"



CASHL4P

6'8"



KENHL4P

6'8"



OXFHL4

6'8"



SOLHL4P

6'8"



SPRHL4P

6'8"



TABHL4P

8'0"



CAM342

8'0"



PCL342

8'0"



ART342P

8'0"



ARZ342Z

8'0"



BRE342P/Z

● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH COTTAGE TWO PANEL DOOR

8′0″



CAS342P

8′0″



KEN342P

8′0″



OXF342

8′0″



SOL342P

8′0″



SPR342P

8′0″



TAB342P

8′0″

6′8″



ARTHL2P & FL1P
ART341P

8′0″

6′8″



ARZHL2Z & FL1Z
ARZ341Z

8′0″

6′8″



BREHL2P/Z & FL1P/Z
BRE341P/Z

8′0″

6′8″



CASHL2P & FL1P
CAS341P

8′0″

6′8″



KENHL2P & FL1P
KEN341P

8′0″

6′8″



OXFHL2 & FL1
OXF341

8′0″

6′8″



SOLHL2P & FL1P
SOL341P

8′0″

6′8″



SPRHL2P & FL1P
SPR341P

8′0″

6′8″



TABFL1P
TAB341P

# SMOOTH
# 3/4 HERITAGE DOOR

6’8”



3’0”

DRS20



1’0” • 1’2”

SLS3E

## GLASS OPTIONS

6’8”



BRE3V2P/Z

6’8”



CAS3V2P

6’8”



TAB3V2P

6’8”



CAS343P

6’8”



BRE341P/Z

6’8”



CAS341P

6’8”



TAB341P

● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH
# 3/4 TWO PANEL DOOR

6'8"



2'8" • 2'10" • 3'0"

DRS29



1'0" • 1'2"

SLS3E

8'0"



2'8" • 2'10" • 3'0"

DRS2980



1'0" • 1'2"

SLS3080

## GLASS OPTIONS

6'8"



CAM342

6'8"



PCL342

6'8"



ART342P

6'8"



ARZ342Z

6'8"



BRE342P/Z

6'8"



CAS342P

6'8"



KEN342P

6'8"



OXF342

6'8"



SOL342P

6'8"



SPR342P

6'8"



TAB342P

8'0"



CAMFL7

8'0"



PCLFL7

8'0"



ABRFL7Z

● IN STOCK ● EXTENDED LEAD TIME

# 3/4 TWO PANEL DOOR

8′0″



ARTFL7P

8′0″



ARZFL7Z

8′0″



BREFL7P/Z

8′0″



CASFL7P

8′0″



KENFL7P

8′0″



OXFFL7

8′0″



SOLFL7P

8′0″



SPRFL7P

8′0″



TABFL7P

8′0″



CAMFL1

8′0″



PCLFL1

8′0″



ABRFL1Z

8′0″ 6′8″



ART341P
ARTFL1P

8′0″ 6′8″



ARZ341Z
ARZFL1Z

8′0″ 6′8″




BRE341P/Z
BREFL1P/Z

8′0″ 6′8″



CAS341P
CASFL1P

8′0″ 6′8″




KEN341P
KENFL1P

8′0″ 6′8″




OXF341
OXFFL1

8′0″ 6′8″




SOL341P
SOLFL1P

8′0″ 6′8″



SPR341P
SPRFL1P

8′0″ 6′8″



TAB341P
TABFL1P



*Smooth Series • DRS0080 • Glass KENFL8P*

# SMOOTH
# DIRECT GLAZE CRAFTSMAN

DRS3C & DRS3C80 & MATCHING SIDELITES ARE ONLY AVAILABLE WITH GLASS

6'8"



3'0"

DRS3C



1'0" • 1'2"

SLS3C

8'0"



3'0"

DRS3C80



1'0" • 1'2"

SLS3C80



SMOOTH ACCESSORIES AVAILABLE ON PAGE 142 & 143.

## GLASS OPTIONS

6'8"



G000

6'8"



B03P

6'8"



B06P

6'8"



SPRP

8'0"



G000

8'0"



B03P

8'0"



B06P

8'0"



SPRP

8'0"

6'8"



G000

8'0"

6'8"



B01P

8'0"

6'8"



B02P

8'0"

6'8"



SPRP

● IN STOCK ● EXTENDED LEAD TIME ● EXTENDED LEAD TIME ON GLASS

# SMOOTH
# 3/4 ELITE DOOR

6'8"



3'0"

DRS3E



1'0" • 1'2"

SLS3E

## GLASS OPTIONS

6'8"



BRE3V2P/Z

6'8"



CAS3V2P

6'8"



TAB3V2P

6'8"



CAS343P

6'8"



BREFL1P/Z

6'8"



CAS341P

6'8"



TAB341P

● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH
# 3/4 PREMIUM DOOR

6'8"



3'0"

DRS3P



1'0" • 1'2"

SLS3P

## GLASS OPTIONS

6'8"




BRE3V2P/Z

6'8"



CAS3V2P

6'8"



TAB3V2P

6'8"



BRE3V1P/Z

6'8"



CAS3V1P

6'8"



TABFL1P

● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH 3/4 PANEL DOOR

8′0″



2′8″ • 3′0″ • 3′6″

DRS3080



1′0″ • 1′2″

SLS3080

## GLASS OPTIONS

8′0″



BRE3V3P/Z

8′0″



CAS3V3P

8′0″



CAMFL7

8′0″



PCLFL7

8′0″



ABRFL7Z

8′0″



ARTFL7P

8′0″



ARZFL7Z

8′0″



BREFL7P/Z

8′0″



CASFL7P

8′0″



KENFL7P

8′0″



OXFFL7

8′0″



SOLFL7P

8′0″



SPRFL7P

8′0″



TABFL7P

● IN STOCK ● EXTENDED LEAD TIME

# 3/4 THREE PANEL DOOR

8′0″



CAMFL

8′0″



PCLFL1

8′0″



ABRFL1Z

8′0″



ARTFL1P

8′0″



ARZFL1Z

8′0″



BREFL1P/Z

8′0″



CASFL1P

8′0″



KENFL1P

8′0″



OXFFL1

8′0″



SOLFL1P

8′0″



SPRFL1P

8′0″



TABFL1P

# SMOOTH THREE PANEL DOOR

6′8″



3′0″

DRS31

7′0″



3′0″

DRS3170

● IN STOCK ● EXTENDED LEAD TIME



*Smooth Series • DRS2980 • Glass SOLFL7P*

# SMOOTH
# FOUR PANEL BLANK TOP DOOR

6'8"



2'6" • 2'8" • 2'10" • 3'0"



1'0" • 1'2"

**DRS40**
**DRS42** (2'6" No matching sidelite)

**SLS60**

## GLASS OPTIONS

6'8"



**CASHR1P**

6'8"



**TABHR1P**

6'8"



**ARTHL4P**
**ARTHL3P** (2'6")

6'8"



**ARZHL4Z**
**ARZHL3Z** (2'6")

6'8"



**BREHL4P/Z**

6'8"



**CASHL4P**
**CASHL3P** (2'6")

6'8"



**KENHL4P**
**KENHL3P** (2'6")

6'8"



**OXFHL4**

6'8"



**SOLHL4P**
**SOLHL3P** (2'6")

6'8"



**SPRHL4P**

6'8"



**TABHL4P**
**TABHL3P** (2'6")

● IN STOCK ● EXTENDED LEAD TIME

# FOUR PANEL BLANK TOP DOOR

6'8"



**ARTHL2P**

6'8"



**ARZHL2Z**

6'8"



**BREHL2P/Z**

6'8"



**CASHL2P**

6'8"



**KENHL2P**

6'8"



**OXFHL2**

6'8"



**SOLHL2P**

6'8"



**SPRHL2P**

6'8"



**TABFL1P**



# SMOOTH
# TRUE FOUR PANEL DOOR

6'8"



2'8" • 3'0"

DRS41



1'0" • 1'2"

SLS60

7'0"



3'0"

DRS4170



1'0" • 1'2"

SLS4170

8'0"



2'8" • 3'0"

DRS4180



1'0" • 1'2"

SLS4180

## GLASS OPTIONS

6'8"



ARTHL4P

6'8"



ARZHL4Z

6'8"



BREHL4P/Z

6'8"



CASHL4P/Z

6'8"



KENHL4P

6'8"



OXFHL4

6'8"



SOLHL4P

6'8"



SPRHL4P

6'8"



TABHL4P

7'0"



ARTHL4P

7'0"



ARZHL4Z

7'0"



BREHL4P/Z

7'0"



CASHL4P

7'0"



KENHL4P

● IN STOCK ● EXTENDED LEAD TIME

# TRUE FOUR PANEL DOOR

7'0"



OXFHL4

7'0"



SOLHL4P

7'0"



SPRHL4P

7'0"



TABHL4P

8'0"



CAM342

8'0"



PCL342

8'0"



ART342P

8'0"



8'0"



BRE342P/Z

8'0"



CAS342P

8'0"



KEN342P

8'0"



OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P

8'0"

6'8"

7'0"




ARTHL2P & 341P

8'0"

6'8"

7'0"



ARZHL2Z & 341Z

8'0"

6'8"

7'0"



BREHL2P/Z & 341P/Z

8'0"

6'8"

7'0"



CASHL2P & 341P

8'0"

6'8"

7'0"



KENHL2P & 341P

8'0"

6'8"

7'0"



OXFHL2 & 341

8'0"

6'8"

7'0"



SOLHL2P & 341P

8'0"

6'8"

7'0"



SPRHL2P & 341P

8'0"

6'8"

7'0"



TABFL1P & 341P

# SMOOTH
# 3/4 FOUR PANEL DOOR

6'8"



2'8" • 2'10" • 3'0"

DRS49



1'0" • 1'2"

SLS49

## GLASS OPTIONS

6'8"



CAM342

6'8"



PCL342

6'8"



ART342P

6'8"



ARZ342Z

6'8"



BRE342P/Z

6'8"



CAS342P

6'8"



KEN342P

6'8"



OXF342

6'8"



SOL342P

6'8"



SPR342P

6'8"



TAB342P

● IN STOCK ● EXTENDED LEAD TIME

# 3/4 FOUR PANEL DOOR

6'8"



**ART341P**

6'8"



**ARZ341Z**

6'8"



**BRE341P/Z**

6'8"



**CAS341P**

6'8"



**KEN341P**

6'8"



**OXF341**

6'8"



**SPR341P**

6'8"




**SOL341P**

6'8"



**TAB341P**



*Smooth Series • DRS1K*

# SMOOTH
# SIX PANEL CRAFTSMAN DOOR

6'8"



3'0"

DRS6C



SMOOTH ACCESSORIES AVAILABLE ON PAGE 142 & 143.

6'8"



ARTTL3P

6'8"



ARZTL3Z

6'8"



BRETL3P/Z

6'8"



OXFTL3

6'8"



SOLTL3P

6'8"



SPRTL3P

● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH
# SIX PANEL DOOR

6'8"



2'6" • 3'0"

DRS60



1'0" • 1'2"

SLS60

8'0"



2'6" • 2'8" • 3'0" • 3'6"

DRS6080



1'0" • 1'2"

SLS4180

## GLASS OPTIONS

6'8"



**ARTTL1P**
**ARTTL5P** (2'6")

6'8"



**ARZTL1Z**
**ARZTZTL5Z** (2'6")

6'8"



**SPRTL1P**

8'0"



**CAMHL6**
**CAM346** (3'6")

8'0"



**PCLHL6**
**PCL346** (3'6")

8'0"



**CASHL6P/Z**

8'0"



**SPRHL6P**

6'8"



**ARTFL1P**

6'8"



**ARZFL1Z**

6'8"



**SPRFL1P**

8'0"



**CAS341P/Z**

8'0"



**SPR341P**

● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH
# SIX PANEL UTILITY DOOR

6'8"



2'8" • 2'10" • 3'0"



1'0" • 1'2"

**DRS61**
**DRS6B** (No matching sidelite)

**SLS61**

7'0"



2'8" • 2'10" • 3'0"



1'0" • 1'2"

**DRS6170**

**SLS6170**

8'0"



2'8" • 2'10" • 3'0"

**DRS6180**

## GLASS OPTIONS

6'8"



**ARTHL4P**

6'8"



**ARZHL4Z**

6'8"



**BREHL4P/Z**

6'8"



**CASHL4P**

6'8"



**KENHL4P**

6'8"



**OXFHL4**

6'8"



**SOLHL4P**

6'8"



**SPRHL4P**

6'8"



**TABHL4P**

7'0"



**ARTHL4P**

7'0"



**ARZHL4Z**

7'0"



**BREHL4P/Z**

7'0"



**CASHL4P**

7'0"



**KENHL4P**

● IN STOCK ● EXTENDED LEAD TIME

# SIX PANEL UTILITY DOOR

7'0"



OXFHL4

7'0"



SOLHL4P

7'0"



SPRHL4P

7'0"



TABHL4P

8'0"



ART342P

8'0"



ARZ342Z

8'0"



BRE342P/Z

8'0"



CAS342P

8'0"



KEN342P

8'0"



OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P

6'8" 7'0"



ARTHL2P

6'8" 7'0"



ARZHL2Z

6'8" 7'0"



BREHL2P/Z

6'8" 7'0"



CASHL2P

6'8" 7'0"



KENHL2P

6'8" 7'0"



OXFHL2

6'8" 7'0"



SOLHL2P

6'8" 7'0"



SPRHL2P

6'8" 7'0"



TABFL1P

# SMOOTH
# TRUE SIX PANEL NARROW DOOR

6'8"



2'8" • 2'10" • 3'0"

DRS63



1'0" • 1'2"

SLS60

## GLASS OPTIONS

6'8"



ARTHL4P

6'8"



ARZHL4Z

6'8"



BREHL4P/Z

6'8"



CASHL4P

6'8"



KENHL4P

6'8"



OXFHL4

6'8"



SOLHL4P

6'8"



SPRHL4P

6'8"



TABHL4P

● IN STOCK ● EXTENDED LEAD TIME

# TRUE SIX PANEL NARROW DOOR

6’8″



**ARTHL2P**

6’8″



**ARZHL2Z**

6’8″



**BREHL2ZP/Z**

6’8″



**CASHL2ZP**

6’8″



**KENHL2P**

6’8″



**OXFHL2**

6’8″



**SOLHL2P**

6’8″



**SPRHL2P**

6’8″



**TABFL1P**

*Smooth Series • DRS63 • Glass KENHL4P*



# SMOOTH
# EIGHT PANEL DOOR

6’8”



3’0”

DRS80



1’0” • 1’2”

SLS80

8’0”



3’0” • 3’6”

DRS8080

## GLASS OPTIONS

6’8”



CAM8C2

6’8”



PCL8C2

6’8”



ART8C2P

6’8”



ARZ8C2Z

6’8”



BRE8C2P/Z

8’0”



BRE8C3P/Z

8’0”



CAS8C3P

6’8”



CAM8C2

6’8”



PCL8C2Z

6’8”



ART8C2P

6’8”



ARZ8C2Z

6’8”



BRE8C2P/Z

● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH
# NINE PANEL DOOR

6’8”



2’8” • 3’0”

**DRS90**

## GLASS OPTIONS

6’8”



**BRE9P1P/Z**

6’8”



**SPR9P1P**

● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH
# ONE PANEL SHAKER DOOR

6'8"



2'8" • 2'10" • 3'0"

**DRS1K**



## SHAKER PROFILE

The straightforward shaker design showcases the beauty that minimal design can offer. Our shaker focuses on simplicity and is easily adaptable for any home's exterior.

# SMOOTH TWO PANEL SHAKER DOOR

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 25 FOR AVAILABLE TEXTURE GLASS STYLES.

6'8"



2'8" • 2'10" • 3'0"

**DRS2K**

6'8"



**22"x 36" HALF LITE**
*Solution Frame**

● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH
# THREE PANEL CRAFTSMAN DOOR




**DRF3F**

**SLF3F**
**LowE**

**DRF3F80**

*GLASS OPTIONS VIA SOLUTION FRAME - SEE PAGE 25 FOR AVAILABLE TEXTURE GLASS STYLES.




**22"x 15"**
*Solution Frame**




**22"x 15" 3 LITE**
*Solution Frame**




**22"x 15" 6 LITE**
*Solution Frame**




**BRE2215P/Z**
*Solution Frame*




**SOL2215P**
*Solution Frame*




**SPR2215P**
*Solution Frame*

● COMING SOON - PLEASE CALL FOR AVAILABILITY ● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH
# FIVE PANEL CRAFTSMAN






**DRS50**

*GLASS OPTIONS VIA SOLUTION FRAME - SEE PAGE 25 FOR AVAILABLE TEXTURE GLASS STYLES.




**22"x 8" 1 LITE**
**5 PANEL**
*Solution Frame**




**22"x 8" 2 LITE**
**5 PANEL**
*Solution Frame**

● IN STOCK ● EXTENDED LEAD TIME




*Smooth Series • DRS2G80 • Glass SPR342P*



# SMOOTH SERIES ACCESSORIES

3 Lite




**6'8"** ACSDW23005
**8'0"** ACSDW23001

## SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro Simulated Divided Lights (SDL Bars) can be used on the interior and exterior of our doors and help create personalized, unique looks. They are easy to install and will not rot or absorb moisture.

6 Lite



**6'8"** ACSDW23006
**8'0"** ACSDW23002

Sidelite



ACSDW23004

## FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling off the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.

6'8" 6'8"



**DRS3CG000**
ACSDW23005
ACDSSW2704

**SLF3CG**
G000

8'0" 8'0"



**DRS3C80G000**
ACSDW23001
ACDSSW2704

**SLS3C80**
G000

6'8" 6'8"



**DRS3CG000**
ACSDW23006
ACDSSW2704

**SLS3CG000**
ACSDF23004

8'0" 8'0"



**DRS3C80G000**
ACSDW23002
ACDSSW2704


**SLS3C80G000**
ACSDF23004

6'8"



**DRS6C**
SPRTL3P
ACDSSW2404

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS



*Smooth Series • DRS6C • Glass SPRTL3 • Dentil Shelf ACDSSW2716*

4 Block Dentil Shelf (DRS3F)



**ACDSSW2404**

4 Block Dentil Shelf (DRS3C)



**ACDSSW2704**

16 Block Dentil Shelf



**ACDSSW2716**

## DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

### FEATURES & BENEFITS

- Recreate Classic Design
- Create Custom Looks
- Affordable




ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

# WHITE OAK SERIES



*White Oak Series • DRW60*



The White Oak Series combines the best features of our Smooth and Oak Doors. Any home can enjoy a rich oak texture pattern in a pre-pigmented white skin. With many choices of decorative glass to choose from, create a look that is both timeless and modern.

6'8"
2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"
DRW00

7'0"
2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"
DRW0070

8'0"
2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"
DRW0080

6'8"
2'8" • 2'10" • 3'0"
DRW40

6'8"
2'8" • 3'0"
DRW41

6'8"
2'6" • 3'0"
DRW60


8'0"
2'6" • 2'8" • 3'0"
DRW6080

6'8"
2'8" • 2'10" • 3'0"
DRW61

7'0"
2'8" • 2'10" • 3'0"
DRW6170

7'0"
2'8" • 2'10" • 3'0"
DRW63

20 MIN FIRE RATED  IN STOCK  EXTENDED LEAD TIME




*White Oak Series • DRW60 • Glass SPRTL1P*

# WHITE OAK
# FLUSH PANEL DOOR




DRW00 SLW00




DRW0070 SLW0070




DRW0080 SLW0080

## GLASS OPTIONS

6'8" & 7'0"



CAMFL7
CAMFL5 (2'6")

6'8" & 7'0"



PCLFL7
PCLFL5 (2'6")

6'8" & 7'0"



ABRFL7Z
ABRFL5Z (2'6")

6'8" & 7'0"



ARTFL7P
ARTFL5P (2'6")

6'8" & 7'0"



ARZFL7Z
ARZFL5Z (2'6")

6'8" & 7'0"



BREFL7P/Z
BREFL5P/Z (2'6")

6'8" & 7'0"



CASFL7P
CASFL5P (2'6")

6'8" & 7'0"



KENFL7P
KENFL5P (2'6")

6'8" & 7'0"



OXFFL7

6'8" & 7'0"



SOLFL7P
SOLFL5P (2'6")

6'8" & 7'0"



SPRFL7

6'8" & 7'0"



TABFL7P
TABFL5P (2'6")

8'0"



CAMFL8
CAMFL6 (2'6")

8'0"



PCLFL8
PCLFL6 (2'6")

● IN STOCK ● EXTENDED LEAD TIME

8′0″



**ABRFL8Z**
**ABRFL6Z** (2′6″)

8′0″



**ARTFL8P**

8′0″



**ARZFL8Z**

8′0″



**BREFL8P/Z**

8′0″



**CASFL8P**

8′0″



**KENFL8P**

8′0″



**OXFFL8**

8′0″



**SOLFL8P**

8′0″




**TABFL8P**

8′0″ 6′8″ 7′0″



**CAMFL1 & FL2**

8′0″ 6′8″ 7′0″



**PCLFL1 & FL2**

8′0″ 6′8″ 7′0″



**ABRFL1Z & FL2Z**

8′0″ 6′8″ 7′0″



**ARTFL1P & FL2P**

8′0″ 6′8″ 7′0″




**ARZFL1Z & FL2Z**

8′0″ 6′8″ 7′0″



**BREFL1P/Z & FL2P/Z**

8′0″ 6′8″ 7′0″



**CASFL1 & FL2**

8′0″ 6′8″ 7′0″



**KENFLP1 & FL2P**

8′0″ 6′8″ 7′0″




**OXFFL1 & FL2**

8′0″ 6′8″ 7′0″




**SOLFL1P & FL2P**

8′0″ 6′8″ 7′0″



**SPRFL1P & FL2P**

8′0″ 6′8″ 7′0″



**TABFL1P & FL2P**

# WHITE OAK
# FOUR PANEL BLANK TOP DOOR

6’8”



2’6” • 2’8” • 2’10” • 3’0”

DRW40



1’0” • 1’2”

SLW60

## GLASS OPTIONS

6’8”



CASHR1P

6’8”



TABHR1P

6’8”



ARTHL4P

6’8”



ARZHL4Z

6’8”



BREHL4P/Z

6’8”



CASHL4P

6’8”



KENHL4P

6’8”



OXFHL4

6’8”



SOLHL4P

6’8”



SPRHL4P

6’8”



TABHL4P

6’8”



ARTHL2P

6’8”



ARZHL2Z

6’8”



BREHL2P/Z

● IN STOCK ● EXTENDED LEAD TIME

# FOUR PANEL BLANK TOP DOOR

6'8"



CASHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1P



*White Oak Series • DRW60*

# WHITE OAK
# TRUE FOUR PANEL DOOR

6’8”



2’8” • 3’0”

DRW41



1’0” • 1’2”

SLW60

## GLASS OPTIONS

6’8”



ARTHL4P

6’8”



ARZHL4Z

6’8”



BREHL4P/Z

6’8”



CASHL4P

6’8”



KENHL4P

6’8”



OXFHL4

6’8”



SOLHL4P

6’8”



SPRHL4P

6’8”



TABHL4P

● IN STOCK ● EXTENDED LEAD TIME

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2P/Z

6'8"



CASHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1P



*White Oak Series • DRW00 • Glass ABRFL7*

# WHITE OAK
# SIX PANEL DOOR

6'8"



2'6" • 3'0"

DRW60



1'0" • 1'2"

SLW60

8'0"



2'6" • 2'8" • 3'0"

DRW6080



1'0" • 1'2"

SLW4180

## GLASS OPTIONS

6'8"



ARTTL1P
ARTTL5P (2'6")

6'8"



ARZTL1Z
ARZTL5Z (2'6")

6'8"



SPRTL1P

8'0"



CAMHL6

8'0"



PCLHL6

8'0"



CASHL6P

8'0"



SPRHL6P

6'8"



ARTFL1P

6'8"



ARZFL1Z

6'8"



SPRFL1P

8'0"



CAS341P/Z

8'0"



SPR341P

# WHITE OAK
# SIX PANEL UTILITY DOOR

6'8"



2'8" • 2'10" • 3'0"

DRW61



1'0" • 1'2"

SLW61

7'0"



2'8" • 2'10" • 3'0"

DRW6170



1'0" • 1'2"

SLW6170

## GLASS OPTIONS

6'8"



ARTHL4P

6'8"



ARZHL4Z

6'8"



BREHL4P/Z

6'8"



CASHL4P

6'8"



KENHL4P

6'8"



OXFHL4

6'8"



SOLHL4P

6'8"



SPRHL4P

6'8"



TABHL4P

7'0"



ARTHL4P

7'0"



ARZHL4Z

7'0"



BREHL4P/Z

7'0"



CASHL4P

7'0"



KENHL4P

● IN STOCK ● EXTENDED LEAD TIME

# SIX PANEL UTILITY DOOR

7'0"



OXFHL4

7'0"



SOLHL4P

7'0"



SPRHL4P

7'0"



TABHL4P

6'8" 7'0"



ARTHL2P

6'8" 7'0"



ARZHL2Z

6'8" 7'0"



BREHL2P/Z

6'8" 7'0"



CASHL2P

6'8" 7'0"



KENHL2P

6'8" 7'0"



OXFHL2

6'8" 7'0"




SOLHL2P

6'8" 7'0"



SPRHL2P

6'8" 7'0"



TABFL1P



*White Oak Series • DRW00 • Glass TABFL7P*

# WHITE OAK
# TRUE SIX PANEL NARROW DOOR

6'8"



2'8" • 2'10" • 3'0"

DRW63



1'0" • 1'2"

SLW60

## GLASS OPTIONS

6'8"



ARTHL4P

6'8"



ARZHL4Z

6'8"



BREHL4P/Z

6'8"



CASHL4P

6'8"



KENHL4P

6'8"



OXFHL4

6'8"



SOLHL4P

6'8"



SPRHL4P

6'8"



TABHL4P

● IN STOCK ● EXTENDED LEAD TIME

# SIX PANEL NARROW DOOR

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2ZP/Z

6'8"



CASHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



SOLHL2P

6'8"




SPRHL2P

6'8"



TABFL1P



*White Oak Series • DRW00 • Glass BREFL7P*

# ONELITE SERIES




*Onelite Series • Oak Door • DRG12 • Glass MiniBlind*



OAK GRAIN

SMOOTH FINISH



MAHOGANY GRAIN

Our Onelite Series features a fine, flush glazed glass with a removable stop to allow the glass to be switched without changing the entire door. Doors are available in Double-Insulated Tempered Glass, LowE, Grid Between Glass (GBG), or MiniBlinds.

ALL ONELITE DOORS ARE SHOWN PRE-FINISHED

6'8"



3'0"

**DRS11**

7'0"



3'0"

**DRS1170**

8'0"



3'0"

**DRS1180**

**This model complies with ADA standards** and can accommodate ADA required hardware for easy operation. Reinforced blocking and closures allow the following flexible hardware to be installed: panic bars, reinforced arm closures, and exit rim devices. These devices are easy to grasp with one hand and don't require tight grasping or twisting to operate.

6'8"



2'8" • 3'0"

**DRG12**
*Oak Grain*

6'8"



2'8" • 3'0"

**DRS12**
*Smooth*

6'8"



2'6" • 2'8" • 3'0"

**DRS13**
*Smooth*

8'0"



2'6" • 2'8" • 3'0"

**DRS1380**
*Smooth*

6'8"



2'6" • 2'8" • 3'0"

**DRM13**
*Mahogany*

8'0"



2'6" • 2'8" • 3'0"

**DRSM1380**
*Mahogany*

10" BOTTOM RAIL ● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH ADA DOOR

6’8”



3’0”

**DRS11**
LowE / Sound Barrier

7’0”



3’0”

**DRS1170**
LowE / Sound Barrier

8’0”



3’0”

**DRS1180**
LowE / Sound Barrier

**SPECIAL ORDER**
**Sound Barrier Glass (STC:34) 3’6” and 4’0” widths**

● IN STOCK ● EXTENDED LEAD TIME

## FEATURES & BENEFITS



**REINFORCED STILES**
For Panic Bar hardware and Exit Rim devices.

**6.5” TOP RAIL**
Accommodates regular and parallel arm closer.

**5.5” FACE STILES**
Accommodates all types of commercial hardware (including 2-3/4” backset 161 prep and mortise locks).

# ONELITE
# FLUSH GLAZED HALF LITE DOOR

6'8"



2'8" • 3'0"

**DRG12**



1'0" • 1'2"

**SLG12**

## GLASS OPTIONS

6'8"



**LowE**

6'8"



**G09**

6'8"



**MINIBLIND**
Clear / LowE

6'8"



**LowE**

6'8"



**MINIBLIND**
Clear / LowE

● IN STOCK ● EXTENDED LEAD TIME

# ONELITE
# FLUSH GLAZED HALF LITE DOOR



6’8”



2’8” • 3’0”

**DRS12**



1’0” • 1’2”

**SLS12**

## GLASS OPTIONS

6’8”



**LowE**

6’8”



**G09**

6’8”



**MINIBLIND**
Clear / LowE

6’8”



**LowE**

6’8”



**MINIBLIND**
Clear / LowE

● IN STOCK ● EXTENDED LEAD TIME

# ONELITE
# FLUSH GLAZE 3/4 LITE DOOR

6'8"




DRS13




SLS13

8'0"




DRS1380




SLS1380

## GLASS OPTIONS

6'8"



LowE

8'0"



LowE

6'8"



LowE

8'0"



LowE

● IN STOCK ● EXTENDED LEAD TIME

# ONELITE
# FLUSH GLAZED 3/4 LITE DOOR

MAHOGANY




DRM13 SLM13




DRM1380 SLM1380

## GLASS OPTIONS




LowE




LowE





LowE




LowE

● IN STOCK ● EXTENDED LEAD TIME

# ONELITE SERIES ACCESSORIES



AVAILABLE IN SMOOTH & MAHOGANY

8 & 10 Lite



6'8" ACSDM/S1368L08
8'0" ACSDM/S1380L10

9 Lite



6'8" ACSDM/S1368L09
8'0" ACSDM/S1380L09

## SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro Simulated Divided Lights (SDL Bars) can be used on the interior and exterior of our doors and help create personalized, unique looks. They are easy to install and will not rot or absorb moisture.

Sidelite



6'8" ACSDM/S1368L02
8'0" ACSDM/S1380L02

## FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture, and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling from the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.

6'8" 6'8"



**DRM13L** ACSDM1368 L08 | **SLM13L** ACSDM1368 L02

8'0" 8'0"



**DRM1380L** ACSDM1380 L10 | **SLM1380L** ACSDM1380 L02

6'8" 6'8"



**DRM13L** ACSDM1368 L09 | **SLM13L** ACSDM1368 L02


8'0" 8'0"




**DRM1380L** ACSDM1380 L09 | **SLM1380L** ACSDM1380 L02

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS/DEALERS


# NOVA SERIES




*Nova Door • DRS1S w/ Miniblind*



FIR GRAIN FINISH



SMOOTH FINISH



BRUSHED SMOOTH FINISH

The Nova series features glass that is directly glazed into the door to create a seamless blend between the glass and door. The large pane glass allows for the greatest views and amount of light into your home; brightening up the space and filling it with energy. Nova comes in two sticking profiles: craftsman and square. The series is available in both Smooth, Fir and Brushed Smooth Finish.

ALL NOVA SERIES DOORS ARE SHOWN PRE-FINISHED

## NOVA 45 SMOOTH FINISH & FIR GRAIN

6'8"



2'0" • 2'6" • 2'8" • 3'0"

**DRS1DL**

8'0"



2'0" • 2'6" • 2'8" • 3'0"

**DRS1D80L**

6'8"



2'0" • 2'6" • 2'8" • 3'0"

**DRF1DL**

6'8"



2'0" • 2'6" • 2'8" • 3'0"

**DRF1D80L**

## NOVA 90 BRUSHED SMOOTH FINISH

6'8"



2'0" • 2'6" • 2'8" • 2'10" • 3'0"

**DRS1S**

8'0"



2'0" • 2'6" • 2'8" • 2'10" • 3'0"

**DRS1S80**

HVHZ IMPACT | 10" BOTTOM RAIL | IN STOCK | EXTENDED LEAD TIME

# NOVA 45
# DIRECT GLAZED

SMOOTH & FIR GRAIN

6'8"



2'0" • 2'6" • 2'8" • 3'0"

**DRS1DL**
LowE

8'0"



2'0" • 2'6" • 2'8" • 3'0"

**DRS1D80L**
LowE

6'8"



2'0" • 2'6" • 2'8" • 3'0"

**DRF1DL**
LowE


8'0"




2'0" • 2'6" • 2'8" • 3'0"

**DRF1D80L**
LowE

● IN STOCK ● EXTENDED LEAD TIME






## NOVA 45 FEATURES & BENEFITS

1. **COMPOSITE STILE CAP**
2. **FULL LENGTH LVL** *(Hinge & Strike side, for extra rigidity)*
3. **INSULATED ¾" GLASS** *(LoE 272)*
4. **COMPRESSION MOLDED FIBERGLASS SKIN**
5. **LEAK PROTECTION GLAZING TAPE**
6. **INTEGRALLY MOLDED GLASS STOP**
7. **HIGH INSULATION RIGID FOAM**
8. **ADA COMPLIANT BOTTOM RAIL**
9. **COMPOSITE BOTTOM RAIL**



*Nova Door • DRF1DL • Clear LowE*

# NOVA 90
# DIRECT GLAZED

BRUSHED SMOOTH FINISH





DRS1S SLS1S DRS1S80 SLS1S80

## GLASS OPTIONS





DRS1SL




DRS1S80L




DRS1STSL




DRS1S80TSL




DRS1SB




DRS1S80B




SLS1SL




SLS1S80L




SLS1STSL




SLS1S80TSL





SLS1SBL




SLS1S80BL

HVHZ IMPACT AVAILABLE ● IN STOCK ● EXTENDED LEAD TIME




## FEATURES & BENEFITS

1. **COMPOSITE STILE CAP**
2. **FULL LENGTH LVL** *(Hinge & Strike side, for extra rigidity)*
3. **WOOD BLOCKING** *(For structural support)*
4. **STEEL BEAM** *(Hi nge & Strike side, for extra rigidity)*
5. **INSULATED 1" GLASS**
6. **COMPRESSION MOLDED FIBERGLASS SKIN**
7. **BRUSH FINISHED TEXTURE**
8. **INTEGRALLY MOLDED GLASS STOP**
9. **HIGH DENSITY POLYURETHANE FOAM**
10. **ADA COMPLIANT BOTTOM RAIL**
11. **COMPOSITE BOTTOM RAIL**



*Nova Series • DRS1SB • Miniblind LowE*

# STAIN KIT & STAINING GUIDES

Plastpro Stain Kit is an easy way to stain your fiberglass door exactly how you want for you home.

We've created easy step-by step directions using our stain kit to make staining your door a breeze. These staining instructions were created for staining our oak, rustic, fir, cherry, and mahogany skin series.

Our kit is designed exclusively for Plastpro fiberglass entry doors.




## STAIN KIT

Plastpro Stain Kit contains everything you need to stain one prehung door and two sidelites, or one double door unit.

### BENEFITS & ADVANTAGES

- Protects the door from the sun, UV rays, and harsh winter weather.
- Faster drying time with environmentally friendly water based top coat. Easy to apply
- Special formula with long lasting vibrant colors.

### BOX CONTAINS

- Zar® Exterior Water Base Polyurethane (qt)
- Zar® Wood Stain (pt)
- Mineral Spirits (4 oz.)
- Two 2" Foam Brushes
- One 2.5" Synthetic Bristle Brush
- Cheese Cloths
- Two Stir Sticks
- One Pair of Latex Gloves
- Door Staining Instructions
- Two Skin Samples

LIMITED 5-YEAR FINISH WARRANTY

### STAIN COLOR OPTIONS

The kit comes in seven different stain variations. Depending on your desired shade, you may need to apply the stain more than once for a darker finish. *Actual stain color may vary. To achieve the best results, test on the skin sample first.




Colors shown have one coat of stain.

## MATERIALS NEEDED

**PLASTPRO'S PRE-FINISH KIT OR:**

A. Pre-Mixed Stain (1/2 pint)
B. Mineral Spirits (4 fl. oz.)
C. Top Coat/Sealer (20 fl. oz.)
D. Two Clean Cloth
E. One Pair Protective Gloves
F. 3˝ China Bristle Brush
G. Two Stir Sticks
H. Two Skin Samples
I. Finishing Instruction

## STAINING INSTRUCTIONS FOR GRAINED DOORS & PF™ DOOR FRAMES



### STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want stained such as the glass insert.
3. DO NOT SAND GRAINED FIBERGLASS / PF™ DOOR FRAMES
4. Wipe the Door / PF™ Door Frame with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain.





### STEP 2: STAIN APPLICATION

1. Starting at the center of the Door / PF™ Door Frame, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the Door / PF™ Door Frame grain.
2. With a clean, lint free 24" x 24" cloth, softly wipe the surface until you reach your desired tone.

TIP: When the rag becomes saturated with stain, refold to work with a less saturated section. Be sure to use the same rag for the whole Door / PF™ Door Frame.

3. After all stain is brushed evenly, you may ad finishing touches by using a small 1" to 2" brush or cotton swabs.
4. (If desired) Allow the Door / PF™ Door Frame to dry for at least 48 hours before applying another coat. Then, repeat above process.



### STEP 3: PROTECTIVE TOP COAT

Application of polyurethane top coat with UV inhibitors like ZAR™ Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications.

1. After stain has completely dried (48 hours), mix the top coat well and apply evenly using a clean dry 2" soft bristle brush or 3" foam brush. Be sure to stop when the grain changes direction.
2. Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.

## IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.
- Staining instructions are for Oil-Based, Premium Quality Wood Stains or similar product designed for use on a fiberglass surface. Please note the instructions indicated are specific to the Zar brand stain included in our stain kit. Please reference stain manufacturers instructions before applying any stain.

## MATERIALS NEEDED

A. Lint-free cloth
B. Mineral Spirits
C. Rubber gloves
D. Masking tape
E. 4˝ Bristle Brush
F. For Water-based Application: Acrylic-based primer*/ acrylic latex-based exterior grade paint.

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

## PAINTING INSTRUCTIONS FOR OAK GRAIN DOORS





### STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
3. DO NOT SAND GRAINED FIBERGLASS.
4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain paint. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
5. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the prime to ALL 6 sides. Doors which have been bored and mortised for hardware should be primed inside of the lock bore as well.
6. The primer must be completely dry before applying the topcoat.



### STEP 2: PAINTING

1. Apply exterior grade paint with 4" brush beginning with the panels.
2. It is common practice to paint both stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware should be finished inside of the lock bore as well.

### CAUTION

1. 1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro, Inc. makes no representations as to the proper use of other manufacturers' products.
2. When working with paints or solvents, make sure the working area is well ventilated.
3. Keep away from heat and flame as materials may be combustible.
4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
5. Keep out of reach of children.

### IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

## MATERIALS NEEDED

A. Lint-free Cloth
B. Mineral Spirits
C. Rubber Gloves
D. Masking Tape
E. 4" Bristle Brush
F. For Water-based Application: Acrylic-based primer* / acrylic latex-based exterior grade paint.
G. Scotch Brite Pad (Fine) or 320-400 grit sandpaper (For Smooth Doors Only)

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

## PAINTING INSTRUCTIONS FOR DOORS & PF™ DOOR FRAMES





### STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
3. Smooth Doors only. Lightly scuff sand the surface with a Scotch Brite pad or fine sand paper. DO NOT SAND GRAINED FIBERGLASS.
4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow acetone to dry from the surface before applying.
5. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
6. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the prime to ALL 6 sides. Doors / PF™ Door Frames which have been bored and mortised, or machined for hardware should be primed inside of the lock bore, or prepped area as well.
7. The primer must be completely dry before applying the topcoat.



### STEP 2: PAINTING

1. Apply exterior grade paint with 4" brush beginning with the panels.
2. It is a common practice to paint both door stiles, or both PF™ Door Frame sides, the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware should be finished inside of the lock bore as well.

### CAUTION

1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro Inc. makes no representations as to the proper use of other manufacturers' products.
2. When working with paints or solvents, make sure the working area is well ventilated.
3. Keep away from heat and flame as materials may be combustible.
4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
5. Keep out of reach of children.

### IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

# TESTING RESULTS

| | |
|---|---|
| **ASTM D1761** | Screw holding capacity. |
| **NWWDA TM-7** | Cycle slam test. |
| **NWWDA TM-8** | Hinge load resistance test. |
| **ASTM E 283** | Air infiltration. |
| **ASTM E 331 / E 547** | Water resistant. |
| **ASTM E 330** | Uniform structural load. |
| **ASTM E1886 / E1996** | Impact / cycle test. |
| **AAMA 1304** | Forced entry resistance test. |
| **TAS 201** | Impact test. |
| **TAS 202** | Air / water / structural test. |
| **TAS 203** | Wind pressure cycle test. |
| **NFRC 100 / 200 / 500** | Energy efficiency. |
| **ASTEM E90 / STC / OITC** | Sound transmission. |
| **ULC 10 C / NFPA 252 / ASTM E 2074** | Fire rated. |
| **CDPH / EHLB METHOD V1.1 2010** | Volatile organic chemical emission test. |
| **JIS Z 2801:2001** | Antimicrobial products test. |
| **ASTM D1413-07** | Antifungal wood plastic composite test. |
| **CSFM 12-7A-1** | Exterior wildfire exposure test. |
| **AAMA 1702** | Exterior door test for manufactured housing. |
| **AAMA 920** | Operating cycle test. |
| **AAMA / WDMA / CSA 101 / I.S./A440 (NAFS)** | North America fenestration test. |

The PLASTPRO DOOR met requirements for sawing, planing, routing, boring, drilling and chiseling. For more specific results, please see our website at www.plastproinc.com or contact our Customer Service Department at 1 (800) 779-0561.

⚠ WARNING: These products may include styrene, titanium dioxide and wood dust, which are known to the State of California to cause cancer. For more information go to www.p65warnings.ca.gov

# PRODUCT INDEX

Easily locate Plastpro Doors, PF™ Door Frames and accessories within the catalog.

**PG 177 - 182**

# PF™ DOOR FRAMES

| CATEGORY | NAME | AVAILABLE GRAINS | PAGE |
|---|---|---|---|
| DOOR FRAME | 4-9/16" Door Frame | Oak Grain, Fir Grain, Mahogany, Primed, White Capped | 7 - 9 |
| | 5-1/4" Door Frame | Primed, White Capped | 7 - 9 |
| | 6-9/16" Door Frame | Oak Grain, Fir Grain, Mahogany, Primed, White Capped | 7 - 9 |
| | 7-1/4" Door Frame | Primed, White Capped | 7 - 9 |
| | WM180 Florida Brickmold | Oak Grain, Fir Grain, Mahogany, Primed, White Capped | 7 - 9 |
| | WM176 Brickmold | Oak Grain, Primed | 7 - 9 |
| | 1-1/2" x 1" Mull Post Cover | Oak Grain, Fir Grain, Mahogany, Primed, White Capped | 7 - 9 |
| | 2" x 1" Mull Post Cover | Oak Grain, Fir Grain, Mahogany, Primed, White Capped | 7 - 9 |
| | Mull Post Cap | Oak Grain, PVC - White | 7 - 9 |
| | Mull Post w/ LVL-3P | Oak Grain, Fir Grain, Mahogany, Primed, White Capped | 7 - 9 |
| | 1" x 2" Stuccomold | Primed | 7 - 9 |
| | 6'8" & 8'0" Astragal | PVC - White | 7 - 9 |
| | .551" x 8'4" Sidelite Stopper | Oak Grain, Primed | 7 - 9 |
| | Nailing Fin | Oak Grain, Primed, White Capped | 7 - 9 |
| | J-Channel | Oak Grain, Primed, White Capped | 7 - 9 |
| | Flat casing | Oak Grain, Primed, White Capped | 7 - 9 |
| | Flat Casing J-Channel | Oak Grain, Primed, White Capped | 7 - 9 |
| | Trim Boards | PVC - White | 7 - 9 |
| | 1-1/4" x 3" Jamb Extension | Oak Grain, Fir Grain, Mahogany, Primed, White Capped | 7 - 9 |
| | 1" x 2-1/2" Storm Door Adapter | Oak Grain, Fir Grain, Mahogany, Primed, White Capped | 7 - 9 |
| | 1" x 3" Storm Door Adapter | Oak Grain, Fir Grain, Mahogany, Primed, White Capped | 7 - 9 |
| | 4-9/16" Transom Sill | Oak Grain, Fir Grain, Mahogany, Primed, White Capped | 7 - 9 |
| | 6-9/16" Transom Sill | Oak Grain, Fir Grain, Mahogany, Primed, White Capped | 7 - 9 |
| | PF™ Arch & Radius Headers | Oak Grain | 7 - 9 |

# FIBERGLASS ENTRY SYSTEMS

| SERIES | CODE | HEIGHT | WIDTH | DESCRIPTION | PAGE |
|---|---|---|---|---|---|
| LIMITED | DRC21 | 6'8" | 3'0" | Two Panel | 30 - 31 |
| | DMT51 | 6'8" | 2'8", 2'10", 3'0", 3'6" | Modern Teak Milan Door | 32 |
| | DMT5170 | 7'0" | 3'0", 3'6" | Modern Teak Milan Door | 32 |
| | DRK2B | 6'8" | 2'8", 2'10", 3'0" | Two Panel | 33 |
| MODERN | DMG46 | 6'8" | 2'6", 2'8", 2'10", 3'0", 3'6" | South Beach, Oak Grain | 36 |
| | DMG4680 | 8'0" | 2'6", 2'8", 2'10", 3'0", 3'6" | South Beach, Oak Grain | 36 |
| | DMG51 | 6'8" | 2'6", 2'8", 2'10", 3'0" | Napoli, Oak Grain | 36 |
| | DMG5180 | 8'0" | 2'6", 2'8", 2'10", 3'0" | Napoli, Oak Grain | 36 |
| | DMS1L | 6'8" | 2'6", 2'8", 2'10", 3'0", 3'6" | Bienvenue Left Lite, Smooth Skin | 37 |
| | DMS1L80 | 8'0" | 3'0", 3'6" | Bienvenue Left Lite, Smooth Skin | 37 |
| | DMS1R | 6'8" | 2'6", 2'8", 2'10", 3'0", 3'6" | Bienvenue Right Lite, Smooth Skin | 38 |
| | DMS1R80 | 8'0" | 3'0", 3'6" | Bienvenue Right Lite, Smooth Skin | 38 |
| | DMS1T | 6'8" | 2'6", 2'8", 2'10", 3'0", 3'6" | Martinique Twin Lite, Smooth Skin | 39 |
| | DMS1T80 | 8'0" | 3'0", 3'6" | Martinique Twin Lite, Smooth Skin | 39 |
| | DMS3HI | 6'8" | 2'6", 2'8", 2'10", 3'0" | Empire, Smooth Skin | 40 |

| SERIES | CODE | HEIGHT | WIDTH | DESCRIPTION | PAGE |
|---|---|---|---|---|---|
| MODERN | DMS3H80I | 8'0" | 2'6", 2'8", 2'10", 3'0" | Empire, Smooth Skin | 40 |
| | DMS5HI | 6'8" | 2'6", 2'8", 2'10", 3'0" | Infinity, Smooth Skin | 40 |
| | DMS5H80I | 8'0" | 2'6", 2'8", 2'10", 3'0" | Infinity, Smooth Skin | 40 |
| RUSTIC | DRATP | 6'8" | 2'6", 3'0", 3'6" | True Plank, Square Top | 44 |
| | DRATP70 | 7'0" | 3'0" | True Plank, Square Top | 44 |
| | DRATP80 | 8'0" | 2'6", 3'0", 3'6" | True Plank, Square Top | 44 |
| | DRA1A80 | 8'0" | 3'0", 3'6" | One Panel, Arch Plank | 44 |
| | DRA1P | 6'8" | 3'0"" | One Panel, Square Plank | 45 |
| | DRA1P80 | 8'0" | 3'0", 3'6" | One Panel, Square Plank | 45 |
| | DRA2A | 6'8" | 3'0" | Two Panel, Arch Plank | 46 |
| | DRA2A80 | 8'0" | 3'0", 3'6" | Two Panel, Arch Plank | 46 |
| | DRA2B | 6'8" | 3'0" | Two Panel, Square Panel | 47 |
| | DRA2C | 6'8" | 3'0"" | Two Panel, Arch Plank, Arch Top | 48 |
| | DRA2C80 | 8'0" | 3'0", 3'6" | Two Panel, Arch Plank, Arch Top | 48 |
| | DRA2D | 6'8" | 3'0", 3'6" | Two Panel, Arch Panel | 49 |
| | DRA2F80 | 8'0" | 3'0" | Two Panel, Radius Panel, Radius Top | 50 |
| | DRA2P80 | 8'0" | 3'0", 3'6" | Two Panel, Square Plank | 50 |
| | DRA2R80 | 8'0" | 3'0" | Two Panel, Radius Panel | 51 |
| | DRA4R80 | 8'0" | 3'0", 3'6" | Four Panel, Radius Panel | 51 |
| | ACCLP12Q | 1 1/2" | 1 1/2" | Square Clavos | 52 |
| | ACCLP14Q | 1 1/4" | 1 1/4" | Square Clavos | 52 |
| | ACCLP12R | 1 1/2" | 1 1/2" | Round Clavos | 52 |
| | ACCLP14R | 1 1/4" | 1 1/4" | Round Clavos | 52 |
| | ACCHGSTP18 | 2 1/9" | 18" | Wrought Iron Hinge Strap | 53 |
| | ACCSPKY0910KIT | 15 1/4" | 8 3/4" | Wrought Iron Speakeasy | 53 |
| | ACCSPKYGSB0KIT | 11 8/9" | 9 8/9" | Wrought Iron Speakeasy | 53 |
| MAHOGANY | DRM3D | 6'8" | 3'0" | Three Panel Deluxe | 56 |
| | DRM4E | 6'8" | 3'0" | Four Panel Eyebrow | 57 |
| | DRM40 | 6'8" | 2'6", 2'8", 2'10", 3'0" | Four Panel Blank Top | 58 - 60 |
| | DRM41 | 6'8" | 3'6" | True Four Panel | 60 |
| | DRM60 | 6'8" | 3'0" | Six Panel | 61 |
| | DRM6080 | 8'0" | 3'6" | Six Panel | 61 |
| FIR GRAIN | DRF3C | 6'8" | 3'0" | Direct Glazed Craftsman | 64 - 65 |
| | DRF3C80 | 8'0" | 3'0" | Direct Glazed Craftsman | 64 - 65 |
| | DRF1K | 6'8" | 2'8", 2'10", 3'0" | One Panel Square Top Shaker | 66 |
| | DRF2K | 6'8" | 2'8", 2'10", 3'0" | Two Panel Square Top Shaker | 66 |
| | DRF3F | 6'8" | 2'8", 2'10", 3'0" | Three Panel Shaker Craftsman | 67 |
| | DRF3F80 | 8'0" | 3'0" | Three Panel Shaker Craftsman | 67 |
| | DRF50 | 6'8" | 2'8", 2'10", 3'0" | Five Panel Shaker Craftsman | 68 |
| | ACDSFT2704 | 3 5/8" | 27" | 4 Block Dentil Shelf (DRF3C) | 69 |
| | ASDSFT2404 | 3 5/8" | 24" | 4 Block Dentil Shelf (DRF3F) | 69 |
| | ACSDF23001 | 1 1/2" | 17 1/8" (4 pcs) | 3-Lite SDL Bars for 6'8" Door | 69 |
| | ACSDF23005 | 1 1/2" | 23" (4 pcs) | 3-Lite SDL Bars for 8'0" Door | 69 |
| | ACSDF23002 | 1 1/2" | 25 3/4" (2 pcs), 8 21/32" (8 pcs) | 6-Lite SDL Bars for 6'8" Door | 69 |
| | ACSDF23006 | 1 1/2" | 26" (2 pcs), 11 3/16" (8 pcs) | 6-Lite SDL Bars for 8'0" Door | 69 |

| SERIES | CODE | HEIGHT | WIDTH | DESCRIPTION | PAGE |
|---|---|---|---|---|---|
| **FIR GRAIN** | ACSDF23004 | 1 ½" | 8 ¾" (2 pcs) | 2-Lite SDL Bars for 6'8" and 8'0" Sidelite | 69 |
| **OAK GRAIN** | DRG00 | 6'8" | 2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6" | Flush | 72 - 74 |
| | DRG0070 | 7'0" | 2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6" | Flush | 72 - 74 |
| | DRG0080 | 8'0" | 2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6" | Flush | 72 - 74 |
| | DRG20 | 6'8" | 3'0" | 3/4 Heritage | 75 |
| | DRG29 | 6'8" | 2'8", 2'10", 3'0" | 3/4 Two Panel | 76 - 77 |
| | DRG2980 | 8'0" | 2'8", 2'10", 3'0" | 3/4 Two Panel | 76 - 77 |
| | DRG3E | 6'8" | 3'0" | 3/4 Elite | 78 |
| | DRG3P | 6'8" | 3'0" | 3/4 Premium | 79 |
| | DRG3080 | 8'0" | 2'8", 3'0", 3'6" | 3/4 Three Panel | 80 - 81 |
| | DRG31 | 6'8" | 3'0" | Three Panel | 81 |
| | DRG3170 | 7'0" | 3'0" | Three Panel | 81 |
| | DRG40 | 6'8" | 2'6", 2'8", 2'10", 3'0" | Four Panel Blank Top | 82 - 83 |
| | DRG41 | 6'8" | 2'8", 2'10", 3'0", 3'6" | True Four Panel | 84 - 85 |
| | DRG4170 | 7'0" | 2'8", 2'10", 3'0" | True Four Panel | 84 - 85 |
| | DRG4180 | 8'0" | 2'8", 2'10", 3'0" | True Four Panel | 84 - 85 |
| | DRG49 | 6'8" | 2'8", 2'10", 3'0" | 3/4 Four Panel | 86 - 87 |
| | DRG6C | 6'8" | 3'0" | Six Panel Craftsman | 89 |
| | DRG60 | 6'8" | 2'6", 3'0" | Six Panel | 90 |
| | DRG6080 | 8'0" | 2'6", 2'8", 3'0", 3'6" | Six Panel | 90 |
| | DRG61 | 6'8" | 2'8", 2'10", 3'0" | Six Panel Utility | 91 - 92 |
| | DRG6170 | 7'0" | 2'8", 2'10", 3'0" | Six Panel Utility | 91 - 92 |
| | DRG6180 | 8'0" | 2'8", 2'10", 3'0" | Six Panel Utility | 91 - 92 |
| | DRG6B | 6'8" | 2'8", 2'10", 3'0" | Six Panel w/ 10" Bottom Rail | 91 |
| | DRG63 | 6'8" | 2'8", 2'10", 3'0" | True Six Panel Narrow | 94 - 95 |
| | DRG80 | 6'8" | 3'0" | Eight Panel, Center Arch | 96 |
| | DRG8080 | 8'0" | 3'0", 3'6" | Eight Panel, Center Arch | 96 |
| | DRG90 | 6'8" | 2'8", 3'0" | Nine Panel | 97 |
| | DRG9180 | 8'0" | 3'0" | Nine Panel | 98 |
| | ACDSGT2704 | 3" | 27" | 4 Block Dentil Shelf | 99 |
| | ACDSGT2716 | 3 ⅔" | 27 ⅑" | 16 Block Dentil Shelf | 99 |
| **SMOOTH** | DRS00 | 6'8" | 2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6" | Flush | 104 - 106 |
| | DRS0070 | 7'0" | 2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6" | Flush | 104 - 106 |
| | DRS0080 | 8'0" | 2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6" | Flush | 104 - 106 |
| | DRS2B | 6'8" | 2'8", 2'10", 3'0" | Two Panel | 107 - 108 |
| | DRS2B80 | 8'0" | 2'8", 2'10", 3'0" | Two Panel | 107 - 108 |
| | DRS2D | 6'8" | 2'8", 2'10", 3'0" | Two Panel, Arch Panel | 109 - 110 |
| | DRS2D80 | 8'0" | 2'8", 2'10", 3'0" | Two Panel, Arch Panel | 109 - 110 |
| | DRS2G | 6'8" | 2'8", 2'10", 3'0" | Cottage Two Panel | 112 - 113 |
| | DRS2G80 | 8'0" | 2'8", 2'10", 3'0" | Cottage Two Panel | 112 - 113 |
| | DRS20 | 6'8" | 3'0" | 3/4 Heritage | 114 |
| | DRS29 | 6'8" | 2'8", 2'10", 3'0" | 3/4 Two Panel | 115 - 116 |
| | DRS2980 | 8'0" | 2'8", 2'10", 3'0" | 3/4 Two Panel | 115 - 116 |
| | DRS3C | 6'8" | 3'0" | Direct Glazed Craftsman | 118 |
| | DRS3C80 | 8'0" | 3'0" | Direct Glazed Craftsman | 118 |

| SERIES | CODE | HEIGHT | WIDTH | DESCRIPTION | PAGE |
|---|---|---|---|---|---|
| SMOOTH | DRS3E | 6’8” | 3’0” | 3/4 Elite | 119 |
| | DRS3P | 6’8” | 3’0” | 3/4 Premium | 120 |
| | DRS3080 | 8’0” | 2’8”, 3’0”, 3’6” | 3/4 Three Panel | 121 - 122 |
| | DRS31 | 6’8” | 3’0” | Three Panel | 122 |
| | DRS3170 | 7’0” | 3’0” | Three Panel | 122 |
| | DRS40 | 6’8” | 2’6”, 2’8”, 2’10”, 3’0” | Four Panel Blank Top | 124 - 125 |
| | DRS41 | 6’8” | 2’8”, 2’10”, 3’0” | True Four Panel | 126 - 127 |
| | DRS4170 | 7’0” | 2’8”, 2’10”, 3’0” | True Four Panel | 126 - 127 |
| | DRS4180 | 8’0” | 2’8”, 2’10”, 3’0” | True Four Panel | 126 - 127 |
| | DRS42 | 6’8” | 2’6” | Four Panel Blank Top | 124 |
| | DRS49 | 6’8” | 2’8”, 2’10”, 3’0” | 3/4 Four Panel | 128 - 129 |
| | DRS6C | 6’8” | 3’0” | Six Panel Craftsman | 130 |
| | DRS60 | 6’8” | 2’6”, 3’0” | Six Panel | 131 |
| | DRS6080 | 8’0” | 2’6”, 2’8”, 3’0” | Six Panel | 131 |
| | DRS6B | 6’8” | 2’8”, 2’10”, 3’0” | Six Panel w/ 10” Bottom Rail | 132 |
| | DRS61 | 6’8” | 2’8”, 2’10”, 3’0” | Six Panel Utility | 132 - 133 |
| | DRS6170 | 7’0” | 2’8”, 2’10”, 3’0” | Six Panel Utility | 132 - 133 |
| | DRS6180 | 8’0” | 2’8”, 2’10”, 3’0” | Six Panel Utility | 132 - 133 |
| | DRS63 | 6’8” | 2’8”, 2’10”, 3’0” | True Six Panel Narrow | 134 - 135 |
| | DRS80 | 6’8” | 3’0” | Eight Panel, Center Arch | 136 |
| | DRS8080 | 8’0” | 3’0”, 3’6” | Eight Panel, Center Arch | 136 |
| | DRS90 | 6’8” | 2’8”, 3’0” | Nine Panel | 137 |
| | DRS1K | 6’8” | 2’8”, 2’10”, 3’0” | One Panel Square Top Shaker | 138 |
| | DRS2K | 6’8” | 2’8”, 2’10”, 3’0” | Two Panel Square Top Shaker | 138 |
| | DRS3F | 6’8” | 2’8”, 2’10”, 3’0” | Three Panel Shaker Craftsman | 139 |
| | DRS3F80 | 8’0” | 3’0” | Three Panel Shaker Craftsman | 139 |
| | DRS50 | 6’8” | 2’8”, 2’10”, 3’0” | Five Panel Shaker Craftsman | 140 |
| | ACSDW23005 | | 17 1/8” (4 pcs) | 3-Lite SDL Bars for 6’8” Door | 142 |
| | ACSDW23001 | | 23” (4 pcs) | 3-Lite SDL Bars for 8’0” Door | 142 |
| | ACSDW23006 | | 25 3/4” (2 pcs), 8 21/32” (8 pcs) | 6-Lite SDL Bars for 6’8” Door | 142 |
| | ACSDW23002 | | 26” (2 pcs), 11 3/16” (8 pcs) | 6-Lite SDL Bars for 8’0” Door | 142 |
| | ACSDW23004 | | 8 3/4” (2 pcs) | 2-Lite SDL Bars for 6’8” and 8’0” Sidelite | 142 |
| | ACDSSW2404 | | 24” | 4 Block Dentil Shelf | 143 |
| | ACDSSW2704 | | 27” | 4 Block Dentil Shelf | 143 |
| | ACDSSW2716 | | 27 1/9” | 16 Block Dentil Shelf | 143 |
| TRUE WHITE OAK | DRW00 | 6’8” | 2’0”, 2’4” 2’6”, 2’8”, 2’10”, 3’0” | Flush | 146 - 147 |
| | DRW0070 | 7’0” | 2’0”, 2’4” 2’6”, 2’8”, 2’10”, 3’0” | Flush | 146 - 147 |
| | DRW0080 | 8’0” | 2’0”, 2’4” 2’6”, 2’8”, 2’10”, 3’0” | Flush | 146 - 147 |
| | DRW40 | 6’8” | 2’6”, 2’8”, 2’10”, 3’0” | Four Panel Blank Top | 148 - 149 |
| | DRW41 | 6’8” | 2’8”, 2’10”, 3’0” | True Four Panel | 150 - 151 |
| | DRW60 | 6’8” | 2’6”, 3’0” | Six Panel | 152 |
| | DRW6080 | 8’0” | 2’6”, 3’0” | Six Panel | 152 |
| | DRW61 | 6’8” | 2’6”, 2’8”, 2’10”, 3’0” | Six Panel Utility | 153 - 154 |
| | DRW6170 | 7’0” | 2’8”, 2’10”, 3’0” | Six Panel Utility | 153 - 154 |
| | DRW63 | 6’8” | 2’8”, 2’10”, 3’0” | True Six Panel Narrow | 156 - 157 |

| SERIES | CODE | HEIGHT | WIDTH | DESCRIPTION | PAGE |
|---|---|---|---|---|---|
| ONELITE SERIES | DRS11 | 6'8" | 3'0" | Full Lite - Commercial ADA | 160 |
| | DRS1170 | 7'0" | 3'0" | Full Lite | 160 |
| | DRS1180 | 8'0" | 3'0" | Full Lite | 160 |
| | DRG12 | 6'8" | 2'8", 3'0" | Flush Glazed Half Lite | 161 |
| | DRG12 G09 | 6'8" | 2'8", 3'0" | 9 Lite GBG | 161 |
| | DRG12B | 6'8" | 2'8", 3'0" | Half Lite with Miniblinds | 161 |
| | DRS12 | 6'8" | 2'8", 3'0" | Flush Glazed Half Lite | 162 |
| | DRS12 G09 | 6'8" | 2'8", 3'0" | 9 Lite GBG | 162 |
| | DRS12B | 6'8" | 2'8", 3'0" | Half Lite with Miniblinds | 162 |
| | DRS13 | 6'8" | 2'6", 2'8", 3'0" | Flush Glazed 3/4 Lite | 163 |
| | DRS1380 | 8'0" | 2'6", 2'8", 3'0" | Flush Glazed 3/4 Lite | 163 |
| | DRM13 | 6'8" | 2'6", 2'8", 3'0" | Flush Glazed 3/4 Lite | 164 |
| | DRM1380 | 8'0" | 2'6", 2'8", 3'0" | Flush Glazed 3/4 Lite | 164 |
| | ACSDM/S1368L08C | 1 1/4" | 48 5/32" *(2 pcs)*, 12 59/64" *(12 pcs)* | 8-Lite SDL Bars for 6'8" Door | 165 |
| | ACSDM/S1380L10C | 1 1/4" | 64 5/32" *(2 pcs)*, 12 59/64" *(16 pcs)* | 10-Lite SDL Bars for 8'0" Door | 165 |
| NOVA SERIES | DRS1DL | 6'8" | 2'0", 2'6", 2'8", 3'0" | Smooth Direct Glazed Full Lite w/ LowE | 168 - 169 |
| | DRS1D80L | 8'0" | 2'0", 2'6", 2'8", 3'0" | Smooth Direct Glazed Full Lite w/ LowE | 168 - 169 |
| | DRF1DL | 6'8" | 2'0", 2'6", 2'8", 3'0" | Fir Direct Glazed Full Lite w/ LowE | 168 - 169 |
| | DRF1D80L | 8'0" | 2'0", 2'6", 2'8", 3'0" | Fir Direct Glazed Full Lite w/ LowE | 168 - 169 |
| | DRS1SL | 6'8" | 2'0", 2'6", 2'8", 2'10", 3'0" | Brushed Direct Glazed Full Lite w/LowE | 170 - 171 |
| | DRS1S80L | 8'0" | 2'0", 2'6", 2'8", 2'10", 3'0" | Brushed Direct Glazed Full Lite w/LowE | 170 - 171 |
| | DRS1STSL | 6'8" | 2'0", 2'6", 2'8", 2'10", 3'0" | Brushed Direct Glazed Full Lite w/Translucent | 170 - 171 |
| | DRS1STSL80 | 8'0" | 2'0", 2'6", 2'8", 2'10", 3'0" | Brushed Direct Glazed Full Lite w/Translucent | 170 - 171 |
| | DRS1SBL | 6'8" | 2'0", 2'6", 2'8", 2'10", 3'0" | Brushed Direct Glazed Full Lite w/Miniblind | 170 - 171 |
| | DRS1S80BL | 8'0" | 2'0", 2'6", 2'8", 2'10", 3'0" | Brushed Direct Glazed Full Lite w/Miniblind | 170 - 171 |


THE DOOR OF BEAUTY AND INNOVATION



plastpro®

**PlastproInc.com**
5200 W. Century Blvd, 9th Floor ■ Los Angeles, CA 90045
Phone: (800) 779-0561 ■ Fax: (310) 693-8620

© 2020 Plastpro Inc. All Rights Reserved
Product # MKLFLB2020 Updated Jan 2020