plastpro®



30 YEARS OF
BEAUTY & INNOVATION

# TABLE OF CONTENTS


About Plastpro ..... 1
Plastpro Quality ..... 2-3
Factory Finish ..... 4-7
PF Frames ..... 8-11
Specialty Series ..... 12-13
Deco Glass & Solution Frames ..... 14-21

**Door Series**

Limited ..... 22-25
Modern ..... 26-31
Craftsman ..... 32-47
Rustic ..... 48-59
Mahogany ..... 60-67
Oak ..... 68-91
Smooth ..... 92-119
White Oak ..... 120-129
Onelite ..... 130-135
Nova ..... 136-147

**Instructions**

Stain & Paint Guides ..... 148
Testing Information ..... 149






# ABOUT

Doors are often chosen for their aesthetic qualities; however, their purposes strive beyond simply adding a cohesive look to our homes. They reflect our style, grant privacy, and offer protection for the people we value most in our lives. Our front doors are the gateway for welcoming guests, loved ones, and friends. From ushering us into the start of the day and later welcoming us back, doors are an essential and inviting piece to every house. We want you to choose a door that guarantees security, accommodates your needs, and most importantly, best represents you.

Since 1994, Plastpro has always believed in providing a superior product with the best value, technology and commitment to our customers. We know how important it is to provide quality service and valuable resources to those in the industry. Wood and steel doors were historically preferred in the industry, but both come with long-term problems. Wood doors are susceptible to rot, warp, mildew and weather damage which require extensive maintenance to prevent these issues. Steel doors can be cost effective, but can easily damage, dent, ding, and rust requiring the steel door to be replaced more frequently negating any initial savings. Fortunately, Plastpro's fiberglass doors have become the best modernized solution for these longevity issues. They withstand weather damage, require minimal maintenance, and offer higher performance ratings. Our exclusive HydroShield Technology protects our doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides. Plastpro doors' internal polyurethane foam serves as a strong insulation from the outdoor elements of cold and heat. We are the first company to introduce our signature fiberglass doors with composite stiles and rails, which have twice the screw-holding strength of wood. Plastpro doors feature a full length LVL (Laminated Veneer Lumber) block that provides stronger structural integrity and allows a range of door locks and hardware to be installed for increased security. We also offer our uniquely formulated PF (Polyfiber) Frames as a structurally sound and longer-lasting alternative to traditional door jambs. With both a Plastpro door and PF Frame, you create an impenetrable entryway. Plastpro products have the durability and design to protect any home.

From the beginning, we've been dedicated to providing superior products and supporting our community we serve in. We believe in making a difference in the world by creating authentic, positive change for our employees, customers and communities. We've continuously partnered with Habitat for Humanity to create affordable, green houses for low-income families across the nation. More than 500 doors have been donated from Plastpro to various chapters of Habitat for Humanity and other non-profit organizations. When you buy from Plastpro, not only do you acquire a quality door, you also aid us in giving back to others.



HydroShield™ technology

Our exclusive HydroShield Technology protects our doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides. It prevents warping, delamination,corrosion, rotting, and the buildup of mold and mildew. When paired with our PF (Polyfiber) Door Frames, our doors with HydroShield Technology create an impenetrable entryway.

## BACKED BY WARRANTY


We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.













## 1 FIBERGLASS REINFORCED DOOR SKIN

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. We offer many design options, including customizable panel configurations. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. Choose a door skin from a variety of grains that can be painted or stained.

## 2 FULL-LENGTH COMPOSITE STILES

Our full-length, composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

## 3 COMPOSITE TOP & BOTTOM RAILS


High-strength, composite top and bottom rails prevent moisture from seeping into the door and prevent the buildup of mold.

## 4 EXTENDED LOCKBLOCK

Plastpro's full-length LVL allows any type of lock to be placed for increased security. Our 8/0 doors have a steel bar in addition to the LVL to help increase the structure's rigidity.

## 5 POLYURETHANE FOAM CORE

Our advanced, CFC-free, high-density, polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.




plastpro®

# OPTIMUM

**Factory finished fiberglass doors and jambs. Ready to be part of your home.**

A front door is more than a building block for a house, it is the gateway into your life for everyone that passes through it. As such it should represent you in every way possible, especially style. Now with Plastpro Optimum Factory Finished doors and jambs you can get the durability and security of a Plastpro fiberglass door without the hassle of having to paint or stain it yourself. Available in the latest Sherwin-Williams exterior colors and precisely applied with our top-of-the-line new paint system. You can rest easy knowing your home has a Plastpro Optimum door.



## PRECISION APPLICATION

State-of-the-art SuperFici Optimum line applies every step of the paint or stain process with robotic accuracy. Precise application in a controlled environment creates consistent and beautiful results at a significantly increased pace even compared to the most seasoned professional. The Optimum line can produce up to 28 doors per hour at full capacity compared to 10-20 doors per week by hand.



## WARRANTY

5 Year Warranty on Plastpro Optimum Factory Finished Doors.



## 3 STEP PROCESS

The paint process for our smooth products currently involves a 3 coat system made up of a base coat, paint, and topcoat. Base coat provides a solid coat that serves as the door's underlying color. Paint is applied using robotics to achieve the desired level of pigmentation. The topcoat finally provides the desired hardness/sheen.




## PAINT OPTIONS

POWERED BY SHERWIN-WILLIAMS.

| | | | | |
|---|---|---|---|---|
| Dover White | Network Gray | Grizzle Gray | Mega Greige | Redend Point |
| Habanero Chile | Naval | Leapfrog | Georgian Bay | Brittlebush |

## CUSTOM COLORS AVAILABLE*

Need a specific color? We send your sample to the professionals at Sherwin-Williams to formulate a color match for your order. Never be limited by the standard options again.



*Color match orders must be for 100 doors or more.

## STAIN OPTIONS

POWERED BY SHERWIN-WILLIAMS.


Hill Country


Leeward


Yankee Barn


Woodridge


Crossroads






## 3 STEP PROCESS

The staining process for our wood grain products currently involves a 3 coat system made up of a base coat, stain, and topcoat. Base coat provides a solid coat that serves as the door's underlying color. Stain is brushed along the grain using robotics to give the product a wood-like aesthetic. The topcoat finally provides the desired hardness/sheen.




ONYX



*ONYX pigment permeates the entire door skin meaning it can't be chipped and the durability of fiberglass prevents dents and scratches.*

PAINTED



*Paint is applied on top of the door skin. If chipped, the paint will need to be touched up to not see the fiberglass beneath.*

plastpro®

# INFINITE FINISH

**Pigmented fiberglass, the color can't chip when it's built into your door.**

Enhanced pigmented fiberglass gives you enduring and impactful color without the frequent need for maintenance or painting, the color is literally built into your door. Get the modern aesthetic of your dreams with the contemporary look of a black door with ONYX Infinite Finish in one of Plastpro's Nova 90 models.

## ONYX

A bold, powerful and sophisticated black, ONYX is the elegant choice for contemporary style. Check out the Nova Series to see the current stocking options or contact your rep for special orders.

COMING SOON

## ARCTIC

A crisp, brilliant white, ARCTIC is the perfect choice for neutral aesthetics. Only available by special order, contact your rep for more information.



# PF™ DOOR FRAMES

To have a complete entry system, it is important to consider the material of the door frame. Many doors are hung in either wood or steel frames, which are prone to the same problems as the doors themselves. Wood frames can warp, rot, and crack, while steel frames can rust and dent. Repeatedly repairing your door frame is inconvenient, so it is best to use an alternative material.

Plastpro's PF (Polyfiber) Door Frames offer an innovative alternative to traditional door jambs. Our uniquely formulated door frame combines the beauty of wood with the strength of steel. The material is durable, long-lasting, and is more thermally resistant than either wood or metal. The installation of the advanced system is the same as traditional installations. However, when a fiberglass door is used with a PF frame, they create an impenetrable doorway.

## FEATURES AND BENEFITS

- Hydro Shield Technology is moisture-resistant and prevents warping, rotting, and splitting.
- Frame is termite-resistant at all points along the structure.
- Has twice the screw holding power of traditional wood door frames.
- More versatility in design. Available in various lengths and widths that can be stained as well as painted.
- Continuous piece with no finger joint and is 25 percent more rigid than wood frames.
- Maintenance free and energy efficient.

## FRAME DECAY COMPARISON



**PLASTPRO PF™ DOOR FRAME**


*with Hydroshield Technology™




**TRADITIONAL WOOD FRAME**

Susceptible to rotting, warping, and decay

# PRODUCT LINE OVERVIEW



4⁹⁄₁₆" DOOR JAMB




4⁷⁄₈" DOOR JAMB



6⁹⁄₁₆" DOOR JAMB



6⁷⁄₈" DOOR JAMB



5¼" DOOR JAMB



7¼" DOOR JAMB




1¼" x 3" JAMB EXTENSION



WM180 BRICK MOULD




WM176 FL. BRICK MOULD



1" x 2" STUCCO MOULD




NAILING FIN



J-CHANNEL




FLAT CASING



FLAT CASING J-CHANNEL



TRIM BOARDS




TRANSOM SILLS

- 4⁹⁄₁₆"
- 6⁹⁄₁₆"




MULL POSTS

- 1½" x 3⁹⁄₁₆" x 2½"
- 1½" x 4⅜" x 2½"
- 1" x 3⁹⁄₁₆" x 2"
- 1 " x 4⅜" x 2"



MULL POST COVERS (EXT.)

- 1½" x 1"
- 2" x 1"



MULL POST CAP



STORM DOOR ADAPTERS

- 1" x 2½"
- 1" x 3"



SIDELITE STOPPER



ASTRAGAL

AVAILABLE IN 20 MIN FIRE RATED

# GRAINING CHART




Plastpro's Polyfiber (PF) Door Frames are made of the highest quality, composite material and are available in a variety of grain options that match our doors. For a detailed list of available grains and products, please refer to the chart below.

| | OAK GRAIN | FIR GRAIN | MAHOGANY | PRIMED | WHITE CAPPED | PVC - WHITE |
|---|---|---|---|---|---|---|
| 4 9/16" DOOR FRAME | ● | ● | ● | ● | ● | |
| 5¼" DOOR FRAME | ● | | | ● | ● | |
| 6⁹⁄₁₆" DOOR FRAME | ● | ● | ● | ● | ● | |
| 7¼" DOOR FRAME | ● | | | ● | ● | |
| WM180 BRICK MOULD | ● | ● | ● | ● | ● | |
| WM176 FLORIDA BRICK MOULD | ● | | | ● | | |
| 1" x 2" STUCCO MOULD | | | | ● | | |
| NAILING FIN | ● | | | ● | ● | |
| J-CHANNEL | ● | | | ● | ● | |
| FLAT CASING | ● | | | ● | ● | |
| FLAT CASING J-CHANNEL | ● | | | ● | ● | |
| TRIM BOARDS | | | | | | ● |
| TRANSOM SILLS | ● | ● | ● | ● | ● | |
| MULL POSTS | ● | ● | ● | | ● | |
| MULL POST COVERS (EXTERIOR) | ● | ● | | ● | ● | |
| MULL POST CAP | ● | | | | | ● |
| STORM DOOR ADAPTERS | ● | ● | ● | ● | ● | |
| DOOR FRAME EXTENSIONS | ● | ● | ● | ● | ● | |
| SIDELITE STOPPER | ● | | | ● | | |
| ASTRAGAL | | | | | | ● |



*Nova Series • DRS1DL • ACSDW1D68-9LQ*



# SPECIALTY SERIES

Plastpro's Specialty Series is a selection of fiberglass door models from our standard series that take protection to the next level. These doors have been modified to test and comply with specific safety and performance standards to ensure high-quality results. Our exclusive Specialty Series includes the following models: Fire Rated, Trimmable, HVHZ Impact, Residential ADA, and Commercial ADA. (For Commercial ADA doors, see p.136-141).

Read more about each category available in the series below. Please note the icon that represents each category here. If you see this icon below a model on one of our standard series pages, that means the door is also available as a specialty item. For example, if a model is marked with a flame below, it is available as both a standard and Fire Rated door. Please contact us or look at **www.plastproinc.com** for Specialty Series sizing, as the specialty models may not be available in every standard model width.

# FIRE RATED




Plastpro's Fire Rated doors are made with our fire-resistant composite creating an extremely durable entryway. Our doors are tested and comply with safety and performance standards to withstand fire for a minimum of 20 minutes.

= 20min option available

**Contact us for stock availability on 20 min fire rated doors.**

# HVHZ IMPACT




Plastpro's High Velocity Hurricane Zone (HVHZ) Impact Doors are created, tested, and certified to meet the most stringent wind and impact code requirements in the nation. Our innovative R&D Department has pioneered a unique, patent-pending process whereby a missile-proof shield is built in to reinforce the door.

= HVHZ Option Available. Contact us for stock availability.

# RESIDENTIAL ADA



Our residential ADA doors are offered in a variety of compliant styles that are specially crafted to meet the needs of all guests. The residential ADA Series features a 10.25" bottom rail that allows for a generously sized kick plate (up to 10" tall) to be installed on a range of our popular doors, in many designs and sizes. Additionally, we can include reinforced blocking through a special order.

= Residential ADA Option Available. Contact us for stock availability




# DOORLITE SYSTEMS

Doorlites are an essential, eye-catching piece to every entryway. Their fun and decorative nature sets the stage for the rest of the home and creates a welcoming passage from public space to private abode.  Our exclusive glass designs are available in many styles, textures, and opacities that aid in elevating the look and value of your home. Our designs are guaranteed to match your desired privacy preference and style.

The structure and strength of our doorlites is unmatched. Composed of a piece of decorative glass sealed between two pieces of tempered safety glass, Plastpro's doorlites provide exceptional security, soundproofing, and thermal performance. We also can't forget our state-of-the-art Warm Edge spacer system which provides a seal that protects and insulates your door and home for years to come. Unlike other competitors, our metal caming includes a gasket that cushions and protects the glass from chipping, cracking, and rattling during door movement.

## INSULATING SYSTEM

All Plastpro Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product, when used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.

## FEATURES AND BENEFITS

- Warm-Edge Benefit: Superior silicone foam insulation, low thermal conductivity
- Silicon Foam Features: Excellent UV resistance and extreme temperature performance
- Dual-Seal Performance: Chamfered corners for increased sealant depth
- Tempered Safety Glass for your peace of mind

ENERGY STAR PARTNER

TrueWARM® spacers


Super Spacer®




*This illustration applies to our triple pane glass only.

## GLASS CAMING OPTIONS

Our exclusive glass designs are offered with different caming options to match a variety of hardware finishes.



WROUGHT IRON



PATINA



ZINC

# CAMELIA

**CAMING:** WROUGHT IRON **TRANSOM:** AVAILABLE




Camelia's wrought iron curves create symmetry, uniformity, and a sense of balance. Against a waterfall textured background, the design gives the exterior of your home a modern and sophisticated charm, while delivering the ultimate level of privacy.

1. Wrought Iron
2. Waterfall Tempered Glass

9

**PRIVACY RATING**
INCREASING OBSCURITY

# PRISCILLA

**CAMING:** WROUGHT IRON **TRANSOM:** AVAILABLE




Priscilla's smooth, swirl design pays tribute to Renaissance style A combination of wrought iron and bubble glass lend the design a touch of grandeur, which is perfect for adding elegant flair to any home.


1. Wrought Iron
2. Little Bubble Tempered Glass

9

**PRIVACY RATING**
INCREASING OBSCURITY

# ARTESANO BREEZE

**CAMING:** ZINC **TRANSOM:** AVAILABLE




Artesano's subtle hint of amber colored glass creates a warm, welcoming feeling in any home. This arrangement is the ideal balance between a simple pattern and an artful combination of textures.


1. Clear Hammer (100HS)
2. Zinc Caming
3. Clear Bevel
4. Sea Spray

7

**PRIVACY RATING**
INCREASING OBSCURITY

# BRENTWOOD

**CAMING:** ZINC OR PATINA **TRANSOM:** AVAILABLE




A classically inspired arrangement, our Brentwood glass epitomizes style. With bevel swirls and a bold centerpiece, all outlined by a crystal granite border, Brentwood can be appreciated in any home.


1. Baroque
2. Clear Bevel
3. Bright Zinc or Patina Caming
4. Granite

8

**PRIVACY RATING**
INCREASING OBSCURITY

# CASTILE

**CAMING:** PATINA **TRANSOM:** AVAILABLE




Inspired by the historic Spanish kingdom, Castile is an ornate, baroque style glass that balances the intricacy of its centerpiece with a straight-lined, beveled border. Castile is the epitome of modern design.


1. Granite
2. Baroque
3. Patina Caming
4. Beveled

8

**PRIVACY RATING**
INCREASING OBSCURITY

# KENSINGTON

**CAMING:** PATINA **TRANSOM:** AVAILABLE




Kensington brings a classic, English charm to any door. A combination of frosted glass and subtle line patterns creates a distinctly beautiful glass.

1. 100 Water
2. Clear Bevel
3. Narrow Reed
4. Sandblasted Glass
5. Patina Caming

7

**PRIVACY RATING**
INCREASING OBSCURITY

# SOLSTICE

**CAMING:** PATINA **TRANSOM:** AVAILABLE




Our Solstice pattern is a beautiful, simple arrangement of frosted glass bordered by patina caming- designed to leave a lasting impression.


1. Sable 3.0 MM Outer Border
2. Clear Pencil Bevel for Inner Border
3. Sable Bevels Center Background
4. Patina Caming

8

**PRIVACY RATING**
INCREASING OBSCURITY

# SPRING

**CAMING:** PATINA **TRANSOM:** AVAILABLE




This chevron pattern arrangement incorporates clean lines and two-toned glass colors. Named for the pale gray, water-like glass texture that gives a sense of renewal reminiscent of spring.

1. Light Water
2. Clear Chord
3. Patina Caming
4. Pale Gray Water

9

**PRIVACY RATING**
INCREASING OBSCURITY



# SOLUTION DOORLITE SERIES


Our Solution Doorlite Series is perfect for those who want a front door that stands out due to its unique features. At Plastpro we are determined to expand the window of opportunity and as a result, we are thrilled to offer multiple sizes and six different glass options to choose from. Create and customize a design that embodies you.

Got a tight schedule? No problem. Our brilliant screwless design saves valuable installation time by eliminating holes and plugs, so you can focus on more important matters throughout your day. The frame also features a patented interlocking joint and compression seal that adheres to the door and creates a powerful compression seal and bond. It safely locks decorative glass in place, while beautifully illuminating and showcasing the features of the glass. We mean it when we emphasize top-notch structure you won't find anywhere else.

We created the Solution Doorlite Series to find the perfect accessory that will seamlessly complement our one-and-only Shaker doors from the Craftsmen Series. This beautiful line is available in a clarifying white or tan textured, vertical, grain pattern meant to add a fine touch to your entryway.

## FEATURES AND BENEFITS

- No unsightly plug or screw holes
- Available in white or tan
- Textured, vertical grain pattern
- Matches various architectural styles
- Shaker-style low profile
- Patented frame system
- Built to resist warping
- Easy installation- saves on labor cost



## TEXTURED GLASS OPTIONS



CLEAR / LowE



WHITE LAMINATE



SANDBLAST



SABLE




NARROW REED

## FRAME OPTIONS



7" x 64" *




22" x 15" *
Divided 3 & 6 Lite Available



22" x 10"



22" x 8"



22" x 3"



8" x 36" *



8" x 8"




22" x 36" *



8" x 6"

* AVAILABLE WITH DECORATIVE GLASS OPTIONS.

# FRAME CONFIGURATION EXAMPLES



**STAGGERED 5 LITE**
*8″ x 6″*



**DIAMOND 4 LITE**
*8″ x 8″*



**STAGGERED 4 LITE**
*8″ x 8″*



**CENTERED 4 LITE**
*8″ x 8″*



**STAGGERED 3 LITE**
*3″ x 22″*




**MODERN 4 LITE**
*22″ x 3″*



**MODERN 6 LITE**
*22″ x 3″*



**FOUR LITE**
*22″ x 8″*



**FIVE LITE**
*22″ x 8″*



**FOUR LITE**
*22″ x 10″*



**THREE LITE**
*22″ x 15″*




**SINGLE TOP LITE W/ 4 LITE BOTTOM**
*22″ x 15″ & 22″ x 3″*



**SINGLE TOP LITE**
*22″ x 15″*



**SINGLE LITE**
*7″ x 64″*



**TWIN FULL LITE**
*7″ x 64″*



**STAGGERED TWIN LITE**
*8″ x 36″*



**EIGHT LITE**
*8″ x 8″*



**STACKED 6 LITE**
*3″ x 22″*

DOOR COLORS ARE FOR VISUALIZATION PURPOSES ONLY. CHECK WITH YOUR LOCAL DEALER FOR AVAILABILITY



*Smooth Series • DRS0080 • 22" x 8" Solution Frame w/ Translucent Glass*




ALL DOORS ARE SHOWN PRE-FINISHED

# LIMITED SERIES



TEAK GRAIN



KNOTTY ADLER GRAIN

Luxury and richness are the perfect words that come to mind when describing Plastpro's Limited Series graining. This line adds a whole new meaning to beauty, especially with our Knotty Adler model, which features a rich, grain patterned with knots. Additionally, our Teak model, has earned a spot in being a worldwide favorite for its divine, straight yet occasionally wavy or interlocked grain patterns. Selecting a door that gives a natural luster and deluxe feeling will be effortless and, in turn, you'll be walking away with an entryway you'd have to see to believe.

● IN STOCK ● EXTENDED LEAD TIME

6'8"

2'8" • 3'0"



**DMT51**
*Teak*

6'8"

3'0"



**DRK2B**
*Knoty Alder*

DOOR OVERVIEW




*Limited Series • Knotty Alder Door • DRK2B*

# MODERN TEAK MILAN DOOR






**DMT51**



*Limited Series • Knotty Alder Door • DRK2B*



● IN STOCK ● EXTENDED LEAD TIME

# KNOTTY ALDER TWO PANEL DOOR




DRK2B









ALL DOORS ARE SHOWN PRE-FINISHED

# MODERN SERIES

There's something special about a clean, minimalistic modern look that magically draws us in, which explains why Plastpro had to launch the compelling Modern Series. An effortless, contemporary door design that makes any home's exterior profoundly refreshing. It all makes sense why this series lies in popular demand. Available in our oak grain and smooth doors, our simple panel details and single patterned glass adds a sharp flare to upscale the look of any home.



OAK GRAIN

SMOOTH

● IN STOCK ● EXTENDED LEAD TIME

6'8"

2'8" • 3'0"



**DMG46**

8'0"

2'8" • 3'0"



**DMG4680**

6'8"

2'6" • 2'8" • 2'10" • 3'0"



**DMG51**

8'0"

2'8" • 3'0"



**DMG5180**

6'8"

3'0"



**DMS1L**

6'8"

3'0"



**DMS1R**

6'8"

3'0"



**DMS5H**

10" BOTTOM RAIL  HVHZ IMPACT ( NOT AVAILABLE IN 3'6")

# OAK SOUTH BEACH DOOR

MODERN SERIES




**DMG46**




**DMG4680**





● IN STOCK ● EXTENDED LEAD TIME

# OAK NAPOLI DOOR




DMG51




DMG5180





10" BOTTOM RAIL  HVHZ IMPACT ( NOT AVAILABLE IN 3'6")

# SMOOTH BIENVENUE DOOR




6'8"



3'0"

**DMS1L**

6'8"




3'0"

**DMS1R**

## GLASS OPTIONS

6'8"



**LowE 272**

6'8"



**LowE 272**

## MODERN GLASS CLOSE UP



**LowE 272**



● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH INFINITY DOOR




**DMS5H**





10" BOTTOM RAIL  HVHZ IMPACT ( NOT AVAILABLE IN 3'6")



ALL DOORS ARE SHOWN PRE-FINISHED

# CRAFTSMAN SERIES




OVOLO - FIR GRAIN



OVOLO - SMOOTH



SHAKER - FIR GRAIN



SHAKER - SMOOTH

If you're an old soul who wishes to keep up with the latest trends, The Craftsman Series is certainly your best bet. This series applies the most notable elements from 19th and 20th century architecture by blessing your home with a historical essence while still maintaining its modern appeal. Our traditional styles and flat panels successfully complement our selection of Ovolo profiles, Shaker profiles, and sleek direct glazed options. Don't miss out on the wonderfully crafted Fir and Smooth graining options available in this line as well. Still searching for more? Check out our limited edition Dentil Shelf and Simulated Divided Lights "SDL" Kits that serve as the perfect accessories to perfect an entryway that symbolizes you.

● IN STOCK ● EXTENDED LEAD TIME

## OVOLO PROFILE




## SHAKER PROFILE







20 MIN FIRE RATED  10" BOTTOM RAIL

## FIR OVOLO

# DIRECT GLAZED TOP LITE DOOR




**DRF3C** **SLF3C**




**DRF3C80** **SLF3C80**

### GLASS OPTIONS




**DRF3C**
*LowE 272*




**DRF3C80**
*LowE 272*




**SLF3C**
*LowE 272*

CRAFTSMAN SERIES



● IN STOCK ● EXTENDED LEAD TIME

# ACCESSORIES

6'8"



**ACDSFT2704**

## DENTIL SHELF

Plastpro's Dentil Shelves add a clean outline to your door while ensuring durability. Our shelves are made of lightweight material, High-Density Polyurethane (HDP) and will not warp, rot or crack. Selecting HDP over traditional wood products is an excellent alternative that is efficient for the long run.

6'8"



**6'8" ACSDF23001**
**8'0" ACSDF23005**

6'8"



**6'8" ACSDF23002**
**8'0" ACSDF23006**

6'8"



**ACSDF23004**

## SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of any entryway. They create a custom look as light shines through the home. This product guarantees easy installation, low-maintenance, and will not rot or absorb moisture.

**ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS**






*Craftsman Series • DRF3C • Glass L000 • ACSDF23002 • SLF3C • Glass L000 • ACSDF23004*

## SMOOTH OVOLO

# DIRECT GLAZED TOP LITE DOOR




**DRS3C** **SLS3C**




**DRS3C80** **SLS3C80**

### GLASS OPTIONS




**DRS3C**
*LowE 272*




**DRS3C80**
*LowE 272*




**SLS3C**
*LowE 272*



● IN STOCK ● EXTENDED LEAD TIME

# ACCESSORIES

6'8"



ACDSSW2704

6'8"



ACDSSW2716

## DENTIL SHELF

Plastpro's Dentil Shelves add a clean outline to your door while ensuring durability. Our shelves are made of lightweight material, High-Density Polyurethane (HDP) and will not warp, rot or crack. Selecting HDP over traditional wood products is an excellent alternative that is efficient for the long run.

6'8"



6'8" ACSDW23005
8'0" ACSDW23001

6'8"



6'8" ACSDW23006
8'0" ACSDW23002

6'8"




ACSDW23004

## SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of any entryway. They create a custom look as light shines through the home. This product guarantees easy installation, low-maintenance, and will not rot or absorb moisture.

**ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS**





*Craftsman Series • GLass L000 • DRS3C • ACSDW23006*

## FIR SHAKER
# ONE PANEL DOOR

6'8"



2'8" • 2'10" • 3'0"

**DRF1K**

## FIR SHAKER
# TWO PANEL DOOR

***GLASS OPTIONS VIA SOLUTION FRAME**
**- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.**

6'8"



2'8" • 2'10" • 3'0"

**DRF2K**

6'8"



**22"X36"HALFLITE**
*Solution Frame**



● IN STOCK ● EXTENDED LEAD TIME

# FIR SHAKER
# THREE PANEL CRAFTSMAN DOOR




**DRF3F** **SLF3S**




**DRF3F80** **SLF3S80**

***GLASS OPTIONS VIA SOLUTION FRAME**
**- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.**




**22" X 15"**
*Solution Frame**

**22" X 15" 3 LITE**
*Solution Frame**

**22" X 15" 6 LITE**
*Solution Frame**

**BRE2215P/Z**
*Solution Frame*

**SOL2215P**
*Solution Frame*

**SPR2215P**
*Solution Frame*



CRAFTSMAN SERIES

10" BOTTOM RAIL

## FIR SHAKER

# DIRECT GLAZED TOP LITE DOOR




**DRF3SL**
*LowE 272*

**SLF3SL**
*LowE 272*

**SLF3FL**
*LowE 272*




**DRF3S80L**
*LowE 272*

**SLF3S80L**
*LowE 272*




**ACDSFT2404**

**ACDSFT2704**

### DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.




**6'8" ACSDF3S68C03L**

**6'8" ACSDF3S68C06L**

**ACSDF3S6802SL**

### SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.

**ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS**



● IN STOCK ● EXTENDED LEAD TIME

# FIR SHAKER
# THREE PANEL STACK DOOR



6'8"



2'8" • 2'10" • 3'0"

**DRF3J**

6'8"



1'0" • 1'2"

**SLF0J**

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.

6'8"



**22" x 15"**
*Solution Frame**

6'8"



**22" x 15" 3 LITE**
*Solution Frame**

6'8"



**22" x 15" 6 LITE**
*Solution Frame**

6'8"



**BRE2215P**
*Solution Frame*

6'8"



**SOL2215P**
*Solution Frame*

6'8"




**SPR2215P**
*Solution Frame*

6'8"



**22" x 15"**
*Solution Frame**

6'8"



**7" x 64"**
*Solution Frame**

10" BOTTOM RAIL

## FIR SHAKER

# FIVE PANEL STACK DOOR

6'8"



2'8" • 2'10" • 3'0"

**DRF50**

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.

6'8"



**22" x 8" 1 LITE**
**5 PANEL**
*Solution Frame**

6'8"



**22" x 8" 2 LITE**
**5 PANEL**
*Solution Frame**

6'8"



**22" x 8" 5 LITE**
**5 PANEL**
*Solution Frame**



● IN STOCK ● EXTENDED LEAD TIME

## SMOOTH SHAKER
# ONE PANEL DOOR




**DRS1K**




**DRS1K80**

## SMOOTH SHAKER
# TWO PANEL DOOR




**DRS2K**




**DRS2K80**

***GLASS OPTIONS VIA SOLUTION FRAME**
**- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.**




**22" x 36" Half Lite**
*Solution Frame**

20 MIN FIRE RATED  10" BOTTOM RAIL


## SMOOTH SHAKER

# THREE PANEL CRAFTSMAN DOOR




**DRS3F**

**SLS3S**




**DRS3F80**

**SLS3S80**

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.




**22" x 15"**
*Solution Frame**




**22" x 15" 3 Lite**
*Solution Frame**




**22" x 15" 6 Lite**
*Solution Frame**




**BRE2215P/Z**
*Solution Frame*




**SOL2215P**
*Solution Frame*




**SPR2215P**
*Solution Frame*



20 MIN FIRE RATED  10" BOTTOM RAIL  IN STOCK  EXTENDED LEAD TIME

# SMOOTH SHAKER
# DIRECT GLAZED TOP LITE DOOR




**DRS3SL**
*LowE 272*

**SLS3SL**
*LowE 272*

**SLS3FL**
*LowE 272*




**DRS3S80L**
*LowE 272*

**SLS3S80L**
*LowE 272*




**ACDSSW2404**

**ACDSSW2704**

## DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.




**6'8" ACSDW3S68C03L**

**6'8" ACSDW3S68C06L**

**ACSDW3S6802SL**

## SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.

**ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS**

## SMOOTH SHAKER

# THREE PANEL STACK DOOR

6'8"



2'8" • 2'10" • 3'0"

**DRS3J**

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.

6'8"



**22" x 15"**
*Solution Frame**

6'8"



**22" x 15" 3 LITE**
*Solution Frame**

6'8"



**22" x 15" 6 LITE**
*Solution Frame**

6'8"



**BRE2215P**
*Solution Frame*

6'8"



**SOL2215P**
*Solution Frame*

6'8"



**SPR2215P**
*Solution Frame*



● IN STOCK ● EXTENDED LEAD TIME

# SMOOTH SHAKER
# FIVE PANEL STACK DOOR



6'8"



2'8" • 2'10" • 3'0"

**DRS50**

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.

6'8"



**22" x 8" 1 LITE**
**5 PANEL**
*Solution Frame**

6'8"




**22" x 8" 2 LITE**
**5 PANEL**
*Solution Frame**

20 MIN FIRE RATED  10" BOTTOM RAIL

ALL DOORS ARE SHOWN PRE-FINISHED


# RUSTIC SERIES



RUSTIC GRAIN

Hold your horses everyone, because you've got to see the breathtaking countrylike doors that Plastpro's Rustic Series has to offer. This series is far from ordinary. Its distinct panel details, beautifully crafted vertical planks, and arched and radius tops deliver a warm and homey sensation to any entryway. Our Rustic Doors' dark and smooth features also add a touch of modernness while embracing sweet southern hospitality. For those wanting to magnify the vintage look, this series also includes a line of wrought iron accessories for further customization, one can't help but observe.

● IN STOCK ● EXTENDED LEAD TIME




**DRATP**




**DRATP70**




**DRATP80**




**DRA1A80**




**DRA1P**




**DRA1P80**




**DRA2A**




**DRA2A80**




**DRA2B**




**DRA2D**




**DRA2P80**




**DRA2R80**

20 MIN FIRE RATED  HVHZ IMPACT ( NOT AVAILABLE IN 3'6")

# TRUE PLANK DOOR






**DRATP**




**DRATP70**




**DRATP80**





● IN STOCK ● EXTENDED LEAD TIME

# ONE PANEL DOOR

## ARCH PLANK & SQUARE TOP

8'0"



3'0" • 3'6"

DRA1A80





HVHZ IMPACT ( NOT AVAILABLE IN 3'6")

# ONE PANEL DOOR

## SQUARE PLANK & SQUARE TOP



6'8"



3'0"

DRA1P

8'0"



3'0" • 3'6"

DRA1P80






● IN STOCK ● EXTENDED LEAD TIME

# TWO PANEL DOOR

## ARCH PLANK & SQUARE TOP




DRA2A




DRA2A80




SLM6080

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 344 | 24.125" x 38" | 3'0" | 6'8" |


| HALF ARCH LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 3R4 | 24.125" x 38" | 3'0" | 6'8" |
| 3R5 | 25.375" x 50.25" | 3'0" | 8'0" |
| 3R6 | 29.375" x 50.25" | 3'6" | 8'0" |

| FULL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| FL2 | 8" x 80" | 1'0"<br>1'2" | 8'0" |

### GLASS OPTIONS




CAMELIA




PRISCILLA

20 MIN FIRE RATED

HVHZ IMPACT ( NOT AVAILABLE IN 3'6")

# TWO PANEL DOOR

## SQUARE PANEL & SQUARE TOP






DRA2B

SLA2B

### GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 344 | 24.125" x 38" | 3'0" | 6'8" |

| FULL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| FL1 | 7" x 64" | 1'0"<br>1'2" | 6'8" |




CAMELIA




PRISCILLA



● IN STOCK ● EXTENDED LEAD TIME

# TWO PANEL DOOR

## ARCH PANEL & SQUARE TOP



6'8"



3'0" • 3'6"

**DRA2D**

### GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 344 | 24.125" x 38" | 3'0" | 6'8" |

| HALF ARCH LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 3R4 | 24.125" x 38" | 3'0" | 6'8" |

6'8" 6'8"



**CAMELIA**

6'8" 6'8"



**PRISCILLA**

HVHZ IMPACT ( NOT AVAILABLE IN 3'6")

# TWO PANEL DOOR

## SQUARE PLANK & SQUARE TOP



8'0"



3'0" • 3'6"

**DRA2P80**

### GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL6 | 25.5" x 50" | 3'0" | 8'0" |
| 346 | 29.375" x 50.25" | 3'6" | 8'0" |

8'0"



**CAMELIA**

8'0"



**PRISCILLA**



HVHZ IMPACT ( NOT AVAILABLE IN 3'6") ● IN STOCK ● EXTENDED LEAD TIME

# TWO PANEL DOOR

## RADIUS PANEL & SQUARE TOP

8'0"



3'0"

**DRA2R80**







# RUSTIC SERIES ACCESSORIES



1.5" Square



ACCLP12Q

1.25" Square



ACCLP14Q

## DECORATIVE CLAVOS

Plastpro's Clavos add detail and style to one of our Rustic Series Doors. With your choice of Large Square Clavos, Large Round Clavos, Small Square Clavos, or Small Round Clavos, there are plenty of bold and subtle options to heighten the rural sentiment and charm of a plank door.

1.5" Round



ACCLP12R

1.25" Round



ACCLP14R

## FEATURES AND BENEFITS

- Easy to Apply
- Unique Adhesive Formatted for Fiberglass Doors
- Masterfully Crafted Premium Metal Alloy
- Tough and Durable Powder Coat Finish

6'8"



**DRA1P**
*ACCLP14Q*

8'0"



**DRA1P80**
*ACCLP14Q*

8'0"



**DRA1A80**
*ACCLP12Q*



● IN STOCK ● EXTENDED LEAD TIME

Industrial Speakeasy



**ACCSPKY0910KIT**

Open Speakeasy



**ACCSPKYGSB0KIT**

## SPEAKEASY & HINGE STRAP

The Open Speakeasy adds an eclectic, but polished, touch to a Plastpro Rustic Series door. Meanwhile, the Industrial Speakeasy takes you back in time to Prohibition days, with an ornate, grill design that adds extra charm and individuality. The wrought iron bars offer a simple, custom detail while presenting a bold focal point.

Plastpro's Hinge Straps are a simple and unique way to give your Rustic Series door an additional splash of character. Our straps are elite when it comes to providing style and top-tier quality to your home. The durable, aluminum material is resistant to rust and discoloration, keeping the bold, black pop of detail intact.

18" Hinge Straps



**ACCHGSTP18**

### FEATURES AND BENEFITS

- Durable Powder Coat Finish
- Combats Rust and Discoloration
- Beautifully Textured
- Masterfully Handcrafted

View In

6'8"



**DRA2D**
*ACCSPKY0910KIT*

View Out

8'0"



**DRA2R80**
*ACCHGSTP18*
*ACCSPKY0910KIT*

View In

6'8"



**DRA2D**
*ACCSPKYGSB0KIT*

View Out

8'0"



**DRA2R80**
*ACCHGSTP18*
*ACCSPKYGSB0KIT*




ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS



ALL DOORS ARE SHOWN PRE-FINISHED

# MAHOGANY SERIES



MAHOGANY GRAIN

The Mahogany Series seamlessly blends red and brown tones to sculpt a beloved, wood texture that is irresistible to the eye. This series effortlessly embodies traditional, timeless styles that are made to radiate beauty and elegance throughout your home. Our perfectly crafted wood panels can be paired with any of our decorative glass options which explains why these fiberglass doors are a hot commodity. This line is also compatible with any layout you desire, giving you the freedom to transform your home into your masterpiece.

● IN STOCK ● EXTENDED LEAD TIME

6'8"



3'0"

DRM3D

6'8"



2'6" • 2'8" • 2'10" • 3'0"

DRM40

6'8"



3'6"

DRM41

6'8"



3'0"

DRM60

8'0"



3'6"

DRM6080

# THREE PANEL DELUXE DOOR






DRM3D SLM3D

## GLASS OPTIONS

| 3/4 OVAL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 3V2 | 16.78" x 38.72" | 3'0" | 6'8" |
| | | | |
| 3V1 | 7" x 39.5" | 1'0" & 1'2" | 6'8" |




BRENTWOOD




CASTILE



● IN STOCK ● EXTENDED LEAD TIME



# MAHOGANY SERIES

*Mahogany Series • DRM3D • Glass BRE3V2P*

# FOUR PANEL BLANK TOP DOOR






DRM40 SLM60

| HALF ROUND LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HR1 | 22" x 10" | 2'6"<br>2'8"<br>2'10"<br>3'0" | 6'8" |

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| | | | |
| HL2 | 8" x 36" | 1'0" & 1'2" | 6'8" |

| FULL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| FL5 | 20" x 64" | 2'6" | 6'8" |
| FL7 | 22" x 64" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| | | | |
| FL1 | 7" x 64" | 1'0"<br>1'2" | 6'8" |

## GLASS OPTIONS




CASTILE




CAMELIA




PRISCILLA




ARTESANO BREEZE




BRENTWOOD




KENSINGTON



● IN STOCK ● EXTENDED LEAD TIME




**SOLSTICE**




**SPRING**

# MAHOGANY SERIES

*Mahogany Series • DRM40 • BREHL4Z*

# TRUE FOUR PANEL DOOR



6'8"



3'6"

**DRM41**



*Mahogany Series • DRM60*



● IN STOCK ● EXTENDED LEAD TIME

# SIX PANEL DOOR




DRM60 SLM60




DRM6080 SLM6080

## GLASS OPTIONS

| TOP LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| TL1 | 25.25" x 8.25" | 3'0" | 6'8" |

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL2 | 8" x 36" | 1'0"<br>1'2" | 6'8" |




ARTESANO BREEZE




SPRING

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 346 | 29.375" x 50.25" | 3'6" | 8'0" |

| FULL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| FL2 | 8" x 80" | 1'0"<br>1'2" | 8'0" |




CAMELIA




PRISCILLA



ALL DOORS ARE SHOWN PRE-FINISHED

# OAK SERIES



OAK GRAIN

You can't go wrong selecting a door from Plastpro's most popular and finest series; The Oak Series. The rich, grain texture and intricate wood carvings deliver a classic look that all loved ones and guests will be infatuated by. The only thing stronger than the Oak grains door resistance is its magnetism and variability. We have many panel designs available so you can mix and match the Oak Series with our entire glass line to find the right, custom combination. Our Oak doors create a suitable look designed for any entryway and will never go out of style.

● IN STOCK ● EXTENDED LEAD TIME




**DRG00**




**DRG0070**




**DRG0080**




**DRG20**




**DRG29** **DRG2980**




**DRG3E**




**DRG3P**




**DRG3080**




**DRG31**




**DRG40**




**DRG41**




**DRG4170**




**DRG4180**




**DRG49**





**DRG6C**




**DRG60** **DRG6080**




**DRG61**




**DRG6170**




**DRG6180**




**DRG63**




**DRG80** **DRG8080**




**DRG90**




**DRG9180**

20 MIN FIRE RATED  10" BOTTOM RAIL  HVHZ IMPACT (NOT AVAILABLE IN 3'6")

# FLUSH PANEL DOOR






DRG00 SLG00





DRG0070 SLG0070





DRG0080 SLG0080

## GLASS OPTIONS


| FULL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| FL5 | 20" x 64" | 2'6" | 6'8" & 7'0" |
| FL7 | 22" x 64" | 2'8"<br>2'10"<br>3'0" | 6'8" & 7'0" |
| FL6 | 20" x 80" | 2'6" | 8'0" |
| FL8 | 22" x 80" | 2'8"<br>2'10"<br>3'0" | 8'0" |
| | | | |
| FL1 | 7" x 64" | 1'0"<br>1'2" | 6'8" & 7'0" |
| FL2 | 8" x 80" | 1'0"<br>1'2" | 8'0" |





CAMELIA





PRISCILLA




ARTESANO BREEZE





BRENTWOOD





CASTILE



10" BOTTOM RAIL HVHZ IMPACT (NOT AVAILABLE IN 3'6") IN STOCK EXTENDED LEAD TIME




KENSINGTON





SOLSTICE




SPRING



*Oak Series • DRG0080 • Glass ARZFL7Z*

# 3/4 HERITAGE DOOR






DRG20 SLG3E

## GLASS OPTIONS

| 3/4 OVAL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 3V2 | 16.78" x 38.72" | 3'0" | 6'8" |

| 3/4 LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 343 | 25" x 48" | 3'0" | 6'8" |
| | | | |
| 341 | 8" x 48" | 1'0" & 1'2" | 6'8" |




BRENTWOOD




CASTILE



● IN STOCK ● EXTENDED LEAD TIME

# 3/4 TWO PANEL DOOR




DRG29 SLG3E




DRG2980 SLG3080

## GLASS OPTIONS

| 3/4 LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 342 | 22" x 48" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| FL7 | 22" x 64" | 2'8"<br>2'10"<br>3'0" | 8'0" |
| | | | |
| 341 | 8" x 48" | 1'0"<br>1'2" | 6'8" |
| FL1 | 7" x 64" | 1'0"<br>1'2" | 8'0" |




CAMELIA




PRISCILLA




ARTESANO BREEZE




BRENTWOOD




CASTILE




KENSINGTON




SOLSTICE

HVHZ IMPACT (NOT AVAILABLE IN 3'6")

# 3/4 TWO PANEL DOOR CONT.




**SPRING**



*Oak Series • DRG2980*



● IN STOCK ● EXTENDED LEAD TIME

# 3/4 ELITE DOOR




DRG3E SLG3E

## GLASS OPTIONS

| 3/4 OVAL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 3V2 | 16.78" x 38.72" | 3'0" | 6'8" |

| 3/4 LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 343 | 25" x 48" | 3'0" | 6'8" |
| | | | |
| 341 | 8" x 48" | 1'0" & 1'2" | 6'8" |




BRENTWOOD




CASTILE

# 3/4 PREMIUM DOOR






DRG3P SLG3P

## GLASS OPTIONS

| 3/4 OVAL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 3V2 | 16.78" x 38.72" | 3'0" | 6'8" |
| | | | |
| 3V1 | 7" x 39.5" | 1'0" & 1'2" | 6'8" |




BRENTWOOD




CASTILE



● IN STOCK ● EXTENDED LEAD TIME

# 3/4 PANEL DOOR




DRG3080 SLG3080



## GLASS OPTIONS

| 3/4 OVAL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 3V3 | 13" x 53" | 2'8"<br>2'10"<br>3'0" | 8'0" |

| 3/4 LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| FL7 | 22" x 64" | 2'8"<br>2'10"<br>3'0" | 8'0" |
| | | | |
| FL1 | 7" x 64" | 1'0" & 1'2" | 8'0" |




BRENTWOOD




CASTILE




ARTESANO BREEZE




CAMELIA




PRISCILLA




KENSINGTON




SOLSTICE




SPRING

HVHZ IMPACT (NOT AVAILABLE IN 3'6")

# THREE PANEL DOOR



6'8"



3'0"

**DRG31**

## GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 3'0" | 6'8" |

6'8"



**ARTESANO BREEZE**

6'8"



**BRENTWOOD**

6'8"



**CASTILE**

6'8"



**KENSINGTON**

6'8"



**SOLSTICE**

6'8"



**SPRING**



● IN STOCK ● EXTENDED LEAD TIME

# FOUR PANEL BLANK TOP DOOR






DRG40 SLG60

## GLASS OPTIONS

| HALF ROUND LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HR1 | 22" x 10" | 2'6"<br>2'8"<br>2'10"<br>3'0" | 6'8" |

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| | | | |
| HL2 | 8" x 36" | 1'0" & 1'2" | 6'8" |




CASTILE




ARTESANO BREEZE




BRENTWOOD




KENSINGTON




SOLSTICE




SPRING

HVHZ IMPACT (NOT AVAILABLE IN 3'6")

# TRUE FOUR PANEL DOOR






**DRG41** **SLG60**




**DRG4170**




**DRG4180** **SLG4180**

## GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" & 7'0" |
| 342 | 22" x 48" | 2'8"<br>3'0" | 8'0" |
| | | | |
| HL2 | 8" x 36" | 1'0"<br>1'2" | 6'8" |
| 341 | 8" x 48" | 1'0"<br>1'2" | 8'0" |




**CAMELIA**




**PRISCILLA**




**ARTESANO BREEZE**




**BRENTWOOD**




**CASTILE**




**KENSINGTON**



10" BOTTOM RAIL HVHZ IMPACT (NOT AVAILABLE IN 3'6") IN STOCK EXTENDED LEAD TIME




**SOLSTICE**




**SPRING**



*Oak Series • DRG41*

# 3/4 FOUR PANEL DOOR






DRG49 SLG49

## GLASS OPTIONS

| 3/4 LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 342 | 22" x 48" | 2'8"<br>3'0" | 6'8" |
| | | | |
| 341 | 8" x 48" | 1'0"<br>1'2" | 6'8" |




CAMELIA




PRISCILLA




ARTESANO BREEZE




BRENTWOOD




CASTILE




KENSINGTON




SOLSTICE




SPRING



● IN STOCK ● EXTENDED LEAD TIME



*Oak Series • DRG6C*

# SIX PANEL CRAFTSMAN DOOR



6'8"



3'0"

DRG6C

## GLASS OPTIONS

6'8"



ARTESANO BREEZE

6'8"



BRENTWOOD

6'8"



SOLSTICE

6'8"



SPRING

| TOP LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| TL3 | 25" x 15" | 3'0" | 6'8" |

## ACCESSORIES



### DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

### FEATURES AND BENEFITS

- Recreate Classic Design
- Create Custom Looks
- Affordable

4 Block Dentil Shelf



ACDSGT2704



● IN STOCK ● EXTENDED LEAD TIME

# SIX PANEL DOOR




DRG60 SLG60




DRG6080 SLG4180

## GLASS OPTIONS

| TOP LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| TL5 | 20" x 8.25" | 2'6" | 6'8" |
| TL1 | 25.25" x 8.25" | 3'0" | 6'8" |

| FULL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| FL1 | 7" x 64" | 1'0"<br>1'2" | 6'8" |

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL6 | 20.25" x 50" | 3'0" | 8'0" |
| 346 | 29.375" x 50.25" | 3'6" | 8'0" |
| | | | |
| 341 | 8" x 48" | 1'0"<br>1'2" | 8'0" |




ARTESANO BREEZE




SPRING




CAMELIA




PRISCILLA




CASTILE




SPRING

20 MIN FIRE RATED HVHZ IMPACT (NOT AVAILABLE IN 3'6")

# SIX PANEL UTILITY DOOR






DRG61 SLG61





DRG6170 SLG6170





DRG6180

## GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" & 7'0" |
| 342 | 22" x 48" | 2'8"<br>2'10"<br>3'0" | 8'0" |
| | | | |
| HL2 | 8" x 36" | 1'0"<br>1'2" | 6'8" & 7'0" |





ARTESANO BREEZE





BRENTWOOD




CASTILE





KENSINGTON




SOLSTICE



10" BOTTOM RAIL HVHZ IMPACT (NOT AVAILABLE IN 3'6") IN STOCK EXTENDED LEAD TIME




**SPRING**



OAK SERIES

*Oak Series • DRG6170 • BREHL4Z*

# TRUE SIX PANEL NARROW DOOR






DRG63 SLG60

## GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| | | | |
| HL2 | 8" x 36" | 1'0"<br>1'2" | 6'8" |




ARTESANO BREEZE




BRENTWOOD




CASTILE




KENSINGTON




SOLSTICE




SPRING



● IN STOCK ● EXTENDED LEAD TIME

# EIGHT PANEL DOOR




DRG80 SLG80




DRG8080



## GLASS OPTIONS

| CENTER ARCH LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 8C2 | 9.75" x 41" | 3'0" | 6'8" |
| 8C3 | 9.5" x 57.25" | 3'0" | 8'0" |
| | | | |
| 8C1 | 8" x 41" | 1'0"<br>1'2" | 6'8" |




CAMELIA




PRISCILLA




ARTESANO BREEZE




BRENTWOOD




BRENTWOOD




CASTILE

# NINE PANEL DOOR

6'8"



2'8" • 3'0"

**DRG90**

## GLASS OPTIONS

| CENTER LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 9P1 | 9.5" x 18.5" | 2'8"<br>3'0" | 6'8" |

6'8"



**BRENTWOOD**

6'8"



**SPRING**



● IN STOCK ● EXTENDED LEAD TIME

# NINE PANEL DOOR

8'0"



3'0" • 3'6"

DRG9180

## GLASS OPTIONS

| CENTER LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 341 | 8" x 48" | 2'8"<br>3'0" | 8'0" |

8'0"



ARTESANO BREEZE

8'0"



BRENTWOOD

8'0"



CASTILE

8'0"



KENSINGTON

8'0"



SOLSTICE

8'0"



SPRING



ALL DOORS ARE SHOWN PRE-FINISHED


# SMOOTH SERIES

We need some appreciation for our natural beauties out there, and Plastpro is here to give it, specifically with our glorious Smooth Series. These doors are made with a pre-pigmented, white skin; its polished look accentuates a one-of-a-kind simplicity to any entryway. Our smooth skin incorporates a variety of panel designs and glass options which allows you to add spice to your door while still accomplishing a clean minimal look. Additionally, this series can be painted giving you the opportunity to create a door that exemplifies the real you.




SMOOTH FINISH


● IN STOCK ● EXTENDED LEAD TIME




**DRS00**




**DRS0070**




**DRS0080**




**DRS2B**




**DRS2D**




**DRS2D80**




**DRS2G**




**DRS2G80**




**DRS20**




**DRS22**




**DRS2270**




**DRS2280**




**DRS29**




**DRS2980**




**DRS3E**




**DRS3P**




**DRS3080**




**DRS31**




**DRS40**




**DRS41**




**DRS4170**




**DRS4180**





**DRS42**




**DRS49**

20 MIN FIRE RATED  10" BOTTOM RAIL  HVHZ IMPACT (NOT AVAILABLE IN 3'6")

6'8"



3'0"

**DRS6B**

6'8"



3'0"

**DRS6C**

6'8"



2'6" • 3'0"

**DRS60**

8'0"



2'6" • 2'8" • 3'0"

**DRS6080**

6'8"



2'8" • 2'10" • 3'0"

**DRS61**

7'0"



2'8" • 2'10" • 3'0"

**DRS6170**

8'0"



2'8" • 2'10" • 3'0"

**DRS6180**

6'8"



2'8" • 2'10" • 3'0"

**DRS63**

6'8"



3'0"

**DRS80**

6'8"



2'8" • 3'0"

**DRS90**




20 MIN FIRE RATED · 10" BOTTOM RAIL · HVHZ IMPACT (NOT AVAILABLE IN 3'6") · IN STOCK · EXTENDED LEAD TIME




*Smooth Series • DRS31*

# FLUSH PANEL DOOR







**DRS00** **SLS00**





**DRS0070** **SLS0070**





**DRS0080** **SLS080**

## GLASS OPTIONS


| FULL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| FL5 | 20" x 64" | 2'6" | 6'8" & 7'0" |
| FL7 | 22" x 64" | 2'8"<br>2'10"<br>3'0" | 6'8" & 7'0" |
| FL6 | 20" x 80" | 2'6" | 8'0" |
| FL8 | 22" x 80" | 2'8"<br>2'10"<br>3'0" | 8'0" |
| | | | |
| FL1 | 7" x 64" | 1'0"<br>1'2" | 6'8" & 7'0" |
| FL2 | 8" x 80" | 1'0"<br>1'2" | 8'0" |





**CAMELIA**





**PRISCILLA**




**ARTESANO BREEZE**





**BRENTWOOD**





**CASTILE**




20 MIN FIRE RATED · 10" BOTTOM RAIL · HVHZ IMPACT (NOT AVAILABLE IN 3'6") · IN STOCK · EXTENDED LEAD TIME




**KENSINGTON**




**SOLSTICE**




**SPRING**



*Smooth Series • DRS0080 • Glass KENFL8*

# TWO PANEL DOOR

## SQUARE PANEL & SQUARE TOP






**DRS2B** **SLS60**

### GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| | | | |
| HL2 | 8" x 36" | 1'0"<br>1'2" | 6'8" |




**ARTESANO BREEZE**




**BRENTWOOD**




**CASTILE**




**KENSINGTON**




**SOLSTICE**




**SPRING**



● IN STOCK ● EXTENDED LEAD TIME

# TWO PANEL DOOR

## SQUARE PANEL & ARCH TOP




DRS2D

SLS60




DRS2D80

SLS4180

### GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| 342 | 22" x 48" | 2'8"<br>3'0" | 8'0" |
| | | | |
| HL2 | 8" x 36" | 1'0"<br>1'2" | 6'8" |
| 341 | 8" x 48" | 1'0"<br>1'2" | 8'0" |




ARTESANO BREEZE




BRENTWOOD




CASTILE




KENSINGTON




SOLSTICE




SPRING




CAMELIA




PRISCILLA

HVHZ IMPACT (NOT AVAILABLE IN 3'6")  20 MIN FIRE RATED

# COTTAGE TWO PANEL DOOR




DRS2G

SLS60




DRS2G80

SLS4180

## GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| 342 | 22" x 48" | 2'8"<br>3'0" | 8'0" |
| | | | |
| HL2 | 8" x 36" | 1'0"<br>1'2" | 6'8" |
| 341 | 8" x 48" | 1'0"<br>1'2" | 8'0" |




ARTESANO BREEZE




BRENTWOOD





CASTILE




KENSINGTON




SOLSTICE




SPRING




CAMELIA




PRISCILLA





10" BOTTOM RAIL HVHZ IMPACT (NOT AVAILABLE IN 3'6") 20 MIN FIRE RATED IN STOCK EXTENDED LEAD TIME

# 3/4 HERITAGE DOOR




DRS20 SLS3E

## GLASS OPTIONS

| 3/4 OVAL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 3V2 | 16.78" x 38.72" | 3'0" | 6'8" |

| 3/4 LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 343 | 25" x 48" | 3'0" | 6'8" |
| | | | |
| 341 | 8" x 48" | 1'0" & 1'2" | 6'8" |




BRENTWOOD




CASTILE

# TWO PANEL DOOR

## SQUARE PANEL & SQUARE TOP






DRS22




DRS2270




DRS2280

### GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" & 7'0" |
| 342 | 22" x 48" | 2'8"<br>3'0" | 8'0" |




ARTESANO BREEZE




BRENTWOOD




CASTILE




KENSINGTON




SOLSTICE




SPRING




CAMELIA




PRISCILLA



● IN STOCK ● EXTENDED LEAD TIME

# 3/4 TWO PANEL DOOR





DRS29 SLS3E




DRS2980 SLS3080

## GLASS OPTIONS

| 3/4 LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 342 | 22" x 48" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| FL7 | 22" x 64" | 2'8"<br>2'10"<br>3'0" | 8'0" |
| | | | |
| 341 | 8" x 48" | 1'0"<br>1'2" | 6'8" |
| FL1 | 7" x 64" | 1'0"<br>1'2" | 8'0" |




CAMELIA




PRISCILLA




ARTESANO BREEZE




BRENTWOOD




CASTILE




KENSINGTON




SOLSTICE

20 MIN FIRE RATED HVHZ IMPACT (NOT AVAILABLE IN 3'6")

# 3/4 TWO PANEL DOOR CONT.




**SPRING**



*Smooth Series • DRS29*



● IN STOCK ● EXTENDED LEAD TIME

# 3/4 ELITE DOOR




DRS3E SLS3E

## GLASS OPTIONS

| 3/4 OVAL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 3V2 | 16.78" x 38.72" | 3'0" | 6'8" |

| 3/4 LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 343 | 25" x 48" | 3'0" | 6'8" |
| | | | |
| 341 | 8" x 48" | 1'0" & 1'2" | 6'8" |




BRENTWOOD




CASTILE

# 3/4 PREMIUM DOOR






DRS3P SLS3P

## GLASS OPTIONS

| 3/4 OVAL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 3V2 | 16.78" x 38.72" | 3'0" | 6'8" |
| | | | |
| 3V1 | 7" x 39.5" | 1'0" & 1'2" | 6'8" |




BRENTWOOD




CASTILE



● IN STOCK ● EXTENDED LEAD TIME

# 3/4 PANEL DOOR




DRS3080 SLS3080

## GLASS OPTIONS

| 3/4 OVAL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 3V3 | 13" x 53" | 2'8"<br>2'10"<br>3'0" | 8'0" |

| 3/4 LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| FL7 | 22" x 64" | 2'8"<br>2'10"<br>3'0" | 8'0" |
| | | | |
| FL1 | 7" x 64" | 1'0" & 1'2" | 8'0" |




BRENTWOOD




CASTILE




ARTESANO BREEZE





CAMELIA




PRISCILLA




KENSINGTON




SOLSTICE




SPRING

# THREE PANEL DOOR



6'8"



3'0"

**DRS31**

## GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 3'0" | 6'8" |

6'8"



**ARTESANO BREEZE**

6'8"



**BRENTWOOD**

6'8"



**CASTILE**

6'8"



**KENSINGTON**

6'8"



**SOLSTICE**

6'8"



**SPRING**



● IN STOCK ● EXTENDED LEAD TIME

# FOUR PANEL BLANK TOP DOOR




**DRS40**
**DRS42**
(2'6" only.
No matching sidelite)

**SLS60**

## GLASS OPTIONS

| HALF ROUND LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HR1 | 22" x 10" | 2'6"<br>2'8"<br>2'10"<br>3'0" | 6'8" |

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| | | | |
| HL2 | 8" x 36" | 1'0" & 1'2" | 6'8" |




**CASTILE**




**ARTESANO BREEZE**




**BRENTWOOD**




**KENSINGTON**




**SOLSTICE**




**SPRING**

HVHZ IMPACT (NOT AVAILABLE IN 3'6")

# TRUE FOUR PANEL DOOR






**DRS41** **SLS60**




**DRS4170**




**DRS4180** **SLS4180**

## GLASS OPTIONS


| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" & 7'0" |
| 342 | 22" x 48" | 2'8"<br>3'0" | 8'0" |
| | | | |
| HL2 | 8" x 36" | 1'0"<br>1'2" | 6'8" |
| 341 | 8" x 48" | 1'0"<br>1'2" | 8'0" |




**CAMELIA**




**PRISCILLA**





**ARTESANO BREEZE**




**BRENTWOOD**





**CASTILE**





**KENSINGTON**



10" BOTTOM RAIL HVHZ IMPACT (NOT AVAILABLE IN 3'6") 20 MIN FIRE RATED IN STOCK EXTENDED LEAD TIME




**SOLSTICE**




**SPRING**



*Smooth Series • DRS41 • Glass KENHL4P*

# 3/4 FOUR PANEL DOOR






**DRS49**

**SLS49**

## GLASS OPTIONS

| 3/4 LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 342 | 22" x 48" | 2'8"<br>3'0" | 6'8" |
| | | | |
| 341 | 8" x 48" | 1'0"<br>1'2" | 6'8" |




**CAMELIA**




**PRISCILLA**




**ARTESANO BREEZE**





**BRENTWOOD**




**CASTILE**




**KENSINGTON**




**SOLSTICE**




**SPRING**



10" BOTTOM RAIL ● IN STOCK ● EXTENDED LEAD TIME

# SIX PANEL CRAFTSMAN DOOR

6'8"



3'0"

DRS6C

## GLASS OPTIONS

6'8"



ARTESANO BREEZE

6'8"



BRENTWOOD

6'8"



SOLSTICE

6'8"



SPRING

| TOP LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| TL3 | 25" x 15" | 3'0" | 6'8" |

SMOOTH SERIES

ACCESSORIES



## DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

### FEATURES AND BENEFITS

- Mimic Classic Design
- Create Custom Looks
- Affordable

4 Block Dentil Shelf



ACDSSW2704

16 Block Dentil Shelf



ACDSSW2716

# SIX PANEL DOOR






DRS60 SLS60




DRS6080 SLS4180

## GLASS OPTIONS

| TOP LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| TL5 | 20" x 8.25" | 2'6" | 6'8" |
| TL1 | 25.25" x 8.25" | 3'0" | 6'8" |

| FULL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| FL1 | 7" x 64" | 1'0"<br>1'2" | 6'8" |

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL6 | 20.25" x 50" | 3'0" | 8'0" |
| 346 | 29.375" x 50.25" | 3'6" | 8'0" |
| | | | |
| 341 | 8" x 48" | 1'0"<br>1'2" | 8'0" |




ARTESANO BREEZE




SPRING




CAMELIA




PRISCILLA




CASTILE





SPRING



● IN STOCK ● EXTENDED LEAD TIME

# SIX PANEL UTILITY DOOR




**DRS61**
**DRS6B** (3'0" only. No matching sidelite)

**SLS61**




**DRS6170**


**SLS6170**





**DRS6180**

## GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" & 7'0" |
| 342 | 22" x 48" | 2'8"<br>2'10"<br>3'0" | 8'0" |
| | | | |
| HL2 | 8" x 36" | 1'0"<br>1'2" | 6'8" & 7'0" |





**ARTESANO BREEZE**





**BRENTWOOD**




**CASTILE**





**KENSINGTON**




**SOLSTICE**

10" BOTTOM RAIL  HVHZ IMPACT (NOT AVAILABLE IN 3'6")  20 MIN FIRE RATED

# SIX PANEL UTILITY DOOR CONT.




**SPRING**

SMOOTH SERIES




*Smooth Series • DRS61*



● IN STOCK ● EXTENDED LEAD TIME

# TRUE SIX PANEL NARROW DOOR






DRS63

SLS60

## GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| | | | |
| HL2 | 8" x 36" | 1'0"<br>1'2" | 6'8" |




ARTESANO BREEZE




BRENTWOOD




CASTILE




KENSINGTON




SOLSTICE




SPRING

20 MIN FIRE RATED

# EIGHT PANEL DOOR



6'8"



3'0"

**DRS80**

## GLASS OPTIONS

| CENTER ARCH LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 8C2 | 9.75" x 41" | 3'0" | 6'8" |

6'8"



**CAMELIA**

6'8"



**PRISCILLA**

6'8"



**ARTESANO BREEZE**

6'8"



**BRENTWOOD**



● IN STOCK ● EXTENDED LEAD TIME

# NINE PANEL DOOR

6'8"



2'8" • 3'0"

**DRS90**

## GLASS OPTIONS

| CENTER LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| 9P1 | 9.5" x 18.5" | 2'8"<br>3'0" | 6'8" |

6'8"



**BRENTWOOD**

6'8"



**SPRING**




ALL DOORS ARE SHOWN PRE-FINISHED

# WHITE OAK SERIES

Can't decide between our classic Oak series and suave Smooth series? Plastpro figured, and as a result, we've created our exclusive White Oak Series. An immaculate line that encapsulates the finest features from our Smooth and Oak doors to deliver a top-notch entryway. Any home can enjoy an intricate oak texture coated in a pristine, pre-pigmented white skin. Finally, to help solidify your decision, Plastpro offers plentiful decorative glass options that'll turn this dreamy look into reality. The White Oak Series is the definition of the best of both worlds.

WHITE OAK GRAIN

● IN STOCK ● EXTENDED LEAD TIME




**DRV00**




**DRV40**




**DRV41**




**DRV60**




**DRW6080**




**DRV61**




**DRV63**

# FLUSH PANEL DOOR






**DRV00** **SLV00**

## GLASS OPTIONS


| FULL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| FL5 | 20" x 64" | 2'6" | 6'8" |
| FL7 | 22" x 64" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| | | | |
| FL1 | 7" x 64" | 1'0"<br>1'2" | 6'8" |




**CAMELIA**




**PRISCILLA**





**ARTESANO BREEZE**





**BRENTWOOD**





**CASTILE**




**KENSINGTON**




**SOLSTICE**




**SPRING**




● IN STOCK ● EXTENDED LEAD TIME



# WHITE OAK SERIES

*White Oak Series • DRV00 • Glass BREFL7P*

# FOUR PANEL BLANK TOP DOOR




DRV40 SLV60

## GLASS OPTIONS

| HALF ROUND LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HR1 | 22" x 10" | 2'6"<br>2'8"<br>2'10"<br>3'0" | 6'8" |

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| | | | |
| HL2 | 8" x 36" | 1'0" & 1'2" | 6'8" |




CASTILE




ARTESANO BREEZE




BRENTWOOD




KENSINGTON




SOLSTICE




SPRING



● IN STOCK ● EXTENDED LEAD TIME



# WHITE OAK SERIES

*White Oak Series • DRV40 • SLV60 • Castile Deco Glass*

# TRUE FOUR PANEL DOOR






DRV41 SLV60

## GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| | | | |
| HL2 | 8" x 36" | 1'0"<br>1'2" | 6'8" |




ARTESANO BREEZE




BRENTWOOD




CASTILE




KENSINGTON




SOLSTICE




SPRING



● IN STOCK ● EXTENDED LEAD TIME

# SIX PANEL DOOR




DRV60 SLV60




DRW6080

## GLASS OPTIONS

| TOP LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| TL1 | 25.25" x 8.25" | 3'0" | 6'8" |

| FULL LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| FL1 | 7" x 64" | 1'0"<br>1'2" | 6'8" |

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL6 | 20.25" x 50" | 3'0" | 8'0" |




ARTESANO BREEZE




SPRING




CAMELIA




PRISCILLA




CASTILE




SPRING

# SIX PANEL UTILITY DOOR






DRV61 SLV61

## GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| | | | |
| HL2 | 8" x 36" | 1'0"<br>1'2" | 6'8" |




ARTESANO BREEZE




BRENTWOOD




CASTILE




KENSINGTON




SOLSTICE




SPRING



● IN STOCK ● EXTENDED LEAD TIME

# TRUE SIX PANEL NARROW DOOR







DRV63 SLV60

## GLASS OPTIONS

| HALF LITE | | | |
|---|---|---|---|
| Code | Glass Size | Width | Height |
| HL4 | 22" x 36" | 2'8"<br>2'10"<br>3'0" | 6'8" |
| | | | |
| HL2 | 8" x 36" | 1'0"<br>1'2" | 6'8" |




ARTESANO BREEZE BRENTWOOD CASTILE KENSINGTON




SOLSTICE SPRING





ALL DOORS ARE SHOWN PRE-FINISHED

# ONELITE SERIES



OAK GRAIN

SMOOTH FINISH



MAHOGANY GRAIN

Our Onelite Series was made to maximize natural light and give your home a lustrous glow. Offered in our classic oak grain and smooth finish coats, these doors encompass style while providing superb flexibility. For example, this line incorporates a fine, flush glazed glass with a removable stop to allow the glass to be switched without changing the entire door. Another benefit is that this series gladly reduces your energy bill, as these doors are available with beautiful and energy-efficient low-emissivity glass. In fact, the only thing clearer than our remarkable glass is the win-win situation the Onelite series presents.

● IN STOCK ● EXTENDED LEAD TIME

6'8"



3'0"

**DRS11**

7'0"



3'0"

**DRS1170**

8'0"



3'0"

**DRS1180**

This model complies with ADA standards and can accommodate ADA required hardware for easy operation. Reinforced blocking and closures allow the following flexible hardware to be installed: panic bars, reinforced arm closures, and exit rim devices. These devices are easy to grasp with one hand and don't require tight grasping or twisting to operate.

6'8"



2'8" • 3'0"

**DRG12**
*Oak Grain*

7'0"



2'6" • 2'8" • 3'0"

**DRS1070**
*Smooth*

6'8"



2'8" • 3'0"

**DRS12**
*Smooth*

6'8"



2'6" • 2'8" • 3'0"

**DRM13**
*Mahogany Grain*

10" BOTTOM RAIL

# COMMERCIAL ADA DOOR






**DRS11**

**DRS1170**

**DRS1180**

## AVAILABLE FOR SPECIAL ORDER

- Sound Barrier Glass (STC:34)
- 3’6” and 4’0” widths

● IN STOCK ● EXTENDED LEAD TIME

### FEATURES & BENEFITS




**1 REINFORCED STILES**
For Panic Bar hardware and Exit Rim devices.

**2 6.5” TOP RAIL**
Accommodates regular and parallel arm closures

**3 5.5” FACE STILES**
Accommodates all types of commercial hardware (including 2-3/4” backset 161 prep and mortise locks).

**4 BOTTOM RAIL TO ACCOMODATE 10” KICK PLATE**
To protect your door and enhance accessibility, this 10.50” bottom rail allows the installation of a kick plate, up to 10” tall.

**5 REMOVABLE GLASS STOP**
Switch the glass as needed without changing the entire door.




10” BOTTOM RAIL ● IN STOCK ● EXTENDED LEAD TIME

# FLUSH GLAZED FULL LITE DOOR



7'0"



2'6" • 2'8" • 3'0"

**DRS1070**

## GLASS OPTIONS

7'0"



**LowE 272**

# FLUSH GLAZED HALF LITE DOOR



6'8"



2'8" • 3'0"

**DRG12**

6'8"



2'8" • 3'0"

**DRS12**

## GLASS OPTIONS

6'8"



**LowE 272**

6'8"



**DRS12L**



● IN STOCK ● EXTENDED LEAD TIME

# FLUSH GLAZED 3/4 LITE DOOR

6'8"



2'6" • 2'8" • 3'0"

DRM13

## GLASS OPTIONS

6'8"




LowE 272




ALL DOORS ARE SHOWN PRE-FINISHED

# NOVA SERIES

Plastpro's Nova Series is an absolute stunner that will turn your entryway into the neighborhood's main attraction. Our Nova Series is most notable for the tall spotless glass that is directly glazed into the door to create a seamless blend between the glass and door. The large glass pane can be outlined in two models: the 45 with a traditional, Craftsman sticking, in a Smooth or Fir skin, and the 90 with a modern, Shaker sticking and Brushed Smooth finish. Welcome beautiful scenery, natural light, and most importantly your loved ones into a space that outsiders can't help but envy a little.







● IN STOCK ● EXTENDED LEAD TIME

## NOVA 45 SMOOTH FINISH & FIR GRAIN




DRS1DL | DRS1D80L | DRF1DL | DRF1D80L

## NOVA 90 BRUSHED SMOOTH FINISH




DRS1SL | DRS1S80L | DRS1E | DRS1E80

## ONYX NOVA 90 BRUSHED SMOOTH FINISH




DRB1S | DRB1S80 | DRB1E | DRB1E80

**NEW**
# ONYX

Plastpro's Infinite Finish in ONYX is pigmented fiberglass skin giving you the contemporary look of a black door without the frequent need for maintenance or painting. The color is literally built into your door.

HVHZ IMPACT | 10" BOTTOM RAIL

# NOVA 45
# FULL LITE DIRECT GLAZED



6'8"



2'0" • 2'6" • 2'8" • 3'0"

**DRS1DL**
*LowE 272/Impact LowE 366*

8'0"



2'0" • 2'6" • 2'8" • 3'0"

**DRS1D80L**
*LowE 272/Impact LowE 366*

6'8"



2'0" • 2'6" • 2'8" • 3'0"

**DRF1DL**
*LowE 272/Impact LowE 366*

8'0"




2'0" • 2'6" • 2'8" • 3'0"

**DRF1D80L**
*LowE 272/Impact LowE 366*






10" BOTTOM RAIL ● IN STOCK ● EXTENDED LEAD TIME




## NOVA 45 FEATURES AND BENEFITS


1. **COMPOSITE STILE CAP**
2. **FULL-LENGTH LVL** *(Hinge & Strike side, for extra rigidity)*
3. **INSULATED ¾" GLASS** *(LowE 272, Impact LowE 366)*
4. **COMPRESSION MOLDED FIBERGLASS SKIN**
5. **LEAK PROTECTION GLAZING TAPE**
6. **INTEGRALLY MOLDED GLASS STOP**
7. **HIGH INSULATION RIGID FOAM**
8. **ADA COMPLIANT BOTTOM RAIL**
9. **COMPOSITE BOTTOM RAIL**





*Nova Series • DRF1DL • LowE 272*


# NOVA 45 SDL KITS




## FEATURES AND BENEFITS

1. Available in Smooth and Fir Grain finish.
2. Notched cutout pattern for perfect alignment.
3. Matching Nova 45 style profile.

- 3M adhesive back for easy installation.
- Made from composite material, will not rot.
- Features a 1.125"(w) x 0.295"(h) modern trapezoidal profile.



10 LITE 2X5 | 12 LITE 2X6 | 12 LITE 3X4 | 15 LITE 3X5 | 18 LITE 3X6 | 9 LITE

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.





● IN STOCK ● EXTENDED LEAD TIME

# NOVA 45 SDL KIT CONFIGURATIONS

6'8"



**10 LITE 2X5**
ACSDF1D68-10L

6'8"



**12 LITE 2X6**
ACSDF1D68-12L26

6'8"



**12 LITE 3X4**
ACSDF1D68-12L34

6'8"



**15 LITE 3X5**
ACSDF1D68-15L

6'8"



**9 LITE**
ACSDF1D68-9LQ

6'8"



**10 LITE 2X5**
ACSDW1D68-10L

6'8"



**12 LITE 2X6**
ACSDW1D68-12L26

6'8"



**12 LITE 3X4**
ACSDW1D68-12L34

6'8"



**15 LITE 3X5**
ACSDW1D68-15L

6'8"



**9 LITE**
ACSDW1D68-9LQ

8'0"



**10 LITE 2X5**
ACSDF1D80-10L

8'0"



**12 LITE 2X6**
ACSDF1D80-12L26

8'0"



**12 LITE 3X4**
ACSDF1D80-12L34

8'0"



**15 LITE 3X5**
ACSDF1D80-15L

8'0"



**18 LITE 3X6**
ACSDF1D80-18L

8'0"



**9 LITE**
ACSDF1D80-9LQ

8'0"



**10 LITE 2X5**
ACSDW1D80-10L

8'0"



**12 LITE 2X6**
ACSDW1D80-12L26

8'0"



**12 LITE 3X4**
ACSDW1D80-12L34

8'0"



**15 LITE 3X5**
ACSDW1D80-15L

8'0"




**18 LITE 3X6**
ACSDW1D80-18L

8'0"




**9 LITE**
ACSDW1D80-9LQ

# NOVA 90
# FULL LITE DIRECT GLAZED





DRS1SL SLS1S





DRS1S80L SLS1S80

## GLASS OPTIONS





DRS1SL DRS1S80L DRS1STSL DRS1S80TSL DRS1SBL DRS1S80BL




SLS1SL SLS1S80L SLS1STSL SLS1S80TSL SLS1SBL SLS1S80BL



HVHZ IMPACT 10" BOTTOM RAIL IN STOCK EXTENDED LEAD TIME




## NOVA 90 FEATURES AND BENEFITS

1. **COMPOSITE STILE CAP**
2. **FULL-LENGTH LVL** *(Hinge & Strike side, for extra rigidity)*
3. **WOOD BLOCKING** *(For structural support in HVHZ Impact models)*
4. **STEEL BEAM**
   *(Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models)*
5. **INSULATED 1" GLASS**
6. **COMPRESSION MOLDED FIBERGLASS SKIN**
7. **BRUSHED FINISHED TEXTURE**
8. **INTEGRALLY MOLDED GLASS STOP**
9. **HIGH-DENSITY POLYURETHANE FOAM**
10. **ADA COMPLIANT BOTTOM RAIL**
11. **COMPOSITE BOTTOM RAIL**





*Nova Series • DRS1SL • LowE 272*

# NOVA 90
# DIRECT GLAZED 3/4 LITE





**DRS1E** **SLS1E** **DRS1E80** **SLS1E80**

STOCK VARIES BASED ON GLASS SELECTION, PLEASE CONTACT FOR AVAILABILITY

## GLASS OPTIONS




**DRS1EL** **DRS1E80L** **DRS1ETSL** **DRS1E80TSL** **DRS1EBL** **DRS1E80BL** **DRS1ERNL** **DRS1E80RNL**




**SLS1EL** **SLS1E80L** **SLS1ETSL** **SLS1E80TSL** **SLS1EBL** **SLS1E80BL** **SLS1ERNL** **SLS1E80RNL**



HVHZ IMPACT 10" BOTTOM RAIL ● IN STOCK ● EXTENDED LEAD TIME




## NOVA 90 FEATURES AND BENEFITS


1. **COMPOSITE STILE CAP**
2. **FULL-LENGTH LVL** *(Hinge & Strike side, for extra rigidity)*
3. **WOOD BLOCKING** *(For structural support in HVHZ Impact models)*
4. **STEEL BEAM**
   *(Hinge & Strike side, for extra rigidity in all 8'0" and HVHZ Impact models)*
5. **INSULATED 1" GLASS**
6. **COMPRESSION MOLDED FIBERGLASS SKIN**
7. **BRUSHED FINISHED TEXTURE**
8. **INTEGRALLY MOLDED GLASS STOP**
9. **HIGH-DENSITY POLYURETHANE FOAM**
10. **ADA COMPLIANT BOTTOM RAIL**
11. **COMPOSITE BOTTOM RAIL**






*Nova Series • DRB1E80L • LowE 272*

# ONYX NOVA 90
# FULL LITE DIRECT GLAZED




## GLASS OPTIONS*

*Also available in HVHZ Impact Glass*



LowE 272 *(Impact LowE 366)*



TRANSLUCENT



FLEMISH



RAIN

**Approximate representations, actual product may vary.*


## GLASS OPTIONS













HVHZ IMPACT · 10" BOTTOM RAIL · IN STOCK · EXTENDED LEAD TIME

# ONYX NOVA 90
# DIRECT GLAZED 3/4 LITE




DRB1E SLB1E




DRB1E80 SLB1E80

## GLASS OPTIONS*

*Also available in HVHZ Impact Glass*



LowE 272 *(Impact LowE 366)*



TRANSLUCENT



FLEMISH



RAIN

**Approximate representations, actual product may vary.*

NOVA SERIES

## GLASS OPTIONS




DRB1E DRB1E80





DRB1E DRB1E80





DRB1E DRB1E80





DRB1E DRB1E80




SLB1E SLB1E80




SLB1E SLB1E80




SLB1E SLB1E80




SLB1E SLB1E80



# STAINING GUIDES

## MATERIALS NEEDED

- Pre-Mixed Oil-Based Stain (1/2 pint)
- Mineral Spirits (4 fl. oz.)
- Topcoat/Sealer (20 fl. oz.)
- Two Lint-free Clean Cloths
- One Pair Protective Glove
- 3" China Bristle Brush
- Two Stir Sticks
- Two Skin Samples
- Finishing Instruction

## STAINING INSTRUCTIONS

### SURFACE PREPARATION



- Lay door horizontally on sawhorses or a table.
- Remove all the hardware and mask off anything you don't want stained, such as the glass insert.
  **DO NOT SAND TEXTURED FIBERGLASS**
- Wipe the Door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain.

### STAIN APPLICATION

**Wood Grain Doors:**

- Starting at the center of the Door, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the Door grain.
- With a clean cloth softly wipe the surface until you reach your desired tone. TIP: When the rag becomes saturated with stain, refold to work with a less saturated section. Be sure to use the same rag for the whole Door.
- After all stain is brushed evenly, you may add finishing touches by using a small 1" to 2" brush or cotton swabs.
- If desired allow the Door to dry following the manufacturer's instructions for drying time between coats, then repeat the above process.

**Brushed Finish Doors (Nova 90):**



- Mix stain with stir stick. Apply stain with a 3" to 4" soft bristle brush
- Wait 5-10 minutes then wipe off excess stain using a clean cloth.
- To stain smooth stiles of the door brush the stain on and do not wipe it off.
- Allow the Door to dry following the manufacturer's instructions for drying time between coats, then repeat the above process.

### PROTECTIVE TOPCOAT

Application of polyurethane topcoat with UV inhibitors like ZAR™ Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications.

- After stain has completely dried (48 hours) mix the topcoat well and apply evenly using a clean, dry 2" soft bristle brush or 3" foam brush. Be sure to stop when the grain changes direction.
- Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.



# PAINTING GUIDES

## MATERIALS NEEDED

- Lint-free Cloth
- Mineral Spirits
- Rubber Gloves
- Masking Tape
- 4" Bristle Brush
- For water-based application: acrylic-based primer* / acrylic latex-based exterior grade paint

**For Smooth Doors ONLY**

- Scotch Brite Pad (Fine) or 320-400 grit sandpaper

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

## PAINTING INSTRUCTIONS

### SURFACE PREPARATION

- Lay door horizontally on sawhorses or a table.
- Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
- **Smooth Doors ONLY:** Lightly scuff/sand the surface with a Scotch Brite pad or fine sand paper.
  **DO NOT SAND TEXTURED FIBERGLASS.**
- Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow acetone to dry from the surface before applying.
- Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.

### PRIMING

- Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the primer to ALL 6 sides. Doors which have been bored and mortised, or machined for hardware should be primed inside of the lock bore, or prepped area as well.
- The primer must be completely dry before applying the topcoat.



### PAINTING

- Apply exterior grade paint with a 4" brush beginning with the panels.
- It is a common practice to paint both door stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
- Continue to apply the topcoat to ALL 6 sides of the door which have been bored and mortised for hardware- should be finished inside of the lock bore as well.

**IMPORTANT TO NOTE:** It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

**CAUTION:** Read and follow all the manufacturer's safe use instructions before using any chemical product.

# TESTING RESULTS

| | |
|---|---|
| **ASTM D1761** | Screw holding capacity. |
| **NWWDA TM-7** | Cycle slam test. |
| **NWWDA TM-8** | Hinge load resistance test. |
| **ASTM E 283** | Air infiltration. |
| **ASTM E 331 / E 547** | Water resistant. |
| **ASTM E 330** | Uniform structural load. |
| **ASTM E1886 / E1996** | Impact / cycle test. |
| **AAMA 1304** | Forced entry resistance test. |
| **TAS 201** | Impact test. |
| **TAS 202** | Air / water / structural test. |
| **TAS 203** | Wind pressure cycle test. |
| **NFRC 100 / 200 / 500** | Energy efficiency. |
| **ASTEM E90 / STC / OITC** | Sound transmission. |
| **ULC 10 C / NFPA 252 / ASTM E 2074** | Fire rated. |
| **CDPH / EHLB METHOD V1.1 2010** | Volatile organic chemical emission test. |
| **JIS Z 2801:2001** | Antimicrobial products test. |
| **ASTM D1413-07** | Antifungal wood plastic composite test. |
| **CSFM 12-7A-1** | Exterior wildfire exposure test. |
| **AAMA 1702** | Exterior door test for manufactured housing. |
| **AAMA 920** | Operating cycle test. |
| **AAMA / WDMA / CSA 101 / I.S./A440 (NAFS)** | North America fenestration test. |

The PLASTPRO DOOR met requirements for sawing, planing, routing, boring, drilling and chiseling. For more specific results, please see our website at www.plastproinc.com or contact our Customer Service Department at 1 (800) 779-0561.

WARNING: These products may include styrene, titanium dioxide, and wood dust, which are known to the State of California to cause cancer. For more information go to www.p65warnings.ca.gov



plastpro®

www.plastproinc.com
5200 W. Century Blvd, 9th Floor ■ Los Angeles, CA 90045
Phone: (800) 779-0561 ■ Fax: (310) 693-8620

© 2024 Plastpro Inc. All Rights Reserved
Product # MKLFLB2024 Updated Jan 2024